

**MUCINEX SINUS-MAX SEVERE CONGESTION AND PAIN- acetaminophen, dextromethorphan hydrobromide, and phenylephrine hydrochloride capsule, liquid filled**  
**RB Health (US) LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Mucinex® Sinus-Max®**  
**Severe Congestion & Pain**

***Drug Facts***

<b><i>Active ingredients (in each liquid gel)</i></b>	<b><i>Purposes</i></b>
<b>Acetaminophen 325 mg</b>	<b>Pain reliever</b>
Dextromethorphan HBr 10 mg	Cough suppressant
Phenylephrine HCl 5 mg	Nasal decongestant

**Uses**

- temporarily relieves:
  - nasal congestion
  - headache
  - minor aches and pains
  - sinus congestion and pressure
  - cough
- temporarily promotes nasal and/or sinus drainage

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 12 liquid gels in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

**Allergy alert**

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease
- heart disease
- diabetes
- high blood pressure
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**When using this product do not use more than directed****Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning**

Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see Overdose warning)**
- do not take more than 12 liquid gels in any 24-hour period
- adults and children 12 years of age and older: take 2 liquid gels every 4 hours
- children under 12 years of age: do not use

**Other information**

- store at 20-25°C (68-77°F)
- avoid excessive heat

**Inactive ingredients**

FD&C red no. 40, FD&C yellow no. 6, gelatin, glycerin, lecithin (soy), mineral oil, polyethylene glycol, povidone, propylene glycol, shellac, sorbitol sorbitan solution, titanium dioxide, water

**Questions?**

**1-866-MUCINEX (1-866-682-4639)**

You may also report side effects to this phone number.

Dist. by: RB Health (US)  
Parsippany, NJ 07054-0224  
Made in China

**PRINCIPAL DISPLAY PANEL - 16 Capsule Blister Pack Carton**

***Fast Dissolving Liquid Gels!***

**MAXIMUM STRENGTH**

NDC 63824-692-16

**Mucinex®**

**SINUS-MAX®**

**SEVERE CONGESTION  
& PAIN**

**Acetaminophen** – Pain Reliever

Dextromethorphan HBr - Cough Suppressant

Phenylephrine HCl – Nasal Decongestant

☐ **Clears Sinus Congestion**

☐ **Relieves Headache**

☐ **Controls Cough**

**16**

**LIQUID GELS**

**(Liquid Filled Capsules)**

**DAY TIME**

**FOR AGES 12+**

MAXIMUM STRENGTH

**Mucinex**  
**SINUS-MAX**

SEVERE CONGESTION  
& PAIN

Tamper evident: Do not use if carton is damaged  
or if printed seal on blister is broken or missing.

16 LIQUID GELS

*Fast Dissolving Liquid Gels!*

NDC 63824-692-16

MAXIMUM STRENGTH

**Mucinex**  
**SINUS-MAX**

SEVERE CONGESTION  
& PAIN

MAXIMUM STRENGTH  
SEVERE CONGESTION  
& PAIN

**Acetaminophen – Pain Reliever**

**Dextromethorphan HBr - Cough Suppressant**

**Phenylephrine HCl – Nasal Decongestant**

- ✓ Clears Sinus Congestion
- ✓ Relieves Headache
- ✓ Controls Cough

Maximum Strength  
per 4-hour dose

Do not take more than a total  
of 12 liquid gels in a 24-hour  
period.

Take only as directed.

Keep carton for complete  
product information.

**PARENTS:**

Learn about teen medicine abuse

[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

16 LIQUID GELS  
(Liquid Filled Capsules)

DAY TIME  
FOR AGES 12+



HEALTH • HYGIENE • HOME

[www.mucinex.com](http://www.mucinex.com)  
Patents: [www.rb.com/patents](http://www.rb.com/patents)

Dist. by: RB Health (US)  
Parsippany, NJ 07054-0224

Made in China  
©2019 RB Health

011419 8355588



**Drug Facts**

**Active ingredients  
(in each liquid gel)**


Acetaminophen 325 mg ..... Pain reliever

**Purposes**

**Drug Facts (continued)**

Ask a doctor or pharmacist before use if you are  
taking the blood thinning drug warfarin

When using this product do not use more than directed  
Stop use and ask a doctor if



## MUCINEX SINUS-MAX SEVERE CONGESTION AND PAIN

acetaminophen, dextromethorphan hydrobromide, and phenylephrine hydrochloride capsule, liquid filled

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63824-692
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

## Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
MINERAL OIL (UNII: T5L8T28FGP)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B71O)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	

## Product Characteristics

Color	RED	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	PC9
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63824-692-16	2 in 1 CARTON	07/01/2017	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	07/01/2017	

**Labeler** - RB Health (US) LLC (081049410)

Revised: 1/2021

RB Health (US) LLC