

**GENTLE LAXATIVE FOR WOMEN STIMULANT LAXATIVE- bisacodyl tablet
Care One (American Sales Company)**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each enteric tablet)

Bisacodyl USP 5 mg

Purpose

Stimulant laxative

Use

- for temporary relief of occasional constipation and irregularity
- this product generally produces a bowel movement in 6 to 12 hours

Warnings

Do not use

- if you cannot swallow without chewing
- within 1 hour after taking an antacid or milk

Ask a doctor before use if you have

- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

When using this product

- do not chew or crush tablet(s)
- it may cause stomach discomfort, faintness and cramps

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take with a glass of water

adults and children 12 years of age and over	take 1 to 3 tablets in a single daily dose
--	--

children 6 to under 12 years of age	take 1 tablet in a single daily dose
children under 6 years of age	ask a doctor

Other information

- **each tablet contains:** calcium 15 mg
- store between 20°-25°C (68-77°F)

Inactive ingredients

acacia, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, D&C red # 7 calcium lake, hypromellose phthalate, iron oxide, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide, and triacetin

Questions or Comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient in Correctol® Laxative†

GENTLE LAXATIVE FOR WOMEN

Bisacodyl 5 mg

FOR GENTLE, DEPENDABLE OVERNIGHT

RELIEF STIMULANT LAXATIVE

TABLETS

†This product is not manufactured or distributed by MSD Consumer Care Inc., distributor of Correctol® Laxative.

DISTRIBUTED BY FOODHOLD U.S.A., LLC

LANDOVER, MD 20785

1-877-846-9949

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Product Label

CAREone®

NDC 41520-120-30

Compare to the active ingredient in Correctol® Laxative†

GENTLE LAXATIVE FOR WOMEN

Bisacodyl 5 mg

FOR GENTLE, DEPENDABLE OVERNIGHT RELIEF STIMULANT LAXATIVE



Actual Size



30 TABLETS

†This product is not manufactured or distributed by MSD Consumer Care Inc., distributor of Correctol® Laxative.
DISTRIBUTED BY FOODHOLD U.S.A., LLC

S-949

1016



TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:
Exp. Date:

Drug Facts (continued)

Active ingredient (in each tablet) Bisacodyl USP 5 mg.....Stimulant laxative

Purpose — this product generally produces a bowel movement in 6 to 12 hours

Warnings
 Do not use
 ■ if you cannot swallow without chewing
 ■ within 1 hour after taking an antacid or milk

Drug Facts (continued)

Ask a doctor before use if you have
 ■ a sudden change in bowel habits that lasts more than 2 weeks
 ■ stomach pain, nausea or vomiting

When using this product
 ■ do not chew or crush tablet(s)
 ■ it may cause stomach discomfort, faintness and cramps

Stop use and ask a doctor if
 ■ you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
 ■ you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
 ■ take with a glass of water

Drug Facts (continued)

Other information
 ■ each tablet contains: calcium 15 mg
 ■ store between 20-25°C (68-77°F)

Inactive ingredients acacia, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, D&C red #7 calcium lake, hypromellose phthalate, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide, triacetin

Questions or comments?
 Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

DISTRIBUTED BY: S&S BRANDS, LLC
 LANDOVER, MD 20785 • 1-877-846-9949
 © 2016 S&S Brands, LLC
 Quality guaranteed or your money back.
 PLD-D14N
 FC002111



CareOne Gentle Laxative For Women

GENTLE LAXATIVE FOR WOMEN STIMULANT LAXATIVE

bisacodyl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41520-120
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10 X0 709 Y6I) (BISACODYL - UNII:10 X0 709 Y6I)	BISACODYL	5 mg

Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
HYPROMELLOSE PHTHALATE (24% PHTHALATE, 55 CST) (UNII: 87Y6436BKR)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POVIDONE (UNII: FZ989GH94E)	
SHELLAC (UNII: 46N107B71O)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	PINK	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	TCL057
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-120-30	2 in 1 CARTON	07/15/2010	
1		15 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	07/15/2010	

Labeler - Care One (American Sales Company) (809183973)

Revised: 12/2016

Care One (American Sales Company)