

**FUNGICURE INTENSIVE- clotrimazole liquid**  
**Alva-Amco Pharmcal Companies, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Active ingredient**

Clotrimazole 1% w/v

**Purpose**

Antifungal

**Uses**

For the cure of most:

- athlete's foot (tinea pedis)
- ringworm (tinea corporis)
- jock itch (tinea cruris)

For relief of:

- itching
- scaling
- cracking
- burning
- redness
- soreness
- irritation
- discomforts which may accompany these conditions

**Warnings**

**For external use only.**

**Ask a doctor before use** on children under 2 years of age.

**When using this product** avoid contact with the eyes.

**Stop use and ask a doctor if**

- irritation occurs
- there is no improvement within 4 weeks (2 weeks for jock itch)

**Keep out of reach of children.** If swallowed, get medical help or contact a poison control center right away.

**Directions**

- Read all package directions and warnings before using.

- Use only as directed.
- Clean the affected area with soap and warm water and dry thoroughly.
- Spray a thin layer of FUNGICURE over the affected area twice daily (morning and night) or as directed by a doctor.
- This product is not effective on the scalp or nails.
- Avoid applying to severely cracked or irritated areas.
- For athlete's foot: pay special attention to spaces between toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily.
- For athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks.
- Supervise children in the use of this product.
- Intended for use by normally healthy adults only.
- Persons under 18 years of age or those with highly sensitive or allergic skin should use only as directed by a doctor.

### **Other information**

Spray FUNGICURE INTENSIVE on cuticles, around nail edges and under nail tips. While not all finger and toe infections are curable with OTC topical medications, if you see improvement within 4 weeks of use, you may continue to use FUNGICURE until satisfactory results are obtained. You may report serious side effects to the phone number provided under *Questions?* below.

### **Inactive ingredient**

Isopropyl alcohol

**Questions? 1-800-792-2582**

### **Package Insert**

#### **FUNGICURE INTENSIVE**

Cures Finger and Toe Area Fungal Infections

Broad Spectrum - Kills 6 types of fungus on exposed nail beds

#### **WHAT IS FUNGUS INFECTION OF THE FINGER AND TOES?**

Common topical fungus infections of the fingers and toes are caused by a variety of fungi; actual living organisms (members of the yeast and mold family) which thrive in dark, moist conditions. Using small breaches in the skin's surface, these organisms can cause infection by contact with infected surfaces, animals or people. Once infection starts, spreading may occur. For example, infected fingers and toes may infect other fingers and toes. Although such infections often develop slowly, they may be difficult to eliminate if not treated promptly with an effective anti-fungal medicine like **FUNGICURE**.

#### **HOW DO YOU KNOW IF YOU HAVE A TOPICAL FUNGUS INFECTION?**

Some topical fungal infections may present themselves on the skin surface as ring-like formations with clear centers; this is commonly called ringworm. Athlete's foot fungus and jock itch fungus, when in the finger and toe areas, are often characterized by scaling of skin, burning, cracking, itching, and related discomforts. When nails become infected, they may appear to become opaque (cloudy white), thickened, brittle, easily broken, and in some cases, discolored (greenish/brown).

#### **UNDERSTANDING AND TREATING A NAIL AREA INFECTION:**

Fungal infections of the nail areas are often caused by the same fungi that lead to athlete's foot, jock itch, and ringworm infections elsewhere on the body. These fungi can infect the entire area around the nails including the cuticles, the nail beds, and even the nails themselves. When infected finger/toe nails

are intact, over-the-counter topical anti-fungal treatments may not be able to penetrate the nail and kill the fungus; this is why all OTC topical treatments must indicate they are not effective on the nails.

However, in instances of advanced infection, the nails often are not intact; they may be missing, cracked open or lifted away, exposing the infected nail bed. In these instances **FUNGICURE Intensive**, with its powerful anti-fungal formula, can reach and kill nail bed fungus by direct application or related capillary action. **Fungicure** cures the infection, allowing the natural regrowth of healthy looking tissue.

NOTE: Fungal infections which are isolated beneath an intact nail or embedded within the nail itself may require consultation from a doctor for proper treatment.

#### **HOW FUNGICURE INTENSIVE WORKS:**

MAXIMUM STRENGTH **FUNGICURE Intensive** contains Clotrimazole, a widely recognized anti-fungal ingredient that has been proven to be effective against 6 types of fungus such as *E. floccosum*, *T. mentagrophytes*, *M. canis*, *M. gypseum*, *T. tonsurans* and *T. rubrum*.

When applied as directed, **FUNGICURE Intensive** acts promptly to target, destroy, and prevent the spread of infection by inhibiting the growth and reproduction of fungal cells.

#### **PROMPT ACTION AND PROPER TREATMENT:**

Early treatment of fungal infections is important. If you suspect that you may have a fungal infection, consult your doctor promptly for advice and proper diagnosis. You may wish to show him/her **FUNGICURE Intensive** and discuss its use. For best results, once treatment is started with **FUNGICURE Intensive**, it is important to carefully follow the treatment instructions on the package until satisfactory results are achieved or advised further by a doctor.

NOTE: Noticeable improvement may be expected within 4 weeks in the case of most athlete's foot (tinea pedis) and ringworm (tinea corporis), two weeks for most jock itch (tinea cruris). Consult your doctor for advice if noticeable improvement is not evident by this time or if condition persists or worsens.

**Active ingredient:** Clotrimazole 1% w/v

**Uses:** For the cure of most: athlete's foot (tinea pedis), ringworm (tinea corporis), jock itch (tinea cruris). For relief of: itching, scaling, cracking, burning, redness, soreness, irritation, and discomforts which may accompany these conditions.

**Warnings:** For external use only.

**Ask a doctor before use** on children under 2 years of age.

**When using this product** avoid contact with the eyes.

**Stop use and ask a doctor if** irritation occurs or there is no improvement within 4 weeks (2 weeks for jock itch).

**Keep out of reach of children.** If swallowed, get medical help or contact a poison control center right away.

**Directions:** Read all package directions and warnings before use. Use only as directed. Clean the affected area with soap and warm water and dry thoroughly. Spray a thin layer of **FUNGICURE** over the affected area (including the exposed nail bed) twice daily (morning and night), or as directed by a doctor. **This product is not effective on the scalp or nails.** Avoid applying to severely cracked or irritated areas. For athlete's foot, pay special attention to spaces between toes; wear well fitting, ventilated shoes, and change shoes and socks at least once daily. For athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks. If condition persists longer, consult a doctor. Supervise children in the use of this product. Intended for use by normally healthy adults only. Persons under 18 years of age or those with highly sensitive or allergic skin should use only as directed by a doctor.

**Other Information:** While not all finger and toe fungal infections are curable with OTC topical

medications, if you see improvement within 4 weeks of use, you may continue to use FUNGICURE until satisfactory results are obtained. You may report serious side effects to the phone number provided under Questions? below.

**Inactive ingredient:** Isopropyl alcohol

**Questions?** 1-800-792-2582

**How Supplied:** 2 fl. oz. (60ml) non-aerosol pump spray.

**Storage:** Keep container closed (capped) when not in use. Store away from excessive heat or cold.

**The active ingredient in FUNGICURE has been recognized to be safe and effective by an FDA Expert Advisory Panel, when used as directed.**



100/60-9RC,  
0716

# Maximum Strength Fungi CURE<sup>®</sup> INTENSIVE ANTI-FUNGAL TREATMENT

### Drug Facts

**Active ingredient** Purpose  
Clotrimazole 1% w/v ..... Antifungal

**Uses** For the cure of most: ■ athlete's foot (tinea pedis) ■ ringworm (tinea corporis) ■ jock itch (tinea cruris). For relief of: ■ itching ■ scaling ■ cracking ■ burning ■ redness ■ soreness ■ irritation ■ discomforts which may accompany these conditions.

### Warnings

For external use only.

Ask a doctor before use on children under 2 years of age.

When using this product avoid contact with the eyes.

Stop use and ask a doctor if ■ irritation occurs ■ there is no improvement within 4 weeks (2 weeks for jock itch).

Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

**Directions** ■ Read all package directions and warnings before using. ■ Use only as directed. ■ Clean the affected area with soap and warm water and dry thoroughly. ■ Spray a thin layer of FUNGICURE over the affected area twice daily (morning and night) or as directed by a doctor. ■ This product is not effective on the scalp or nails. ■ Avoid applying to severely cracked or irritated areas. ■ For athlete's foot: pay special attention to spaces between toes; wear well fitting, ventilated shoes, and change shoes and socks at least once daily. ■ For athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks. If condition persists longer, consult a doctor. ■ Supervise children in the use of this product. ■ Intended for use by normally healthy adults only. ■ Persons under 18 years of age or those with highly sensitive or allergic skin should use only as directed by a doctor.

**Other information** ■ Spray FUNGICURE INTENSIVE on cuticles, around nail edges and under nail tips. While not all finger and toe fungal infections are curable with OTC topical medications, if you see improvement within 4 weeks of use, you may continue to use FUNGICURE INTENSIVE until satisfactory results are obtained. ■ You may report serious side effects to the phone number provided under Questions? below.

### Inactive ingredient

Isopropyl alcohol

Questions? 1-800-792-2582

## Doctor Recommended FUNGICURE<sup>®</sup>

THE FINGER & TOE  
FUNGI SPECIALIST<sup>®</sup>

### Broad Spectrum Anti-Fungal Liquid



Kills fungus wherever reachable  
with medicated spray.

Eliminates exposed  
nail-bed fungus.

Inhibits the growth and  
reproduction of fungal cells.

Instant Dry • No Odor • No Mess

FUNGICURE.COM

### Doctor Recommended

# Maximum Strength Fungi CURE<sup>®</sup> INTENSIVE ANTI-FUNGAL TREATMENT


## Maximum Strength FUNGICURE<sup>®</sup> INTENSIVE ANTI-FUNGAL TREATMENT

THE ACTIVE INGREDIENT IN  
FUNGICURE KILLS 6 TYPES OF  
INFECTION-CAUSING FUNGUS:

T. rubrum, E. floccosum,  
T. mentagrophytes, M. canis,  
M. gypseum and T. tonsurans.

FUNGICURE works on exposed  
nail-bed surfaces where nails are  
missing, cracked open or  
otherwise breached, as well as  
on infected surfaces around,  
adjacent to and under nails  
wherever reachable with the  
convenient FUNGICURE Pump  
Spray applicator.

The active ingredient in  
FUNGICURE is recognized by  
the FDA to be safe and effective  
when used as directed.



### Kills Exposed Nail-Bed Fungus

### Cures Finger & Toe Fungal Infections

Non-aerosol  
pump spray liquid 2 FL OZ (60 mL)

Dist: ALVA-AMCO Pharmacal Cos., Inc.  
Niles, IL 60714, U.S.A.  
© 2007-2016 ALVA  
© Reg. U.S. Patent and Trademark Office

KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.  
STORE AWAY FROM EXCESSIVE HEAT AND COLD.

Prod. No. 1005060

LOT NO.:

EXP.:



CP-226352  
09/2016

9

# FUNGICURE INTENSIVE

clotrimazole liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52389-600
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Clotrimazole</b> (UNII: G07GZ97H65) (Clotrimazole - UNII:G07GZ97H65)	Clotrimazole	10 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>Isopropyl alcohol</b> (UNII: ND2M416302)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:52389-600-60	1 in 1 BOX	06/05/2008	
1		60 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part333C	06/05/2008	

**Labeler** - Alva-Amco Pharmcal Companies, Inc. (042074856)

Revised: 7/2017

Alva-Amco Pharmcal Companies, Inc.