

**NIGHT TIME SLEEP AID- diphenhydramine hcl liquid  
Dolgenercorp, Inc. (DOLLAR GENERAL & REXALL)**

-----  
**Drug Facts**

**Active ingredient (in each 30 mL)**

Diphenhydramine HCl 50 mg

**Purpose**

Nighttime sleep-aid

**Uses**

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

**Warnings**

**Do not use**

- in children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product,**

avoid alcoholic beverages.

**Stop use and ask a doctor if**

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

1222) right away.

### **Directions**

- take only one dose per day (24 hours)
- mL=milliliter
- keep dosing cup with product
- measure only with dosing cup provided. Do not use any other dosing device
- adults and children 12 years and over
  - one dose=30 mL at bedtime if needed, or as directed by a doctor
- children under 12 years do not use

### **Other information**

- **each 30 mL contains:** sodium 23 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- protect from light

### **Inactive ingredients**

citric acid, ethyl alcohol, FD&C blue #1, FD&C red #40, flavor, high fructose corn syrup, polyoxyl 40 stearate, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate

### **Questions or comments?**

Call **1-888-309-9030**

### **Principal Display Panel**

#### **Compare to the active ingredient of ZzzQUIL®\***

Night Time

Sleep Aid

Diphenhydramine HCl 50 mg

Non-habit forming

Not for treating cold or flu

ALCOHOL 10%

Mixed Berry Flavor

fl oz (mL)

Failure to follow these warnings could result in serious consequences.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE**

**CUP OR UNDER CAP IS BROKEN OR MISSING.**

\*This product is not manufactured or distributed by Procter & Gamble Company. ZzzQUIL® is a registered trademark of the Procter & Gamble Company.

DISTRIBUTED BY OLD EAST MAIN CO.

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072

**Package Label**

**Drug Facts** (continued)

**Directions**

- take only one dose per day (24 hours)
- mL = milliliter keep dosing cup with product
- measure only with dosing cup provided. Do not use any other dosing device.
- adults and children 12 years and over
  - one dose = 30 mL at bedtime if needed, or as directed by a doctor
- children under 12 years: do not use

**Other information**

- each 30 mL contains: sodium 23 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- protect from light

**Inactive ingredients** citric acid, ethyl alcohol, FD&C blue #1, FD&C red #40, flavor, high fructose corn syrup, polyoxyl 40 stearate, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate

**Questions or comments?**  
Call 1-888-309-9030

\*This product is not manufactured or distributed by The Procter & Gamble Company. ZzzQuil® is a registered trademark of The Procter & Gamble Company.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.**

DISTRIBUTED BY OLD EAST MAIN CO.  
100 MISSION RIDGE  
GOODLETTSVILLE, TN 37072

**100%**  
Satisfaction  
Guaranteed!  
(888) 309-9030

PLD-5262D LB008181



Failure to follow these warnings could result in serious consequences.

**Drug Facts**

Active ingredient (in each 30 mL)	Purpose
Diphenhydramine HCl 50 mg.....	Nighttime sleep-aid

**Uses**

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

**Warnings**

**Do not use**

- in children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.**

**When using this product,** avoid alcoholic beverages.

**Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks.** Insomnia may be a symptom of a serious underlying medical illness.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**DOLLAR GENERAL HEALTH Night time Sleep Aid**

**NIGHT TIME SLEEP AID**

diphenhydramine hcl liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-114
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>POLYOXYL 40 STEARATE</b> (UNII: 13A4J4NH9I)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SACCHARIN SODIUM ANHYDROUS</b> (UNII: I4807BK602)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-114-12	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/31/2015	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/31/2015	

**Labeler** - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 10/2023

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)