

SUPRA SULFA III- sulfamethazine tablet, extended release
Aspen Veterinary Resources

Supra Sulfa® III
(sulfamethazine)
SUSTAINED RELEASE BOLUS (72 HOURS)
Antibacterial

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

NOT FOR HUMAN USE
KEEP OUT OF REACH OF CHILDREN

Approved by FDA under NADA # 120-615

Net Contents: 50 Boluses

EACH BOLUS CONTAINS: Sulfamethazine (formulated in a sustained release base), 495 grains (32.1 grams)

Supra Sulfa® III Boluses (sulfamethazine) are intended for oral administration to beef cattle and non-lactating dairy cattle (**See RESIDUE WARNING Statement**). Supra Sulfa® III Boluses are indicated for the treatment of the following diseases when caused by one or more of the following pathogenic organisms sensitive to sulfamethazine: Bacterial Pneumonia and Bovine Respiratory Disease Complex (Shipping Fever Complex) (*Pasteurella* spp.), Colibacillosis (Bacterial Scours) (*E. Coli*), Necrotic pododermatitis (Foot Rot), Calf Diphtheria (*Fusobacterium necrophorum*), Acute Metritis (*Streptococcus* spp.).

RESIDUE WARNING: Treated animals intended for human consumption should not be slaughtered for food for at least 12 days after the last dose. Exceeding two (2) consecutive doses may cause violative tissue residues to remain beyond the withdrawal time. Do not use in female dairy cattle 20 months of age or older. Use of sulfamethazine in this class of cattle may cause milk residues. Do not use in calves under one (1) month of age or calves being fed an all-milk diet. Use in these classes of calves may cause violative residues to remain beyond the withdrawal time.

CAUTION: This drug, like all sulfonamides, may cause toxic reactions and irreparable injury unless administered with adequate and continuous supervision; **follow recommended dosages carefully.**

Fluid intake must be adequate at all times throughout the three-day therapy provided by the sustained release bolus. This product has not been shown to be effective for non-ruminating calves.

DOSAGE AND ADMINISTRATION: Supra Sulfa® III Boluses (sulfamethazine) are designed to be administered orally to beef cattle and non-lactating dairy cattle (**See RESIDUE WARNING Statement**). Supra Sulfa® III Boluses should be given according to the following dosage schedule:

No. of Boluses	1	1.5	2	2.5	3	3.5	4	4.5	5
Animal Body Weight (lbs.)	200	300	400	500	600	700	800	900	1,000

This bolus may be divided for better approximation of correct dose; however, care should be taken not to crush the bolus. Care should also be taken to ensure the entire dose has been swallowed by the animal. Observe animals following administration to ensure boluses are not regurgitated. Lubricate bolus before dosing animals.

Supra Sulfa® III Boluses are designed to provide a therapeutic sulfamethazine level in approximately 6 hours and persist in providing this level for 72 hours (3 days). After 72 hours, all animals should be re-examined for persistence of observable disease signs. If signs are present, consult a veterinarian. It is strongly recommended that a second dose be given to provide for an additional 72 hours of therapy particularly in those more severe cases. The dosage schedule should be used at each 72 hour interval.

Store at 20°C - 25°C (68° - 77°F), with excursions permitted to 15°C - 30°C (59° F - 86°F).

EACH BOLUS CONTAINS: Sulfamethazine (formulated in a sustained release base), 495 grains (32.1 grams).

Supra Sulfa® III Boluses (sulfamethazine) are intended for oral administration to beef cattle and non-lactating dairy cattle (See **RESIDUE WARNING Statement**). Supra Sulfa® III Boluses are indicated for the treatment of the following diseases when caused by one or more of the following pathogenic organisms sensitive to sulfamethazine: Bacterial Pneumonia and Bovine Respiratory Disease Complex (Shipping Fever Complex) (*Pasteurella* spp.), Cellulocellosis (Bacterial Scours) (*E. coli*), Necrotic pododermatitis (Foot rot), Calf Diphtheria (*Fusobacterium necrophorum*), Acute Metritis (*Streptococcus* spp.).

RESIDUE WARNING: Treated animals intended for human consumption should not be slaughtered for food for at least 12 days after the last dose. Exceeding two (2) consecutive doses may cause violative tissue residues to remain beyond the withdrawal time. Do not use in female dairy cattle 20 months of age or older. Use of sulfamethazine in this class of cattle may cause milk residues. Do not use in calves under one (1) month of age or calves being fed an all-milk diet. Use in these classes of calves may cause violative residues to remain beyond the withdrawal time.

CAUTION: This drug, like all sulfonamides, may cause toxic reactions and irreparable injury unless administered with adequate and continuous supervision. Follow recommended dosages carefully. Fluid intake must be adequate at all times throughout the three-day therapy provided by the sustained release bolus. This product has not been shown to be effective for non-ruminating calves.

CONTACT INFORMATION: To report adverse drug events, for technical assistance or to obtain a copy of the Safety Data Sheet (SDS), contact Aspen Veterinary Resources at info@aspenveterinaryresources.com. For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VEIS or <http://www.fda.gov/reportanimalae>



NDC # 46066-123-02



Supra Sulfa® III

(sulfamethazine)

SUSTAINED RELEASE BOLUS (72 HOURS)

Antibacterial



CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

**NOT FOR HUMAN USE
KEEP OUT OF REACH OF CHILDREN**

Approved by FDA under NADA # 120-615

Net Contents:
50 Boluses

DOSAGE AND ADMINISTRATION: Supra Sulfa® III Boluses (sulfamethazine) are designed to be administered orally to beef cattle and non-lactating dairy cattle (See **RESIDUE WARNING Statement**). Supra Sulfa® III Boluses should be given according to the following dosage schedule:

No. of Boluses	1	1.5	2	2.5	3	3.5	4	4.5	5
Animal Body Weight (lbs.)	200	300	400	500	600	700	800	900	1000

This bolus may be divided for better approximation of correct dose; however, care should be taken not to crush the bolus. Care should also be taken to ensure the entire dose has been swallowed by the animal. Observe animals following administration to ensure boluses are not regurgitated. Lubricate bolus before dosing animals.

Supra Sulfa® III Boluses are designed to provide a therapeutic sulfamethazine level in approximately 6 hours and persist in providing this level for 72 hours (3 days). After 72 hours, all animals should be re-examined for persistence of observable disease signs. If signs are present, consult a veterinarian. It is strongly recommended that a second dose be given to provide for an additional 72 hours of therapy, particularly in those more severe cases. The dosage schedule should be used at each 72 hour interval.

Store at 20°C - 25°C (68°F - 77°F), with excursions permitted to 15°C - 30°C (59°F - 86°F).

Supra Sulfa® III is a registered trademark of Aspen Veterinary Resources®, Ltd.

Manufactured for:
Aspen Veterinary Resources®, Ltd.
Liberty, MD 54068, USA
www.aspenveterinaryresources.com
1SUS026 8SUS015 A0120-B Rev 07/23

LOT:
EXP:

SUPRA SULFA III

sulfamethazine tablet, extended release

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:46066-123
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SULFAMETHAZINE (UNII: 48U51W007F) (SULFAMETHAZINE - UNII:48U51W007F)	SULFAMETHAZINE	32.1 g

Product Characteristics

Color	white	Score	2 pieces
Shape	OVAL	Size	83mm
Flavor		Imprint Code	NA
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46066-123-02	50 in 1 BOX		
2	NDC:46066-123-03	100 in 1 BOX		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA120615	03/12/2012	

Labeler - Aspen Veterinary Resources (627265361)

Registrant - Bimeda Inc. (060492923)

Establishment

Name	Address	ID/FEI	Business Operations
Bimeda Inc.		060492923	manufacture

Revised: 10/2023

Aspen Veterinary Resources