

DAYTIME COLD FLU- acetaminophen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled
Good Sense (Geiss, Destin & Dunn, Inc.)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each softgel)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

Uses

- temporarily relieves common cold and flu symptoms:
 - minor aches and pains
 - headache
 - sore throat
 - nasal congestion
 - fever
 - cough due to minor throat and bronchial irritation

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- diabetes
- heart disease
- thyroid disease
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product,

do not exceed recommended dosage.

Stop use and ask a doctor if

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- nervousness, dizziness, or sleeplessness occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right

away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see Overdose warning)**
- do not take more than 4 doses in 24 hours
- adults and children 12 years and over: take 2 softgels with water every 4 hours
- swallow whole; do not crush, chew, or dissolve
- children under 12 years: do not use
- **when using other Daytime or Nighttime products, carefully read each label to insure correct dosing**

Other information

- store between 15-30°C (59-86°F)
- avoid excessive heat

Inactive ingredients

butylated hydroxyanisole*, butylated hydroxytoluene*, FD&C red #40, FD&C yellow#6, gelatin, glycerin, polyethylene glycol*, povidone, propylene glycol, purified water, sorbitan*, sorbitol titanium dioxide*, white ink

*contains one or more of these ingredients

Questions or comments?

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

Principal Display Panel

Multi-Symptom Relief

Daytime

Acetaminophen

Dextromethorphan HBr, Phenylephrine HCl

- pain reliever
- fever reducer
- cough suppressant
- nasal decongestant

Alcohol free

Antihistamine free

Non-Drowsy Cold/Flu Relief

Softgels**

(**Liquid filled capsules)

†Compare to active ingredients in Vicks® DayQuil® Cold & Flu LiquidCaps®

†This product is not manufactured or distributed by The Procter & Gamble Company. Vicks®, DayQuil®, and LiquiCaps® are registered trademarks of the Procter & Gamble Company.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by:

Geiss, Destin & Dunn, Inc.

Peachtree City, GA 30269

www.valuelabels.com

Package Label

<p>Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST</p> <p>Other information ■ store between 15-30°C (59-86°F) ■ avoid excessive heat</p> <p>Inactive ingredients butylated hydroxyanisole*, butylated hydroxytoluene*, FD&C red #40*, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide*, white ink</p> <p>*contains one or more of these ingredients</p>	<p>When using this product, do not exceed recommended dosage.</p> <p>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.</p> <p>■ cough that occurs with too much phlegm (mucus) ■ emphysema ■ persistent or chronic cough such as occurs with smoking, asthma, or ■ trouble urinating due to an enlarged prostate gland ■ heart disease ■ thyroid disease ■ high blood pressure ■ liver disease ■ diabetes ■ Ask a doctor before use if you have</p> <p>pharmacist before taking this product. ■ not know if your prescription drug contains an MAOI, ask a doctor or ■ Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do ■ certain drugs for depression, psychiatric, or emotional conditions, or ■ you are now taking a prescription monoamine oxidase inhibitor (MAOI) ■ ask a doctor or pharmacist. ■ nonprescription). If you are not sure whether a drug contains acetaminophen, ■ with any other drug containing acetaminophen (prescription or Do not use</p> <p>consult a doctor promptly. ■ accompanied or followed by fever, headache, rash, nausea, or vomiting. ■ Severe throat warning: If sore throat is severe, persists for more than 2 days, if a skin reaction occurs, stop use and seek medical help right away. ■ may include: ■ skin reddening ■ blisters ■ rash ■ Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms ■ 3 or more alcoholic drinks every day while using this product ■ with other drugs containing acetaminophen ■ more than 4,000 mg of acetaminophen in 24 hours ■ occur if you take: ■ Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:</p> <p>Warnings (continued)</p>
<p>Directions ■ do not take more than 4 doses in 24 hours ■ adults and children 12 years and over: take 2 softgels with water every 4 hours ■ swallow whole; do not crush, chew, or dissolve ■ children under 12 years: do not use ■ when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing</p> <p>Overdose warning: Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p> <p>Keep out of reach of children.</p> <p>If pregnant or breast-feeding, ask a health professional before use. ■ signs of a serious condition. ■ cough comes back or occurs with rash or headache that lasts. These could be ■ redness or swelling is present ■ new symptoms occur ■ fever gets worse or lasts more than 3 days ■ nervousness, dizziness, or sleeplessness occur ■ pain, cough, or nasal congestion gets worse or lasts more than 7 days ■ Stop use and ask a doctor if</p> <p>Drug Facts (continued)</p>	<p>Do not use</p> <p>consult a doctor promptly. ■ accompanied or followed by fever, headache, rash, nausea, or vomiting. ■ Severe throat warning: If sore throat is severe, persists for more than 2 days, if a skin reaction occurs, stop use and seek medical help right away. ■ may include: ■ skin reddening ■ blisters ■ rash ■ Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms ■ 3 or more alcoholic drinks every day while using this product ■ with other drugs containing acetaminophen ■ more than 4,000 mg of acetaminophen in 24 hours ■ occur if you take: ■ Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:</p> <p>Warnings (continued)</p>

<p>Drug Facts (continued)</p> <p>Uses ■ temporarily relieves common cold and flu symptoms ■ minor aches and pains ■ headache ■ sore throat ■ fever ■ nasal congestion ■ cough due to minor throat and bronchial irritation</p>	<p>Drug Facts</p> <p>Active ingredients (in each softgel) Acetaminophen 325 mg.....Pain reliever/fever reducer Dextromethorphan HBr 10 mg.....Cough suppressant Phenylephrine HCl 5 mg.....Nasal decongestant</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

GOODSENSE®
NDC 50804-742-16

Multi-Symptom Relief

Daytime

Acetaminophen
Dextromethorphan HBr, Phenylephrine HCl

- Pain Reliever • Fever Reducer
- Cough Suppressant • Nasal Decongestant

Alcohol-Free
Antihistamine-Free

16 Softgels**
(*Liquid filled capsules)



Actual Size

Non-Drowsy Cold/Flu Relief

†Compare to active ingredients in Vicks® DayQuil® Cold & Flu LiquiCaps®

100%

SATISFACTION GUARANTEED

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING. KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:
Exp. Date:

(Liquid-filled Capsules)

Distributed by:
Geiss, Destin & Dunn, Inc.
Peachtree City, GA 30269
www.valuelabels.com

*This product is not manufactured or distributed by The Procter & Gamble Company. Vicks®, DayQuil®, and LiquiCaps® are registered trademarks of The Procter & Gamble Company.



PLD-E40R FC005164

GOOD SENSE Multi-Symptom Daytime Cold and Flu

DAYTIME COLD FLU

acetaminophen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50804-742
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	orange	Score	no score
Shape	CAPSULE	Size	20mm
Flavor		Imprint Code	P19;95A;AP016

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50804-742-16	16 in 1 CARTON	01/31/2019	12/27/2024
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:50804-742-24	24 in 1 CARTON	01/31/2019	12/27/2024
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	01/31/2019	12/27/2024

Labeler - Good Sense (Geiss, Destin & Dunn, Inc.) (076059836)

Revised: 9/2022

Good Sense (Geiss, Destin & Dunn, Inc.)