SUNSCREEN - spf 40 lotion CA-BOTANA INTERNATIONAL

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

6236 SPF40 Umbrella Sunscreen Lotion

For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact a poison control center right away.

Helps prevent sunburn. If used as directed with other sun protection measured decreases the risk of skin cancer and early skin aging caused by the sun. Apply liberally 15 minutes before sun exposure. Use a water resistant sunscreen if swimming or sweating. Reapply: at least 2 hours. Children under 6 months: Ask a doctor. Sun protection measurements. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m - 2 p.m. Wear long-sleeve shirts, pants, hats, and sunglasses. Protect this product from excessive heat and direct sun

ALOE VERA LEAF, ALUMINUM STARCH OCTENYLSUCCINATE, ASCORBIC ACID, ASCORBYL PALMITATE, BORON NITRIDE, CETOSTEARYL ALCOHOL, CETEARYL ISONONANOATE, CITRIC ACID MONOHYDRATE, CAPRYLIC/CAPRIC MONO/DIGLYCERIDES, ETHYLHEXYLGLYCERIN, GLYCERIN, SUNFLOWER OIL, ISOMALT, LECITHIN SOYBEAN, MACADAMIA OIL, NIACIN, PANTHENOL, PHENOXYETHANOL, LECITHIN SOYBEAN, POTASSIUM SORBATE, PROPANEDIOL, ROSA MOSCHATA OIL, ROSEMARY, SODIUM BENZOATE, HYALURONATE SODIUM, TETRASODIUM IMINODISUCCINATE, TOCOPHEROL, GRAPE SEED OIL, WATER

Sunscreen

Titanium Dioxide, Octinoxate

For external use only.
Avoid contact with eyes.
Keep out of reach of children.
Do not apply to open wounds.
STOP USE AND ask a doctor if condition worsens or symptoms persist for more than seven days, discontinue use of the product.

Helps prevent sunburn. If used as directed with other sun protection measured decreases the risk of skin cancer and early skin aging caused by the sun. Apply liberally 15 minutes before sun exposure. Use a water resistant sunscreen if swimming or sweating. Reapply: at least 2 hours. Children under 6 months: Ask a doctor. Sun protection measurements. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m - 2 p.m. Wear long-sleeve shirts, pants, hats, and sunglasses. Protect this product from excessive heat and direct sun



spf 40 lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:35192-008
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) (TITANIUM DIO XIDE - UNII:15FIX9 V2JP)	TITANIUM DIO XIDE	6.8 g in 113.4 g	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	8.5 g in 113.4 g	

Inactive Ingredients Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	Strength
· · · · · · · · · · · · · · · · · · ·	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: 19 PJ 0 0 6 2 9 4)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
BORON NITRIDE (UNII: 2U4T60 A6 YD)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETEARYL ISONONANO ATE (UNII: P5OO 1U9 9 NI)	
CITRIC ACID MONOHYDRATE (UNII: 2968 PHW8 QP)	
CAPRYLIC/CAPRIC MONO/DIGLYCERIDES (UNII: U72Q2I8C85)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERIN (UNII: PDC6A3C0OX)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ISOMALT (UNII: S870P55O2W)	
LECITHIN, SO YBEAN (UNII: 1DI56 QDM62)	
MACADAMIA O IL (UNII: 515610 SU8C)	
NIACIN (UNII: 2679MF687A)	
PANTHENOL (UNII: WV9CM0O67Z)	
PHENO XYETHANOL (UNII: HIE492ZZ3T)	
LECITHIN, SO YBEAN (UNII: 1DI56 QDM62)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROPANEDIOL (UNII: 5965N8W85T)	
ROSA MOSCHATA OIL (UNII: J99W255AWF)	
ROSEMARY (UNII: IJ67X351P9)	
SO DIUM BENZO ATE (UNII: OJ245FE5EU)	
HYALURO NATE SO DIUM (UNII: YSE9 PPT4TH)	
TETRASO DIUM IMINO DISUCCINATE (UNII: GYS41J2635)	
TOCOPHEROL (UNII: R0ZB2556P8)	
GRAPE SEED OIL (UNII: 930 MLC8 XGG)	
WATER (UNII: 059QF0KO0R)	

]	Packaging			
#	# Item Code	Package Description	Marketing Start Date	Marketing End Date

1 NDC:35192-008-02	113.4 g in 1 TUBE			
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part352	06/01/2012		

Labeler - CA-BOTANA INTERNATIONAL (106276728)

Registrant - RODOLFO UGELST AD (106276728)

Establishment				
Name	Address	ID/FEI	Business Operations	
CA-BOTANA INTERNATIONAL		106276728	manufacture	

Revised: 6/2012 CA-BOTANA INTERNATIONAL