

MOTION SICKNESS- meclizine hcl tablet
ARMY AND AIR FORCE EXCHANGE SERVICE

Exchange Select 44-403

Active ingredient (in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- take first dose ½ to 1 hour before starting activity
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

Inactive ingredients

colloidal silicon dioxide, D&C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

Questions or comments?

1-800-426-9391

Principal Display Panel

exchange ✓ **select**™

Compare To The Active Ingredient of Dramamine® Less Drowsy*

LESS DROWSY FORMULA

MOTION SICKNESS

Meclizine HCl Tablets 25 mg / Antiemetic

Helps prevent Nausea and Dizziness due to Motion Sickness for up to 24 hours

Ages 12 Years and Over

16

TABLETS

Actual Size

quality

value

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by Medtech Products Inc.,

owner of the registered trademark
Dramamine® Less Drowsy.

50844 ORG042340321

"SATISFACTION GUARANTEED OR YOUR MONEY BACK"

Manufactured For Your Military Exchanges

Distributed by: LNK International, Inc.

Hauppauge, NY 11788

1-800-426-9391



LESS DROWSY FORMULA

MOTION SICKNESS

Helps prevent Nausea and Dizziness
due to Motion Sickness for up to 24 hours

exchange **select**[™]

Compare To The Active Ingredient of
Dramamine® Less Drowsy*

LESS DROWSY FORMULA MOTION SICKNESS

Meclizine HCl Tablets 25 mg / Antiemetic

Helps prevent Nausea and Dizziness due to
Motion Sickness for up to 24 hours

Ages 12 Years and Over

16 Actual Size
Tablets



quality
value

exchange
select

LESS DROWSY FORMULA MOTION SICKNESS

B-0068E-403A-21
ORG042340321

*This product is not manufactured or distributed by Medach Products Inc., Dramamine® Less Drowsy.
50844 ORG042340321
Manufactured For Your Military Exchanges
Distributed by: LNK International, Inc.
Happauge, NY 11788
1-800-426-9391

Questions or comments? 1-800-426-9391

Inactive ingredients colloidal silicon dioxide, D&C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

When using this product
■ drowsiness may occur
■ avoid alcoholic beverages
■ alcohol, sedatives, and tranquilizers may increase drowsiness


Ask a doctor or pharmacist before use if you are taking
■ a breathing problem such as emphysema or chronic bronchitis
■ glaucoma
■ difficulty in urination due to enlargement of the prostate gland

When using this product
■ use caution when driving a motor vehicle or operating machinery



FLAT FOLD
E1044

TAMPER EVIDENT: DO NOT USE IF PACK/UNIT IS TORN, BLENDED OR SHOWS ANY SIGNS OF TAMPERING



Exchange Select 44-403A

MOTION SICKNESS

meclizine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55301-403
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	yellow	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	44;403
Contains			

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:55301-403-21	2 in 1 CARTON	06/24/2002	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	06/24/2002	

Labeler - ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(55301-403)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(55301-403) , pack(55301-403)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(55301-403)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(55301-403)

Revised: 6/2024

ARMY AND AIR FORCE EXCHANGE SERVICE