

MOTION SICKNESS- meclizine hcl tablet
ARMY AND AIR FORCE EXCHANGE SERVICE

Exchange Select 44-403

Active ingredient (in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- take first dose ½ to 1 hour before starting activity
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

Inactive ingredients

colloidal silicon dioxide, D&C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

Questions or comments?

1-800-426-9391

Principal Display Panel

exchange ✓ **select**™

**Compare To The Active Ingredient of
Dramamine® Less Drowsy***

LESS DROWSY FORMULA

MOTION SICKNESS

Meclizine HCl Tablets 25 mg / Antiemetic

**Helps prevent Nausea and Dizziness due to
Motion Sickness for up to 24 hours**

Ages 12 Years and Over

16

TABLETS

Actual Size

quality

value

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS OF TAMPERING**

*This product is not manufactured or
distributed by Medtech Products Inc.,

owner of the registered trademark
Dramamine® Less Drowsy.

50844 ORG042340321

"SATISFACTION GUARANTEED OR YOUR MONEY BACK"

Manufactured For Your Military Exchanges

Distributed by: LNK International, Inc.

Hauppauge, NY 11788

1-800-426-9391



LESS DROWSY FORMULA

MOTION SICKNESS

Helps prevent Nausea and Dizziness
due to Motion Sickness for up to 24 hours

exchange **select**™

Compare To The Active Ingredient of
Dramamine® Less Drowsy*

LESS DROWSY FORMULA MOTION SICKNESS

Meclizine HCl Tablets 25 mg / Antiemetic

Helps prevent Nausea and Dizziness due to
Motion Sickness for up to 24 hours

Ages 12 Years and Over

16 Actual Size
Tablets

quality
value

exchange
select

LESS DROWSY FORMULA MOTION SICKNESS

B-0068E-403A-21
ORG042340321

*This product is not manufactured or
distributed by Medich Products Inc.,
Dramamine® Less Drowsy.
50844 ORG042340321
Manufactured For Your Military Exchanges
Distributed by: LNK International, Inc.
Happauge, NY 11788
1-800-426-9391

■ difficulty in urination due to enlargement of the prostate
■ a breathing problem such as emphysema or chronic
■ glaucoma
■ a bleeding problem
■ Ask a doctor or pharmacist before use if you are taking
sedatives or tranquilizers.
When using this product
■ drowsiness may occur
■ avoid alcoholic beverages
■ alcohol, sedatives, and tranquilizers may increase
drowsiness
■ use caution when driving a motor vehicle or operating
machinery

■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS
OPENED OR BLISTER IS TORN OR BROKEN
■ store at 25°C (77°F); excursions permitted between
15°-30°C (59°-86°F)
■ protect from heat and humidity
■ see end flap for expiration date and lot number
Inactive ingredients colloidal silicon dioxide, D&C
yellow #10 aluminum lake, lactose monohydrate,
magnesium stearate, pregeatinized starch
Questions or comments? 1-800-426-9391




Patented

FLAT FOLD

E1044

TAMPER EVIDENT: DO NOT USE IF PACK
OPENED OR IF BLISTER UNIT IS TORN, B
OR SHOWS ANY SIGNS OF TAMPERING



Exchange Select 44-403A

MOTION SICKNESS

meclizine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55301-403
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	yellow	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	44;403
Contains			

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:55301-403-21	2 in 1 CARTON	06/24/2002	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M009	06/24/2002	

Labeler - ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(55301-403)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(55301-403) , pack(55301-403)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(55301-403)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(55301-403)