

**LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS 60 ULTRA
LIGHT SUNSCREEN BROAD SPECTRUM SPF 60 WATER RESISTANT 80
MINUTES- avobenzone, homosalate, octisalate, octocrylene and
oxybenzone spray
L'Oreal USA Products Inc**

Drug Facts

Active ingredients

Avobenzone 2.68%

Homosalate 9.6%

Octisalate 2.88%

Octocrylene 5.38%

Oxybenzone 3.46%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- spray generously and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, isopropyl lauroyl sarcosinate, glycerin, styrene/acrylates copolymer, isotridecyl isononanoate, polyurethane-35, caprylyl methicone, octyldodecanol, phenoxyethanol, propylene glycol, caprylyl glycol, sodium stearyl glutamate, polysorbate 61, glyceryl stearate, PEG-8 laurate, dimethiconol, octyldodecyl xyloside, PEG-12 dimethicone, p-anisic acid, stearyl alcohol, disodium EDTA, tocopherol, diethylhexyl syringylidenemalonate, cassia alata leaf extract, maltodextrin

Questions or comments?

1-888-LRP-LABO 1-888-577-5226

Monday - Friday (9 a.m. - 5 p.m. EST)

FACE & BODY

60

SUNSCREEN

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

BROAD SPECTRUM
SPF60

NEW
ANTHELIOS 60
Avec de l'eau thermale de La Roche-Posay

ULTRA LIGHT SUNSCREEN LOTION SPRAY
Fast absorbing, non-greasy
For sport and outdoor activities

with **CELL-OX SHIELD XL™**

Advanced UVA/UVB technology
+ Antioxidant protection



ALCOHOL-FREE
WATER RESISTANT (80 MINUTES)
Fragrance-free. Paraben-free
Tested on sensitive skin

5.0 OZ - 143 g

NEW ANTHELIOS Ultra-light Sunscreen
Lotion Spray with CELL-OX SHIELD XL™:

INNOVATION

For the first time La Roche-Posay introduces multi-patented **CELL-OX SHIELD XL™** filtering system in a **breakthrough alcohol-free lotion-spray for sport and outdoor activities**. Its ultra-light texture combines the weightlessness of a spray with the lasting comfort of a lotion, leaving a non-greasy finish with no residue.

Properties:

- **Dual breakthrough filtering system:** - an optimized combination of photostable UVA/UVB filters chosen for its more synergistic effect to deliver broad-spectrum protection¹.
 - a reduced level of ingredients in a fragrance-free, paraben-free texture suitable for even sensitive skin.
 - Powerful antioxidant protection. With Senna Alata, a tropical leaf extract known to defend skin cells² against free radicals caused by the sun that accelerate skin aging.
- Dermatological safety:** Anthelios 60 sunscreen has been formulated and rigorously tested for skin tolerance, even on sensitive skin.

WATER RESISTANT (80 MINUTES)

FRAGRANCE-FREE - PARABEN-FREE - ALCOHOL-FREE
NON-COMEDOGENIC - ALLERGY TESTED
DERMATOLOGIST TESTED - TESTED ON SENSITIVE SKIN

Drug Facts

Active ingredients	Purpose
Avinzone 2.68%	Sunscreen
Homosalate 9.60%	Sunscreen
Octisalate 2.88%	Sunscreen
Octocrylene 5.38%	Sunscreen
Oxybenzone 3.48%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

For sunscreen use:

- spray generously and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, isopropyl lauryl sarcosinate, glycerin, styrene / acrylates copolymer, isobutylacrylate, polyurethane-35, caprylyl methacrylate, octyldodecanol, phenoxethanol, propylene glycol, caprylyl glycol, sodium stearyl glutamate, polysorbate 61, glyceryl stearate, PEG-8 laurate, dimethiconol, octyldodecyl glycolide, PEG-12 dimethicone, p-anisic acid, stearyl alcohol, disodium EDTA, tocopherol, diethylhexyl syringylidenemalonate, cassia alata leaf extract, malhoctadimn

Questions or comments?

1-888-LRP-LABO 1-888-577-5226
Monday - Friday (9 a.m. - 5 p.m. EST)

858292 8 Code F.I.L.: D160913/2

¹ compared to previous synergy of filters.
² Screened over 250 sunscreen combinations.
upper layers of skin.

US 5,447,765
US 8,241,615
US 5,672,337
US Pat. Pending
Distributed by
La Roche-Posay LLC,
New York, NY 10017
1803279
Made in USA
M5706
DOT 2Q



FACE & BODY
60
SUNSCREEN

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

BROAD SPECTRUM
SPF60

NEW
ANTHELIOS 60
Avec de l'eau thermale de La Roche-Posay

ULTRA LIGHT SUNSCREEN LOTION SPRAY
Fast absorbing, non-greasy
For sport and outdoor activities

with **CELL-OX SHIELD XL™**

Advanced UVA/UVB technology
+ Antioxidant protection



ALCOHOL-FREE
WATER RESISTANT (80 MINUTES)
Fragrance-free. Paraben-free
Tested on sensitive skin

5.0 OZ - 143 g

NEW ANTHELIOS Ultra-light Sunscreen
Lotion Spray with CELL-OX SHIELD XL™:

INNOVATION

For the first time La Roche-Posay introduces multi-patented CELL-OX SHIELD XL™ filtering system in a breakthrough alcohol-free lotion-spray for sport and outdoor activities. Its ultra-light texture combines the weightlessness of a spray with the lasting comfort of a lotion, leaving a non-greasy finish with no residue.

Properties:

- **Dual breakthrough filtering system:** - an optimized combination of photostable UVA/UVB filters chosen for its more synergistic effect to deliver broad-spectrum protection¹. - a reduced level of ingredients in a fragrance-free, paraben-free texture suitable for even sensitive skin.
 - **Powerful antioxidant protection.** With Senna Alata, a tropical leaf extract known to defend skin cells² against free radicals caused by the sun that accelerate skin aging.
- Dermatological safety:** Anthelios 60 sunscreen has been formulated and rigorously tested for skin tolerance, even on sensitive skin.

WATER RESISTANT (80 MINUTES)

FRAGRANCE-FREE - PARABEN-FREE - ALCOHOL-FREE
NON-COMEDOGENIC - ALLERGY TESTED
DERMATOLOGIST TESTED - TESTED ON SENSITIVE SKIN

Drug Facts

Active ingredients	Purpose
Avobenzone 2.68%	Sunscreen
Homosalate 8.60%	Sunscreen
Octisalate 2.88%	Sunscreen
Octocrylene 5.38%	Sunscreen
Oxybenzone 3.46%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

For sunscreen use:

- spray generously and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 8 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, isopropyl lauryl sarcosinate, glycerin, styrene / acrylates copolymer, isobutylacrylate, isononanoate, polyurethane-35, caprylyl methacrylate, octyldodecanol, phenoxethanol, propylene glycol, caprylyl glycol, sodium stearyl glutamate, polysorbate 61, glyceryl stearate, PEG-8 laurate, dimethiconol, octyldodecyl myristate, PEG-12 dimethicone, p-anisic acid, stearyl alcohol, disodium EDTA, tocopherol, diethylhexyl syringylidenemalonate, cassia alata leaf extract, methocedrin

Questions or comments?

1-888-LRP-LABO 1-888-577-5226
Monday - Friday (9 a.m. - 5 p.m. EST)

858292 8 Code F.I.L.: D160913/2

¹ compared to previous synergy of filters.
Screened over 250 sunscreen combinations.
² upper layers of skin.

US 5,467,765
US 8,241,615
US 5,672,337
US Pat. Pending
Distributed by
La Roche-Posay LLC,
New York, NY 10017
1803279
Made in USA
M5706
DOT 2Q



LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS 60 ULTRA LIGHT SUNSCREEN BROAD SPECTRUM SPF 60 WATER RESISTANT 80 MINUTES

avobenzone, homosalate, octisalate, octocrylene and oxybenzone spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-008
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Avobenzone (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	26.8 mg in 1 g
Homosalate (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)	Homosalate	96 mg in 1 g
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	28.8 mg in 1 g

Octocrylene (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	53.8 mg in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	34.6 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISOPROPYL LAUROYL SARCOSINATE (UNII: LYR06W430J)	
GLYCERIN (UNII: PDC6A3C0OX)	
STYRENE/ACRYLAMIDE COPOLYMER (500000 MW) (UNII: 5Z4DPO246A)	
ISOTRIDECYL ISONONANOATE (UNII: WEF51750MT)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
POLYSORBATE 61 (UNII: X9E1MY2JQG)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-8 LAURATE (UNII: 762O8IWA10)	
DIMETHICONOL (2000 CST) (UNII: T74O12AN6Y)	
OCTYLDODECYL XYLOSIDE (UNII: 8Z6VNR46QM)	
PEG-12 DIMETHICONE (UNII: ZEL54N6W95)	
p-ANISIC ACID (UNII: 4SB6Y7DMM3)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TOCOPHEROL (UNII: R0ZB2556P8)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
SENNA ALATA LEAF (UNII: 4BXR6YZN92)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-008-01	143 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	01/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2014	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment			
Name	Address	ID/FEI	Business Operations
American Spraytech, LLC		137135237	manufacture(49967-008)

Revised: 12/2023

L'Oreal USA Products Inc