

**SKINCEUTICALS SHEER PHYSICAL UV DEFENSE BROAD SPECTRUM SPF 50
SUNSCREEN- titanium dioxide and zinc oxide lotion
L'Oreal USA Products Inc**

Drug Facts

Active ingredients

Titanium dioxide 6%

Zinc oxide 5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure

- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk,

regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, isododecane, c12-15 alkyl benzoate, undecane, triethylhexanoin, isohexadecane, nylon-12, caprylyl methicone, butyloctyl salicylate, phenethyl benzoate, styrene/acrylates copolymer, silica, tridecane, dicaprylyl carbonate, dicaprylyl ether, talc, dimethicone/peg-10/15 crosspolymer, aluminum stearate, pentylene glycol, PEG-9 polydimethylsiloxylethyl dimethicone, alumina, polyhydroxystearic acid, phenoxyethanol, magnesium sulfate, caprylyl glycol, PEG-8 laurate, disteardimonium hectorite, triethoxycaprylylsilane, tocopherol, propylene carbonate, artemia extract, benzoic acid, PEG-9

Questions or comments?

Call 1-800-811-1660

Monday - Friday (9 a.m. - 5 p.m. CST)



Drug Facts (continued)

ether, talc, dimethicone/PEG-10/15 crosspolymer, aluminum stearate, pentylene glycol, PEG-9 polydimethylsiloxyethyl d
polyhydroxy stearic acid, phenoxethanol, magnesium sulfate, caprylyl glycol, PEG-8 laurate, disteardimonium hectonite,
carbonate, artemia extract, ybenzoic acid, PEG-9

Questions or comments?

Call 1-800-811-1690 Monday - Friday (9 a.m. - 5 p.m. CST)

729296 19(C) (CDE F.L. - D4 1647/1)
Tested post laser and
post peel

SKINCEUTICALS
SkinCeuticals LLC, Dallas, TX 75241
Made in USA of US and/or Imported
Ingredients www.skinceuticals.com

SKINCEUTICALS

**SHEER PHYSICAL
UV DEFENSE
SUNSCREEN**

BROAD SPECTRUM
SPF 50

**WEIGHTLESS FINISH
TESTED POST PROCEDURE**

**100% MINERAL FILTERS
FLUID**

50 ml / 1.7 fl oz



SKINCEUTICALS

measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, isododecane, C12-15 alkyl benzoate, undecane, triethylhexanoin, isoheaxadecane, nylon-12, caprylyl methicone, butyloctyl salicylate, phenethyl benzoate, styrene/acrylates copolymer, silica, tridecane, dicaprylyl carbonate, dicaprylyl



AREA FOR
DAY LOT CODE



0419

3612621698404





50

PROTECT

SKINCEUTICALS

SHEER PHYSICAL
UV DEFENSE
SUNSCREEN

BROAD SPECTRUM
SPF 50

WEIGHTLESS FINISH
TESTED POST PROCEDURE

100% MINERAL FILTERS
FLUID

50 ml / 1.7 fl oz

SKINCEUTICALS



Drug Facts (continued)

ether, talc, dimethicone/PEG-10/15 crosspolymer, aluminum stearate, perethylene glycol, PEG-9 polydimethylsilyloxyethyl dimethicone, alumina, polyhydroxystearic acid, phenoxethanol, magnesium sulfate, caprylyl glycol, PEG-8 laurate, disteardimonium hectorite, tocopherol, propylene carbonate, attemia extract, ylanzoic acid, PEG-9

Questions or comments?

Call 1-800-811-1660 Monday - Friday (9 a.m. - 5 p.m. CST)

75296 19 (CODE FJL-D4 16477)

Tested post laser and post peel

SKINCEUTICALS
SkinCeuticals LLC, Dallas, TX 75241
Made in USA of US and/or Imported
Ingredients www.skinceuticals.com

Drug Facts

Active ingredients	Purpose
Titanium dioxide 6%	Sunscreen
Zinc oxide 5%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, isododecane, C12-15 alkyl benzoate, undecane, triethylhexanoin, isohexadecane, nylon-12, caprylyl methicone, butyloctyl salicylate, phenethyl benzoate, styrene/acrylates copolymer, silica, tridecane, dicaprylyl carbonate, dicaprylyl



AREA FOR
DAY LOT CODE



0419

3612621698404



SKINCEUTICALS SHEER PHYSICAL UV DEFENSE BROAD SPECTRUM SPF 50 SUNSCREEN

titanium dioxide and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-770
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	60 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
UNDECANE (UNII: JV0QT00NUE)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
NYLON-12 (UNII: 446U8J075B)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PHENETHYL BENZOATE (UNII: 0C143929GK)	
STYRENE/ACRYLAMIDE COPOLYMER (500000 MW) (UNII: 5Z4DPO246A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIDECANE (UNII: A3LZF0L939)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
TALC (UNII: 7SEV7J4R1U)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER IN DIMETHICONE 6 (130000 CPS) (UNII: N4333D0ELC)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PEG-8 LAURATE (UNII: 762O8IWA10)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

TOCOPHEROL (UNII: R0ZB2556P8)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
POLYETHYLENE GLYCOL 450 (UNII: 5IRA46LB71)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-770-01	1 in 1 CARTON	01/01/2010	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:49967-770-02	4 mL in 1 TUBE; Type 0: Not a Combination Product	01/01/2010	
3	NDC:49967-770-03	125 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2010	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment

Name	Address	ID/FEI	Business Operations
Goodier Cosmetics LP		007317209	manufacture(49967-770)

Revised: 12/2023

L'Oreal USA Products Inc