

**PENTREXCILINA TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin
b ointment
OPMX LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Bacitracin Zinc 400 units

Neomycin Sulfate 3.5mg

Polymyxin B Sulfate 5,000 units

Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

Uses

First aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age or older:
 - clean the affected area
 - apply a small amount of this product (an amount equal tot the surface area of the tip of a finer) on

the area 1 to 3 times daily

- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at 15° - 25° C (59° to 77°F)

Inactive ingredients

Cetyl alcohol, Glycerin, Light mineral oil, Squalane, Steareth-2, Stearic acid, Tocopheryl acetate, and White petrolatum

Package label panel

Pentrexilina Triple Antibiotic

**First aid
to help prevent
infection in minor:**

**Cuts - Scrapes
& Burns**

BACITRACIN - NEOMYCIN SULFATE - POLYMYXIN B SULFATE

PENTREXCILINA Triple Antibiotic

FIRST AID TRIPLE ANTIBIOTIC NET WT. 0.33 OZ (9.4 g)

BACITRACINA - SULFATO DE NEOMICINA - SULFATO DE POLIMIXINA B

PENTREXCILINA Triple Antibiótico

TRIPLE ANTIBIOTICO DE PRIMEROS AUXILIOS NET WT. 0.33 OZ (9.4 g)

BACITRACIN - NEOMYCIN SULFATE - POLYMYXIN B SULFATE

PENTREXCILINA Triple Antibiotic

FIRST AID TRIPLE ANTIBIOTIC NET WT. 0.33 OZ (9.4 g)

LOT & EXP.

PENTREXCILINA Triple Antibiotic

NET WT. 0.33 OZ (9.4 g)

Made for: 
San Diego, CA

Exclusively distributed by: 
San Diego, CA 92154

Country of Origin
KOREA



<p>Drug Facts (continued)</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> ■ adults and children 2 years of age and older: ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ children under 2 years of age : ask a doctor <p>Other information</p> <ul style="list-style-type: none"> ■ store at 15° to 25°C (59° to 77° F) <p>Inactive ingredients</p> <p>cetyl alcohol, glycerin, light mineral oil, steareth-2, stearic acid, squelane, tocopheryl acetate, and white petrolatum</p> <p><small>This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, owner of the registered trademark Original Neosporin®</small></p> <p><small>Made for: RRX, Exclusively distributed by: OPMEX LLC San Diego, CA 92154</small></p>	<p>Drug Facts</p> <p>Active ingredients (in each gram)</p> <p>Bacitracin 400 units.....First aid antibiotic</p> <p>Neomycin Sulfate 3.5 mg.....First aid antibiotic</p> <p>Polymyxin B Sulfate 5,000 units.....First aid antibiotic</p> <p>Uses First aid to help prevent infection in minor:</p> <ul style="list-style-type: none"> ■ cuts ■ scrapes ■ burns <p>Warnings</p> <p>For external use only</p> <ul style="list-style-type: none"> ■ Do not use ■ if you are allergic to any of the ingredients ■ in the eyes ■ over large areas of body <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ deep or puncture wounds ■ animal bites ■ serious burns <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ■ you need to use longer than 1 week ■ condition persists or gets worse ■ symptoms persist for more than 1 week, or clear up and occur again within a few days ■ rash or other allergic reaction develops
---	--

**First aid to help prevent
infection in minor:
Cuts - Scrapes & Burns**

PENTREXCILINA Triple Antibiotic

PENTREXCILINA TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69729-080
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERIN (UNII: PDC6A3C0OX)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
STEARETH-2 (UNII: V56DFE46J5)	
SQUALANE (UNII: GW89575KF9)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
.ALPHA.-TOCOPHEROL ACETATE, D- (UNII: A7E6112E4N)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69729-080-33	1 in 1 BOX		
1		9.4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	08/01/2012	

Labeler - OPMX LLC (029918743)

Revised: 9/2015

OPMX LLC