

SHUNLY RADIANT TRANSLUCENT SPF 40- titanium dioxide, zinc oxide cream
Shunly Skin Care LLC

DRUG FACTS

ACTIVE INGREDIENTS:

Titanium Dioxide 8%

Zinc Oxide 3.8%

PURPOSE:

Sunscreen

Sunscreen

USES:

Helps prevent sunburn. If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - After 80 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
- Children under 6 months: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 am-2 pm
 - Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS:

Alumina, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone

Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Lauryl PEG/PPG-18/18-Methicone, Hydrogen Dimethicone, PEG-10 Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate

OTHER INFORMATION:

- Protect this product from excessive heat and direct sun
- May stain some fabrics
- Cleanse thoroughly at nighttime
- PA ++++

FREE FROM: Chemical Sunscreens, Oils, PABA, Parabens, Fragrances

Manufactured for: **Shunly Skin Care LLC**

Meridian, ID 83646

www.shunlyskincare.com

Principal Display Panel - 53 g Bottle Label

shunly®

A BOTTLE
FULL OF SKINCARE

Radiant +

Translucent

SPF40

Broad Spectrum UV Defense

FUSION FORMULA® with
Physical Filters

Water Resistant (80 mins)

NET.WT. 1.8 oz | 53 g

DRUG FACTS (cont)

- Limit time in the sun, especially from 10 am-2 pm
- Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS:Alumina, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Lauryl PEG/PPG-18/18-Methicone, Hydrogen Dimethicone, PEG-10 Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate

OTHER INFORMATION:

- Protect this product from excessive heat and direct sun
- May stain some fabrics
- Cleanse thoroughly at nighttime
- PA ++++

FREE FROM: Chemical Sunscreens, Oils, PABA, Parabens, Fragrances

Manufactured for: **Shunly Skin Care LLC**
Meridian, ID 83646
www.shunlyskincare.com



3 81381 20250 5

3 SkinCareACTS™ Protection

shunly®
A BOTTLE
FULL OF SKINCARE

Radiant +
Translucent
SPF40

.....
Broad Spectrum UV Defense
.....

FUSION FORMULA® with
Physical Filters

Water Resistant (80 mins)

NET.WT. 1.8 oz | 53 g

This unique formulation offers Broad Spectrum UVA-I / UVA-II / UVB while providing sheer and elegant super photo protective performance for the face that truly feels like silk on your skin. Apply evenly on skin before sun exposure and reapply if active, sweaty, or after swimming.

DRUG FACTS

ACTIVE INGREDIENTS:	PURPOSE:
Titanium Dioxide 8%	Sunscreen
Zinc Oxide 3.8%	Sunscreen

USES: Helps prevent sunburn. If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS: For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - After 80 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
- Children under 6 months: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

SHUNLY RADIANT TRANSLUCENT SPF 40

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81381-202
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	80 mg in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Aluminum Hydroxide (UNII: 5QB0T2IU0)	
Cyclomethicone 6 (UNII: XHK3U310BA)	

Cyclomethicone 5 (UNII: 0THT5PCI0R)	
Dimethicone 20 (UNII: H8YMB5QY0D)	
Dimethicone Crosspolymer (450000 MPA.S AT 12% in Cyclopentasiloxane) (UNII: UF7620L1W6)	
Dimethicone/Vinyl Dimethicone Crosspolymer (Soft Particle) (UNII: 9E4CO0W6C5)	
Dimethiconol (2000 CST) (UNII: T74O12AN6Y)	
Lauryl PEG/PPG-18/18 Methicone (UNII: ZJ5S27D9NX)	
Hydrogen Dimethicone (20 CST) (UNII: 12Z59IF64N)	
PEG-10 Dimethicone (600 CST) (UNII: 8PR7V1SVM0)	
Tetrahexyldecyl Ascorbate (UNII: 9LBV3F07AZ)	
.Alpha.-Tocopherol Acetate (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81381-202-50	53 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	10/01/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2022	

Labeler - Shunly Skin Care LLC (040374013)

Establishment

Name	Address	ID/FEI	Business Operations
Custom Analytics LLC		144949372	ANALYSIS(81381-202)

Establishment

Name	Address	ID/FEI	Business Operations
Fragrance Manufacturing Inc. (FMI)		793406000	MANUFACTURE(81381-202) , PACK(81381-202)

Revised: 1/2024

Shunly Skin Care LLC