BB BLUR TINTED MOISTURIZER BROAD SPECTRUM SPF 30 FAIR- titanium dioxide and zinc oxide liquid

BB BLUR TINTED MOISTURIZER BROAD SPECTRUM SPF 30 LIGHT- titanium

dioxide and zinc oxide liquid

BB BLUR TINTED MOISTURIZER BROAD SPECTRUM SPF 30 MEDIUM- titanium dioxide and zinc oxide liquid

BB BLUR TINTED MOISTURIZER BROAD SPECTRUM SPF 30 MEDIUM-TANtitanium dioxide and zinc oxide liquid

BB BLUR TINTED MOISTURIZER BROAD SPECTRUM SPF 30 TAN- titanium dioxide and zinc oxide liquid

BB BLUR TINTED MOISTURIZER BROAD SPECTRUM SPF 30 TAN DEEptitanium dioxide and zinc oxide liquid

BB BLUR TINTED MOISTURIZER BROAD SPECTRUM SPF 30 DEEP- titanium dioxide and zinc oxide liquid

BB BLUR TINTED MOISTURIZER BROAD SPECTRUM SPF 30 RICH- titanium dioxide and zinc oxide liquid

BB BLUR TINTED MOISTURIZER BROAD SPECTRUM SPF 30 MAHOGANYtitanium dioxide and zinc oxide liquid Tarte, Inc.

-----

#### **BB blur tinted moisturizer Broad Spectrum SPF 30**

### **Drug Facts**

## Active Ingredients

Titanium Dioxide 4.55% Sunscreen Zinc Oxide 3.5% Sunscreen

#### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### **Warnings**

For external use only.

**Stop use and ask doctor** if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

**Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

Shake before use.

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

#### Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

### **Inactive Ingredients**

Cyclopentasiloxane, isododecane, mica, polysilicone-11, polymethylsilsesquioxane, hexyl laurate, PEG-10 dimethicone, polyglyceryl-4 isostearate, stearic acid, cetyl PEG/PPG-10/1 dimethicone, alumina, triethoxycaprylylsilane, dipalmitoyl hydroxyproline, diamond powder, iron oxides. OX100FP000401.

Dist. by tarte, Inc. New York, NY 10018.

#### PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - Fair

tarte high-performance naturals™ BB blur tinted moisturizer

Broad Spectrum SPF 30 Sunscreen

# **Drug Facts** (continued) high-performance naturals Inactive triple-B complex: Ingredients Cyclopentasiloxane, isododecane, mica, polysilicone-11, polymethylsilsesqui-oxane, hexyl laurate, PEG-10 dimethicone, plants & lipoamino acid polyglyceryl-4 isostearate, stearic acid, cetyl PEG/PPG-10/1 dimethicone, •12-hour makeup & alumina, triethoxycaprylylsi-lane, dipalmitoyl hydroxyproline, diamond powder, iron OX100FP000401

in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE/London WC2H 9JQ, UK.

@tartecosmetics www.tarte.com

BB blur tinted moisturizer **Broad Spectrum** SPF 30 Sunscreen



## Drug Facts

#### Active Ingredients

Titanium Dioxide 4.55%....Sunscreen Zinc Oxide 3.5%.....Sunscreen

#### Uses

 Helps prevent sunburn.
 If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

For external use only.

Stop use and ask doctor if rash occurs. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions


- Shake before use.
  Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if
- ose a water resistant surscreen if swimming or sweating.
   Reapply at least every 2 hours.
   Children under 6 months: Ask a doctor.
   Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regulately use a supercreen with a regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection
- measures including:
- Limit time in the sun, especially from 10 a.m.-2 p.m.
   Wear long-sleeved shirts, pants, hats and sunglasses

#### Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.



FG01187-05



# PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - Light

tarte
high-performance naturals™

BB blur tinted moisturizer

Broad Spectrum

SPF 30 Sunscreen

# light Drug Facts (continued) high-performance naturals Inactive triple-B complex: Ingredients Cyclopentasiloxane, isododecane, polysilicone-11, mica, polymethylsilsesqui-oxane, hexyl laurate, PEG-10 dimethicone, polyglyceryl-4 isostearate, stearic acid, cetyl PEG/PPG-10/1 dimethicone, alumina, triethoxycaprylylsi-lane, dipalmitoyl hydroxyproline, diamond powder, iron OX100FP000411

in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE/London WC2H 9JQ, UK.

@tartecosmetics

www.tarte.com

BB blur tinted moisturizer Broad Spectrum SPF 30 Sunscreen



## Drug Facts

#### Active Ingredients

Titanium Dioxide 4.55%...Sunscreen Zinc Oxide 3.5%....Sunscreen

#### Uses

- Helps prevent sunburn.
   If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

For external use only.

Stop use and ask doctor if rash occurs. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Shake before use.Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if
- Reapply at least every 2 hours.
  Children under 6 months: Ask a doctor.
  Sun Protection Measures.
  Spending time in the sun increases. your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:


  -Limit time in the sun, especially from 10 a.m.-2 p.m.

  -Wear long-sleeved shirts, pants, bate and sunglesses
- hats and sunglasses

- Other information
   Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, N. 08536-0222



FG01188-04



### PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - Medium

tarte high-performance naturals™

BB blur tinted moisturizer

Broad Spectrum SPF 30 Sunscreen

## medium

high-performance naturals

#### Drug Facts (continued)

#### Inactive Ingredients

Cyclopentasiloxane, isododecane, polysilicone-11, mica, polymethylsilsesqui-oxane, hexyl laurate, PEG-10 dimethicone, polyglyceryl-4 isostearate, stearic acid, cetyl PEG/PPG-10/1 dimethicone, alumina, triethoxycaprylylsi-lane, dipalmitoyl hydroxyproline, diamond powder, iron OX100FP000411

in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE/London WC2H 9JQ, UK.

@tartecosmetics www.tarte.com

BB blur tinted moisturizer Broad Spectrum SPF 30 Sunscreen

crueltyfree

# blurred soft-matte

- triple-B complex diamond powder, plants & lipoamino

### Drug Facts

#### Active Ingredients

....Sunscreen ...Sunscreen Titanium Dioxide 4.55%... Zinc Oxide 3.5%....

#### Uses

- · Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

For external use only.

Stop use and ask doctor if rash occurs. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions


- Shake before use.
  Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if
- Ose a water resistant sunscreen it swimming or sweating.
   Reapply at least every 2 hours.
   Children under 6 months: Ask a doctor.
   Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, capulative and experience with
- regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: -Limit time in the sun, especially from 10 a.m.-2 p.m. -Wear long-sleeved shirts, pants,
- hats and sunglasses

#### Other information

- · Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.



FG01189-04



## PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - Medium-Tan

tarte high-performance naturals™

BB blur tinted moisturizer

Broad Spectrum SPF 30 Sunscreen

### medium-tan

tarte

high-performance naturals

#### Drug Facts (continued)

#### Inactive Ingredients

Cyclopentasiloxane, isododecane, polysilicone-11, mica, polymethylsilsesqui-oxane, hexyl laurate, PEG-10 dimethicone, polyglyceryl-4 isostearate, stearic acid, cetyl PEG/PPG-10/1 dimethicone, alumina, triethoxycaprylylsi-lane, dipalmitoyl hydroxyproline, diamond powder, iron OX100FP000411

in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE/London WC2H 9JQ, UK.

@tartecosmetics www.tarte.com

BB blur tinted moisturizer Broad Spectrum SPF 30 Sunscreen



- blend of natural diamond powder, plants & lipoamino
- •12-hour makeup &

#### Drug Facts

#### Active

#### Ingredients

Titanium Dioxide 4.55%... Zinc Oxide 3.5%....

#### Uses

- Helps prevent sunburn.
   If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

For external use only.

Stop use and ask doctor if rash occurs Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away

#### Directions

- Shake before use.Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if


- Use a water resistant sunscreen if swimming or sweating.
   Reapply at least every 2 hours.
   Children under 6 months: Ask a doctor.
   Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection. or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m.-2 p.m.

  -Wear long-sleeved shirts, pants, hats and sunglasses

- Other information
   Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.



FG01570-05



## PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - Tan

tarte
high-performance naturals™

BB blur tinted moisturizer

Broad Spectrum

SPF 30 Sunscreen

# tan Drug Facts (continued) high-performance naturals Inactive triple-B complex: Ingredients Cyclopentasiloxane, isododecane, polysilicone-11, mica, polymethylsilsesqui-oxane, hexyl laurate, PEG-10 dimethicone, polyglyceryl-4 isostearate, stearic acid, cetyl PEG/PPG-10/1 dimethicone, •12-hour makeup & dermatologist alumina, triethoxycaprylylsi-lane, dipalmitoyl hydroxyproline, diamond powder, iron OX100FP000411

in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE/London WC2H 9JQ, UK.

@tartecosmetics www.tarte.com

BB blur tinted moisturizer Broad Spectrum SPF 30 Sunscreen



#### Drug Facts

#### Active Ingredients

Titanium Dioxide 4.55%...Sunscreen Zinc Oxide 3.5%....Sunscreen

#### Uses

 Helps prevent sunburn.
 If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

For external use only.

Stop use and ask doctor if rash occurs. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

 Shake before use.
 Apply liberally 15 minutes before sun exposure.

• Use a water resistant sunscreen if

 Swimming or sweating.
 Reapply at least every 2 hours.
 Children under 6 months: Ask a doctor.
 Sun Protection Measures.
Spending time in the sun increases your right of skip cappear and each your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection

measures including:

\_Limit time in the sun, especially from 10 a.m.-2 p.m.

\_Wear long-sleeved shirts, pants,


hats and sunglasses

Other information
• Protect the product in this container from excessive heat and direct sunlight.

You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.



FG08096-03



## PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - Tan-Deep

tarte high-performance naturals™

BB blur tinted moisturizer

Broad Spectrum SPF 30 Sunscreen

## tan-deep

#### Drug Facts (continued)

#### Inactive Ingredients

Cyclopentasiloxane, isododecane, polysilicone-11, polymethylsilsesqui-oxane, mica, hexyl laurate, PEG-10 dimethicone, polyglyceryl-4 isostearate, stearic acid, cetyl PEG/PPG-10/1 dimethicone, alumina, triethoxycaprylylsi-lane, dipalmitoyl hydroxyproline, diamond powder, iron OX100FP000421

in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE/London WC2H 9JQ, UK.

@tartecosmetics

www.tarte.com

high-performance naturals

#### Drug Facts

#### Active Ingredients

Titanium Dioxide 4.55%...Sunscreen Zinc Oxide 3.5%....Sunscreen

#### Uses

- Helps prevent sunburn.
   If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

For external use only.

Stop use and ask doctor if rash occurs Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Shake before use.
   Apply liberally 15 minutes before sun exposure.
- · Use a water resistant sunscreen if
- Ose a water resistant sunscreen if swimming or sweating.
   Reapply at least every 2 hours.
   Children under 6 months: Ask a dodor.
   Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, soulded the processor with a second control of the sun increases. regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- -Limit time in the sun, especially from 10 a.m.-2 p.m. -Wear long-sleeved shirts, pants,
- hats and sunglasses

#### Other information


- · Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.



BB blur tinted moisturizer Broad Spectrum SPF 30 Sunscreen



FG08129-03



## PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - Deep

tarte high-performance naturals  $^{\text{™}}$ 

BB blur tinted moisturizer

Broad Spectrum SPF 30 Sunscreen

# deep **Drug Facts** blurred soft-matte tarte (continued) high-performance naturals Ingredients Cyclopentasiloxane, isododecane, polysilicone-11, polymethylsilsesqui-oxane, mica, hexyl laurate, PEG-10

in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE/London WC2H 9JQ, UK.

Inactive

dimethicone, polyglyceryl-4 isostearate, stearic acid, cetyl

triethoxycaprylylsi-lane, dipalmitoyl hydroxyproline, diamond powder, iron

OX100FP000421

PEG/PPG-10/1 dimethicone,

alumina,

@tartecosmetics

BB blur tinted moisturizer **Broad Spectrum** SPF 30 Sunscreen

# crueltyfree

andvegan

- diamond powder, plants & lipoamino

#### Drug Facts

#### Active Ingredients

Titanium Dioxide 4.55%....Sunscreen Zinc Oxide 3.5%.....Sunscreen

#### Uses

- Helps prevent sunburn.
   If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

For external use only.

Stop use and ask doctor if rash occurs Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Shake before use.Apply liberally 15 minutes before sun exposure.

- sun exposure.

   Use a water resistant sunscreen if swimming or sweating.

   Reapply at least every 2 hours.

   Children under 6 months: Ask a dodor.

   Sun Protection Measures.


  Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m.-2 p.m.
   Wear long-sleeved shirts, pants, hats and sunglasses

#### Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.



FG07880-03



## PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - Rich

tarte high-performance naturals™ BB blur tinted moisturizer

Broad Spectrum SPF 30 Sunscreen

### rich

#### Drug Facts (continued)

#### Inactive Ingredients

Cyclopentasiloxane, isododecane, polysilicone-11, polymethylsilsesqui-oxane, hexyl laurate, PEG-10 dimethicone, polyglyceryl-4 isostearate, mica, stearic acid, cetyl PEG/PPG-10/1 dimethicone, alumina, triethoxycaprylylsi lane, dipalmitoyl hydroxyproline. diamond powder, iron OX100FP000431.

in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE/London WC2H 9JQ, UK.

@tartecosmetics www.tarte.com

# tarte

high-performance naturals

- triple-B complex: blend of natural diamond powder, plants & lipoamino

#### Drug Facts

#### Active Ingredients

Titanium Dioxide 4.55%...Sunscreen Zinc Oxide 3.5%.....Sunscreen

#### Uses

- Helps prevent sunburn.
   If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

For external use only.

Stop use and ask doctor if rash occurs. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Shake before use.
   Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if
- Ose a water resistant sunscreen if swimming or sweating.
   Reapply at least every 2 hours.
   Children under 6 months: Ask a doctor.
   Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection.
- or higher and other sun protection measures including:
- -Limit time in the sun, especially from 10 a.m.-2 p.m. -Wear long-sleeved shirts, pants, hats and sunglasses


- Other information
   Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.



BB blur tinted moisturizer Broad Spectrum SPF 30 Sunscreen



FG08099-03



# PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - Mahogany

tarte
high-performance naturals™
BB blur tinted moisturizer
Broad Spectrum
SPF 30 Sunscreen

# mahogany

#### Drug Facts (continued)

#### Inactive Ingredients

Cyclopentasiloxane, isododecane, polysilicone-11, polymethylsilsesqui-oxane, hexyl laurate, PEG-10 dimethicone, mica, polyglyceryl-4 isostearate, stearic acid, cetyl PEG/PPG-10/1 dimethicone, alumina, triethoxycaprylylsi-lane, dipalmitoyl hydroxyproline, diamond powder, titanium dioxide, iron oxides. OX111FZ000131

in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE/London WC2H 9JQ, UK.

@tartecosmetics

www.tarte.com

high-performance naturals

- •12-hour makeup &

### Drug Facts

#### Active Ingredients

Titanium Dioxide 4.55%...Sunscreen Zinc Oxide 3.5%.....Sunscreen

#### Uses

- Helps prevent sunburn.
   If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

For external use only.

Stop use and ask doctor if rash occurs Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Shake before use.Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if
- Ose a water resistant sunscreen if swimming or sweating.
   Reapply at least every 2 hours.
   Children under 6 months: Ask a dodor.
   Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, soulded the processor with a second control of the sun increases. regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- -Limit including.
  -Limit time in the sun, especially from 10 a.m.-2 p.m.
  -Wear long-sleeved shirts, pants, hats and sunglasses

- Other information
   Protect the product in this container from excessive heat and direct sunlight.
- direct sunlight.


   You may report a serious adverse reaction to tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ





FG08265-03

BB blur tinted moisturizer Broad Spectrum SPF 30 Sunscreen



#### BB BLUR TINTED MOISTURIZER BROAD SPECTRUM SPF 30 FAIR

titanium dioxide and zinc oxide liquid

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:51060-373

Route of Administration TOPICAL

### **Active Ingredient/Active Moiety**

Ingredient Name
Basis of Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)
Titanium Dioxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)

Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)

Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)

#### **Inactive Ingredients**

ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCIOR)	

ISODODECANE (UNII: A8289P68Y2)

MICA (UNII: V8A1AW0880)

**DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)** (UNII: 9E4CO0W6C5)

POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)

HEXYL LAURATE (UNII: 4CG9F9W01Q)

PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)

BENZIMIDAZOLE (UNII: E24GX49LD8)

DIAMOND (UNII: 6GRV67N0U2)
STEARIC ACID (UNII: 4ELV7Z65AP)

CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)

**ALUMINUM OXIDE** (UNII: LMI26O6933)

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

**DIPALMITOYL HYDROXYPROLINE** (UNII: E6AHA53N1H)

FERRIC OXIDE RED (UNII: 1K09F3G675)

FERRIC OXIDE YELLOW (UNII: EX43802MRT)
FERROSOFERRIC OXIDE (UNII: XM0M87F357)

#### **Packaging**

Item Code Package Description Marketing Start Date Date

1	NDC:51060-373- 01	1 in 1 CARTON	05/01/2023	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Application Number or Monograph Marketing States Category Citation Date		Marketing Start Date	Marketing End Date
OTC monograph drug	M020	05/01/2023	

# BB BLUR TINTED MOISTURIZER BROAD SPECTRUM SPF 30 LIGHT

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-365
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	45.5 mg in 1 mL	
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	35 mg in 1 mL	

Inactive Ingredients	
Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: OTHT5PCIOR)	
MICA (UNII: V8A1AW0880)	
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
BENZIMIDAZOLE (UNII: E24GX49LD8)	
DIAMOND (UNII: 6GRV67N0U2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
ALUMINUM OXIDE (UNII: LMI2606933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:51060-365- 01	1 in 1 CARTON	05/01/2023		
1		30 mL in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph drug	M020	05/01/2023		

# BB BLUR TINTED MOISTURIZER BROAD SPECTRUM SPF 30 MEDIUM

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-366
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	45.5 mg in 1 mL	
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	35 mg in 1 mL	

Inactive Ingredients	
Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MICA (UNII: V8A1AW0880)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
DIAMOND (UNII: 6GRV67N0U2)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	

FERROSOFERRIC OXIDE (UNII: XM0M87F357)

ı	Packaging				
4	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	NDC:51060-366-	1 in 1 CARTON	05/01/2023		
:	L	30 mL in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Application Number or Monograph Marketing Start Marketing En Category Citation Date Date			
OTC monograph drug	M020	05/01/2023	

# BB BLUR TINTED MOISTURIZER BROAD SPECTRUM SPF 30 MEDIUM-TAN

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-367
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	45.5 mg in 1 mL		
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	35 mg in 1 mL		

Inactive Ingredients		
Ingredient Name	Strength	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)		
ISODODECANE (UNII: A8289P68Y2)		
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)		
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)		
MICA (UNII: V8A1AW0880)		
HEXYL LAURATE (UNII: 4CG9F9W01Q)		
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)		
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)		
ALUMINUM OXIDE (UNII: LMI26O6933)		
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)		

DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
DIAMOND (UNII: 6GRV67N0U2)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	

F	Packaging				
#	tem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:51060-367- 01	1 in 1 CARTON	05/01/2023		
1		30 mL in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date			
M020	05/01/2023		
	Application Number or Monograph Citation	Application Number or Monograph Marketing Start Citation Date	

# BB BLUR TINTED MOISTURIZER BROAD SPECTRUM SPF 30 TAN

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-368
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	45.5 mg in 1 mL	
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	35 mg in 1 mL	

Inactive Ingredients		
Ingredient Name	Strength	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)		
ISODODECANE (UNII: A8289P68Y2)		
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)		
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)		
HEXYL LAURATE (UNII: 4CG9F9W01Q)		
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)		
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)		
CYCLOMETHICONE 6 (UNII: XHK3U310BA)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)		

ALUMINUM OXIDE (UNII: LMI26O6933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
DIAMOND (UNII: 6GRV67N0U2)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	

F	Packaging				
#	tem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:51060-368- 01	1 in 1 CARTON	05/01/2023		
1	L	30 mL in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing En Category Citation Date Date				
OTC monograph drug	M020	05/01/2023		

# BB BLUR TINTED MOISTURIZER BROAD SPECTRUM SPF 30 TAN DEEP

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-369
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	45.5 mg in 1 mL	
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	35 mg in 1 mL	

Inactive Ingredients			
Ingredient Name	Strength		
CYCLOMETHICONE 5 (UNII: 0THT5PCIOR)			
ISODODECANE (UNII: A8289P68Y2)			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)			
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)			
MICA (UNII: V8A1AW0880)			

HEXYL LAURATE (UNII: 4CG9F9W01Q)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
DIAMOND (UNII: 6GRV67N0U2)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:51060-369- 01	1 in 1 CARTON	05/01/2023		
1		30 mL in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
OTC monograph drug	M020	05/01/2023		

# BB BLUR TINTED MOISTURIZER BROAD SPECTRUM SPF 30 DEEP

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-370
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	45.5 mg in 1 mL	
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	35 mg in 1 mL	

Inactive Ingredients			
Ingredient Name	Strength		
CYCLOMETHICONE 5 (UNII: OTHT5PCIOR)			
ISODODECANE (UNII: A8289P68Y2)			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)			

POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIAMOND (UNII: 6GRV67N0U2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:51060-370- 01	1 in 1 CARTON	05/01/2023		
1		30 mL in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
OTC monograph drug	M020	05/01/2023		

# BB BLUR TINTED MOISTURIZER BROAD SPECTRUM SPF 30 RICH

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-371
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	45.5 mg in 1 mL	
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	35 mg in 1 mL	

Inactive Ingredients	
Ingredient Name	Strength

CYCLOMETHICONE 5 (UNII: OTHT5PCIOR) ISODODECANE (UNII: A8289P68Y2) DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK) **HEXYL LAURATE** (UNII: 4CG9F9W01Q) PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0) POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) CYCLOMETHICONE 6 (UNII: XHK3U310BA) STEARIC ACID (UNII: 4ELV7Z65AP) CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X) **ALUMINUM OXIDE** (UNII: LMI26O6933) TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) **DIPALMITOYL HYDROXYPROLINE** (UNII: E6AHA53N1H) **DIAMOND** (UNII: 6GRV67N0U2) FERRIC OXIDE YELLOW (UNII: EX43802MRT) MICA (UNII: V8A1AW0880) FERRIC OXIDE RED (UNII: 1K09F3G675) FERROSOFERRIC OXIDE (UNII: XM0M87F357)

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-371- 01	1 in 1 CARTON	05/01/2023	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
OTC monograph drug	M020	05/01/2023		

# BB BLUR TINTED MOISTURIZER BROAD SPECTRUM SPF 30 MAHOGANY

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-372
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	<b>Basis of Strength</b>	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	45.5 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	35 mg in 1 mL

Inactive Ingredients			
Ingredient Name	Strength		
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)			
ISODODECANE (UNII: A8289P68Y2)			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)			
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)			
HEXYL LAURATE (UNII: 4CG9F9W01Q)			
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)			
MICA (UNII: V8A1AW0880)			
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)			
ALUMINUM OXIDE (UNII: LMI26O6933)			
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)			
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)			
DIAMOND (UNII: 6GRV67N0U2)			
FERRIC OXIDE YELLOW (UNII: EX43802MRT)			
FERRIC OXIDE RED (UNII: 1K09F3G675)			
FERROSOFERRIC OXIDE (UNII: XM0M87F357)			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:51060-372- 01	1 in 1 CARTON	05/01/2023		
1		30 mL in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	05/01/2023	

# **Labeler -** Tarte, Inc. (027905186)

Revised: 12/2023 Tarte, Inc.