

12 HOUR ALLERGY D- cetirizine hcl, pseudoephedrine hcl tablet, extended release
Meijer Distribution Inc

Meijer Distribution, Inc. 12 Hour Allergy-D Drug Facts

Active ingredient (in each extended release tablet)

Cetirizine HCl 5 mg

Pseudoephedrine HCl 120 mg

Purpose

Antihistamine

Nasal Decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

- do not use more than directed
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

colloidal silicon dioxide, hydroxypropyl cellulose, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, talc, yellow iron oxide

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Zyrtec-D® active ingredients

ALLERGY & CONGESTION

12 Hour Allergy-D

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride

Extended Release Tablets 5 mg/120 mg

antihistamine/nasal decongestant

Indoor & Outdoor Allergies

12 Hour Relief of:

Sneezing

Itchy, Watery Eyes

Runny Nose

Itchy Throat or Nose

Sinus Pressure

Nasal Congestion

Actual Size

Original Prescription Strength



<p>Drug Facts (continued)</p> <p>fever or other upper respiratory allergies: ■ itchy, watery eyes ■ runny nose ■ sneezing ■ itching of the nose or throat ■ nasal congestion</p> <p>■ reduces swelling of nasal passages ■ temporarily relieves sinus congestion and pressure</p> <p>■ temporarily restores free breathing through the nose</p>	<p>Drug Facts</p> <p>Active ingredients (in each extended release tablet) Cetirizine HCl 5 mg.....Antihistamine Pseudoephedrine HCl 120 mg.....Nasal Decongestant</p> <p>Purpose ■ temporarily relieves these symptoms due to hay</p>
--	--

NDC 41250-299-62

Compare to Zyrtec-D®
active ingredients*


meijerTM



ALLERGY & CONGESTION

12HourAllergy-D

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride
Extended Release Tablets 5 mg/120 mg
antihistamine/nasal decongestant



Indoor & Outdoor Allergies

12 Hour Relief of:

- Sneezing
- Itchy, Watery Eyes
- Runny Nose
- Itchy Throat or Nose
- Sinus Pressure
- Nasal Congestion

24 Extended Release Tablets

Actual Size



Original Prescription Strength

17662 BE CH

Drug Facts (continued)

Warnings

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease ■ thyroid disease ■ diabetes
- glaucoma ■ high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- **do not use more than directed**
- drowsiness may occur ■ avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away. ▶

Drug Facts (continued)

- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breast-feeding:

- if breast-feeding: not recommended
 - if pregnant: ask a health professional before use.
- Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not break or chew tablet; swallow tablet whole
- | | |
|--|--|
| adults and children 12 years and over | take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours. |
| adults 65 years and over | ask a doctor |
| children under 12 years of age | ask a doctor |
| consumers with liver or kidney disease | ask a doctor |

Other information

- store between 20° to 25°C (68° to 77°F)


Inactive ingredients

colloidal silicon dioxide, hydroxypropyl cellulose, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, talc, yellow iron oxide ▼



DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN

Made in India
 DIST. BY MEIJER DISTRIBUTION, INC.
 2929 WALKER AVE NW
 GRAND RAPIDS, MI 49544
 www.meijer.com



Drug Facts (continued)

Questions or comments? 1-800-719-9260

*This product is not manufactured or distributed by Johnson & Johnson, owner of the registered trademark Zyrtec-D®.



12 HOUR ALLERGY D

cetirizine hcl, pseudoephedrine hcl tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-299
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	

LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
TALC (UNII: 7SEV7J4R1U)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

Product Characteristics

Color	WHITE (one side white one side light yellow)	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	5029;5;120
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-299-53	2 in 1 CARTON	05/14/2008	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:41250-299-62	4 in 1 CARTON	05/14/2008	
2		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077170	07/15/1988	

Labeler - Meijer Distribution Inc (006959555)

Revised: 12/2018

Meijer Distribution Inc