

CLARITIN- loratadine tablet, chewable
Bayer HealthCare LLC.

Children's Claritin Chewable

Drug Facts

Active Ingredients

Loratadine 5 mg

Purpose

Antihistamine

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Do Not Use

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

AS a doctor before use if you have

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years and over	chew 2 tablets daily; not more than 2 tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- phenylketonurics: contains phenylalanine 1.9 mg per tablet
- safety sealed: do not use if the individual blister unit imprinted with Children's Claritin® is open or torn
- store between 20° to 25°C (68° to 77°F)

aspartame, carmine, citric acid, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

1-800-CLARITIN

ages

2 years®

and older

Children's

Claritin®

Chewables

loratadine 5 mg/antihistamine

Indoor & Outdoor

Allergies

*When taken as directed.


See Drug Facts Panel

Non-Drowsy*

24 Hour Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Bubblegum
Flavored
10
Chewable Tablets



Children's
Claritin
Chewables

Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design and the Claritin Vista are registered trademarks of Bayer.
© 2015 Bayer.
Dist by: Bayer HealthCare LLC
Whippany, NJ 07961
Product of Ireland.
85529714

Bayer

LOT/EXP/AREA
NO VARNISH
NO INK

Children's
Claritin
Chewables

Questions or comments?
1-800-CLARITIN (1-800-252-7484) or www.claritin.com

Inactive ingredients
aspartame, carmine, citric acid, colloidal silicon dioxide, cellulose, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Other information
■ phenylephrine: contains phenylephrine 1.9 mg per tablet
■ safety sealed: do not use if the individual blister unit is torn or damaged
■ store between 20° to 25°C (68° to 77°F)

Directions	
adults and children	chew 2 tablets daily; not more than 2 tablets in 24 hours
6 years and over	chew 1 tablet daily; not more than 1 tablet in 24 hours
children 2 to under 6 years of age	chew 1 tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Drug Facts (continued)

Drug Facts
Active ingredient (in each tablet)
Loratadine 5 mg.....Antihistamine

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Children's
Claritin
Chewables

10 CHEWABLE TABLETS

Children's
Claritin
Chewables

BubbleGum
Flavored

10 CHEWABLE
TABLETS

ages
2 years
and older
Children's
Claritin
Chewables

loratadine 5 mg/antihistamine

Indoor & Outdoor

Non-Drowsy*
24 Hour Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

85529714



HSINRYA ON



711262558



CLARITIN

loratadine tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-4330
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	5 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ASPARTAME (UNII: Z0H242BBR1)	

Product Characteristics

Color	pink (Light to Medium Pink with a Slightly and/or Mottled Appearance)	Score	no score
Shape	ROUND (Round (Flat Faced Beveled Edge))	Size	10mm
Flavor	BUBBLE GUM	Imprint Code	C
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-4330-1	1 in 1 CARTON	09/25/2015	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:11523-4330-3	3 in 1 CARTON	09/25/2015	

2		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:11523-4330-4	4 in 1 CARTON	09/25/2015	
3		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021891	09/25/2015	

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 10/2022

Bayer HealthCare LLC.