

**ER TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment**  
**EVER READY FIRST AID**

-----  
**72976-017-01 ER Triple Antibiotic ointment**

**Active Ingredients**

(in each gram)

Bacitracin zinc (bacitracin 400 units)

Neomycin sulfate neomycin 3.5 mg

Polymyxin B sulfate (polymyxin B 5,000 units)

**Purpose**

First Aid Antibiotic

First Aid Antibiotic

First Aid Antibiotic

**Uses**

First aid to help prevent infection in minor cuts, scrapes and burns

**Warnings**

For external use only.

**Do not use**

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor.

**Ask a doctor before use if you have**

- deep or puncture wounds,
- animal bites,
- serious burns
- if the condition persists or gets worse
- a rash or other allergic reaction develops.

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Clean and disinfect the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- May be covered with a sterile bandage.

**Inactive Ingredients**

Mineral oil, petrolatum, purified water



**DRUG FACTS**

Active ingredients	Purpose
(in each gram)	
Bacitracin Zinc (400 units Bacitracin).....	First Aid Antibiotic
Neomycin sulfate (3.5 mg Neomycin).....	First Aid Antibiotic
Polymyxin B sulfate (5000 units).....	First Aid Antibiotic

**Uses**  
first aid to help prevent infection in minor cuts, scrapes and burns

**Warnings**  
For external use only.  
Do not use ■ in eyes ■ over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor. Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns. ■ if the condition persists or gets worse ■ a rash or other allergic reaction develops.  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
■ Clean the affected area ■ Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ May be covered with a sterile bandage.


**Inactive ingredients**  
Mineral oil, Petroleum, Purified water

**Questions?**  
Call: 8003254655



@everreadyfirstaid  
@everreadyfirstaid


# Triple Antibiotic Ointment



# Triple Antibiotic Ointment

Bacitracin, Neomycin, & Polymyxin B.

NET WT. 1oz.(28.3g)



# ER TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72976-017
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP <sup>U</sup> ] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	0.0035 g in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP <sup>U</sup> ] in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72976-017-01	28.3 g in 1 TUBE; Type 0: Not a Combination Product	01/11/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	01/11/2024	

**Labeler** - EVER READY FIRST AID (147372960)

**Registrant** - Nantong Health & Beyond Hygienic Products Inc. (421280161)

## Establishment

Name	Address	ID/FEI	Business Operations
Nantong Health & Beyond Hygienic Products Inc.		421280161	manufacture(72976-017)