

MENSTRUAL COMPLETE PAIN RELIEF- acetaminophen, caffeine, pyrilamine maleate tablet, film coated
Walgreen Company

Walgreens 44-390 Menstrual Complete Pain Relief

Active ingredients (in each caplet)

Acetaminophen 500 mg
Caffeine 60 mg
Pyrilamine maleate 15 mg

Purpose

Pain reliever
Diuretic
Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- water-weight gain
- cramps
- backache
- fatigue
- muscle aches

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- avoid alcoholic beverages
- excitability may occur, especially in children
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness
- you may get drowsy
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than the recommended dose**
- adults and children 12 years and over:

- take 2 caplets with water
- repeat every 6 hours, as needed
- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

Other information

- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Principal Display Panel

VALUE SIZE

NDC 0363-9390-10

Walgreens

WALGREENS PHARMACIST RECOMMENDED

Compare to the active ingredients in Midol® Complete††

Menstrual Complete Pain Relief

ACETAMINOPHEN 500 mg / PAIN RELIEVER
CAFFEINE 60 mg / DIURETIC
PYARILAMINE MALEATE 15 mg / ANTIHISTAMINE

Maximum Strength
Aspirin Free

- Relieves cramps, bloating,
fatigue, headache & backache

40
CAPLETS

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL
UNDER CAP IS BROKEN OR MISSING**

†Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

††This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Midol® Complete. 50844 ORG051739010

DISTRIBUTED BY: **WALGREEN CO.**
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2021 Walgreen Co.

DISTRIBUTED BY: WALGREEN CO.
 200 WILMOT RD., DEERFIELD, IL 60015
 100% SATISFACTION GUARANTEED
 walgreens.com ©2021 Walgreen Co.

50844 ORG051739010
 trademark Midol® Complete.
 Bayer HealthCare LLC, owner of the registered
 trademark Midol® Complete.
 We invite you to compare to national brands.
 ††This product is not manufactured or distributed by
 Bayer HealthCare LLC, owner of the registered
 trademark Midol® Complete.
 †Our pharmacists recommend the Walgreens brand.
 We invite you to compare to national brands.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL
 UNDER CAP IS BROKEN OR MISSING

PAPER PLASTIC
 BOX BOTTLE
 how2recycle.info

Drug Facts (continued)
 If a skin reaction occurs, stop use and seek medical help right away.
 Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 If you have ever had an allergic reaction to this product or any of its ingredients
 Ask a doctor before use if you have
 difficulty in urination due to enlargement of the prostate gland, liver disease, glaucoma, a breathing problem such as emphysema or chronic bronchitis
 Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin
 taking sedatives or tranquilizers
 When using this product
 avoid alcoholic beverages
 excitability may occur, especially in children

Drug Facts (continued)
 Be careful when driving a motor vehicle or operating machinery
 alcohol, sedatives, and tranquilizers may increase drowsiness. You may get drowsy, lightheaded, or dizzy when taking this product, especially when taking it with alcohol, sedatives, or tranquilizers. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.
 Stop use and ask a doctor if
 new symptoms occur
 redness or swelling is present
 pain gets worse or lasts more than 10 days
 fever gets worse or lasts more than 3 days
 These could be signs of a serious condition.
 If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)
 children under 12 years: ask a doctor
 Other information
 see end flap for expiration date and lot number
 store at 25°C (77°F), excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients com starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Directions
 do not take more than the recommended dose
 adults and children 12 years and over:
 take 2 caplets with water
 repeat every 6 hours, as needed
 do not exceed 6 caplets per day

VALUE SIZE NDC 0363-9390-10

Walgreens
 Compare to the active ingredients in Midol® Complete*

Menstrual Complete Pain Relief

ACETAMINOPHEN 500 mg / PAIN RELIEVER
 CAFFEINE 60 mg / DIURETIC
 PYRILAMINE MALEATE 15 mg / ANTIHISTAMINE

Maximum Strength
 Aspirin Free
 Relieves cramps, bloating, fatigue, headache & backache

40
 CAPLETS

ACTUAL SIZE

Drug Facts
 Active ingredients (in each caplet)
 Acetaminophen 500 mg..... Pain reliever
 Caffeine 60 mg..... Diuretic
 Pyrilamine maleate 15 mg..... Antihistamine
 Uses for the temporary relief of these symptoms associated with menstrual periods:
 bloating, headache, water-weight gain, cramps, backache, muscle aches, fatigue

Drug Facts (continued)
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours or with other drugs containing acetaminophen 3 or more alcoholic drinks every day while using this product.
 Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash

Drug Facts (continued)
 be careful when driving a motor vehicle or operating machinery
 alcohol, sedatives, and tranquilizers may increase drowsiness. You may get drowsy, lightheaded, or dizzy when taking this product, especially when taking it with alcohol, sedatives, or tranquilizers. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.
 Stop use and ask a doctor if
 new symptoms occur
 redness or swelling is present
 pain gets worse or lasts more than 10 days
 fever gets worse or lasts more than 3 days
 These could be signs of a serious condition.
 If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)
 children under 12 years: ask a doctor
 Other information
 see end flap for expiration date and lot number
 store at 25°C (77°F), excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients com starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Directions
 do not take more than the recommended dose
 adults and children 12 years and over:
 take 2 caplets with water
 repeat every 6 hours, as needed
 do not exceed 6 caplets per day

ITEM 531591 W00000-0000-0



3 11917 03323 5

No Print/No Varnish
 Lot no. & Expiry Area

Walgreens B-2201-390-10-HVR ORG0517

MENSTRUAL COMPLETE PAIN RELIEF
 acetaminophen, caffeine, pyrilamine maleate tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-9390
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	44;390
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9390-10	1 in 1 CARTON	01/25/2022	
1		40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:0363-9390-21	2 in 1 CARTON	01/25/2022	
2		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:0363-9390-22	1 in 1 CARTON	01/25/2022	
3		48 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/25/2022	

Labeler - Walgreen Company (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(0363-9390)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-9390) , pack(0363-9390)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0363-9390)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(0363-9390)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0363-9390)

Revised: 1/2024

Walgreen Company