

**ALLERGY RELIEF- loratadine tablet**  
**A-S Medication Solutions**

-----  
**788S (658)**

**Active ingredient (in each tablet)**

Loratadine, USP 10 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever and other upper respiratory allergies:

- runny nose
- sneezing
- itching of the nose and throat
- itchy, watery eyes

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have** liver or kidney disease.

Your doctor should determine if you need a different dose.

**When using this product** do not take more than directed.

Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

adults and children 12 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 12	

children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

### Other information

- TAMPER EVIDENT: Do not use if imprinted seal under cap is missing or broken.
- store between 20° to 25°C (68° to 77°F)
- protect from light

### Inactive ingredients

lactose monohydrate, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

### Questions?

call **1-800-540-3765**

### HOW SUPPLIED

Product: 50090-6164

NDC: 50090-6164-4 30 TABLET in a BOTTLE

NDC: 50090-6164-5 90 TABLET in a BOTTLE

NDC: 50090-6164-0 10 TABLET in a BOTTLE

### loratadine



## ALLERGY RELIEF

loratadine tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50090-6164(NDC:57896-658)
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	10 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	6mm
<b>Flavor</b>		<b>Imprint Code</b>	439
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50090-6164-0	10 in 1 BOTTLE; Type 0: Not a Combination Product	10/12/2022	
2	NDC:50090-6164-4	30 in 1 BOTTLE; Type 0: Not a Combination Product	10/12/2022	
3	NDC:50090-6164-5	90 in 1 BOTTLE; Type 0: Not a Combination Product	10/12/2022	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ANDA	ANDA075209	02/01/2020	

**Labeler -** A-S Medication Solutions (830016429)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
A-S Medication Solutions		830016429	RELABEL(50090-6164) , REPACK(50090-6164)

