

**SUNFORGETTABLE TINT DU SOLEIL FOUNDATION SPF 30 SUNSCREEN-**  
**titanium dioxide and zinc oxide liquid**  
**Colorescience**

-----  
**Sunforgettable® Tint du Soleil™ Foundation SPF 30 Sunscreen**

**Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Titanium Dioxide 4.8%	Sunscreen
Zinc Oxide 6.7%	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.
- Reapply:
  - After 40 minutes of swimming or sweating.
  - Immediately after towel drying.
  - At least every 2 hours.
- Children under 6 months: ask a doctor.
- **Sun Protection Measures**  
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.- 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.

**Inactive ingredients**

Cyclopentasiloxane, Water, Mica, Caprylic/Capric Triglyceride, Dimethicone

Crosspolymer, Dimethicone, Glycerin, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Butylene Glycol, Silica, Tocopheryl Acetate, Glyceryl Linoleate, Glyceryl Linolenate, Retinyl Palmitate, Sodium Ascorbyl Phosphate, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Ceramide NP, Milk Lipids (Lactis Lipida), Ahnfeltia Concinna Extract, Dimethiconol, Jojoba Esters, Lauroyl Lysine, Glyceryl Behenate/Eicosadioate, Pelargonium Graveolens Flower Oil, Cananga Odorata Flower Oil, Fusanus Spicatus Wood Oil, Sorbitol, Lecithin, Polysorbate 20, Triethoxycaprylylsilane, Polyhydroxystearic Acid, Alumina, Xanthan Gum, Carbomer, BHT, Sodium Lactate, Disodium EDTA, Sorbic Acid, Sodium Benzoate, Chlorphenesin, Sodium Dehydroacetate, Chlorhexedine Digluconate, Glyceryl Caprylate, Caprylyl Glycol, Phenoxyethanol, Phenethyl Alcohol, Farnesol, Linalool, Iron Oxides (CI 77491, CI 77492, CI 77499)

**Other information:**

- Protect this product from excessive heat and direct sun.

**Questions or comments?**

Call toll free 866.426.5673

Distributed in USA by  
Colorescience®  
Carlsbad, CA 92011

**PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton**

colorescience®

TINT DU  
SOLEIL®

WHIPPED FOUNDATION

- + Creamy and lightweight
- + Comforting hydration
- + Helps improve  
appearance of lines  
and wrinkles

30  
Broad Spectrum  
SPF 30 Sunscreen

ALL-MINERAL ACTIVES  
WATER/SWEAT RESISTANT  
(40 MINUTES)

Net Wt. 1 fl. oz. / 30 mL



TINT DU SOLEIL®

For USA only

**Drug Facts**

**Active ingredients Purpose**  
Titanium Dioxide 4.8%.....Sunscreen  
Zinc Oxide 6.7%.....Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only.**

**Do not use** on damaged or broken skin. When using this product, keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.
- Reapply: ▪ After 40 minutes of swimming or sweating. ▪ Immediately

after towel drying. ▪ At least every 2 hours. Children under 6 months: ask a doctor.

**Sun Protection Measures**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

HEAD

colorscience®

5.75

TINT DU SOLEIL®

WHIPPED FOUNDATION

- + Creamy and lightweight
- + Comforting hydration
- + Helps improve appearance of lines and wrinkles

For USA only

**Drug Facts (continued)**

**Inactive ingredients (cont.):**

Jojoba Esters, Lauroyl Lysine, Glyceryl Behenate/Eicosadiolate, Pelargonium Graveolens Flower Oil, Cananga Odorata Flower Oil, Fusanus Spicatus Wood Oil, Sorbitol, Lecithin, Polysorbate 20, Triethoxycaprylsilane, Polyhydroxystearic Acid, Alumina, Xanthan Gum, Carbomer, BHT, Sodium Lactate, Disodium EDTA, Sorbic Acid, Sodium Benzoate, Chlorphenesin, Sodium Dehydroacetate, Chlorhexedine Digluconate, Glyceryl Caprylate, Caprylyl Glycol, Phenoxyethanol, Phenethyl Alcohol, Farnesol, Linalool, Iron Oxides (CI 77491, CI 77492, CI 77499)

**Other information:**

Protect this product from excessive heat and direct sun.

**Questions or comments?**

Call toll free 866.426.5673

**Ingredients (EU)**

Cyclopentasiloxane, Aqua, Mica, Caprylic/Capric Triglyceride, Zinc Oxide, Dimethicone Crosspolymer, Titanium Dioxide, Glycerin, Dimethicone, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Butylene Glycol, Silica, Tocopheryl Acetate, Glyceryl Linoleate, Glyceryl Linolenate, Retinyl Palmitate, Sodium Ascorbyl Phosphate, Palmitoyl Tripeptide-1,

**Instructions for Use:**

- Limit time in the sun, especially from 10 a.m.–2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

**Inactive Ingredients:**

Cyclopentasiloxane, Water, Mica, Caprylic/Capric Triglyceride, Dimethicone Crosspolymer, Dimethicone, Glycerin, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Butylene Glycol, Silica, Tocopheryl Acetate, Glyceryl Linoleate, Glyceryl Linolenate, Retinyl Palmitate, Sodium Ascorbyl Phosphate, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Ceramide NP, Milk Lipids (Lactis Lipida), Ahnfellia Concinna Extract, Dimethiconol

*Continued on opposite side panel ▶*

30 Broad Spectrum  
SPF 30 Sunscreen

**ALL-MINERAL ACTIVES**  
WATER/SWEAT RESISTANT  
(40 MINUTES)

Net Wt. 1 fl. oz. / 30 mL

Palmitoyl Tetrapeptide-7, Ceramide NP, Lactis Lipida, Ahnfellia Concinna Extract, Dimethiconol, Jojoba Esters, Lauroyl Lysine, Glyceryl Behenate/Eicosadiolate, Pelargonium Graveolens Flower Oil, Cananga Odorata Flower Oil, Fusanus Spicatus Wood Oil, Sorbitol, Lecithin, Polysorbate 20, Triethoxycaprylylsilane, Polyhydroxystearic Acid, Alumina, Xanthan Gum, Carbomer, BHT, Sodium Lactate, Disodium EDTA, Sorbic Acid, Sodium Benzoate, Chlorphenesin, Sodium Dehydroacetate, Chlorhexedine Digluconate, Glyceryl Caprylate, Caprylyl Glycol, Phenoxyethanol, Phenethyl Alcohol, Famesol, Linalool, [+/- CI 77491, CI 77492, CI 77499]

FCS LOGO FPO

**Foundation Meets Skincare**

Nourish and even your complexion with Colorescience® Tint du Soleil®. Light coverage blurs imperfections, evens skin tone, and leaves skin feeling silky. Replenish skin with ceramides and milk lipids that provide comforting hydration while peptides and a multi-vitamin complex work to improve skin health. Protect from sun and environmental exposure that cause skin aging with all-mineral Zinc Oxide and Titanium Dioxide that

# OUTSIDE KO

oxide and titanium dioxide that deliver SPF 30 defense.

## How to Use

Begin by applying two pumps and blend onto the face for sheer to medium coverage before sun exposure and as needed. For fuller coverage, additional pumps may be needed.

## How to Use (EU)

Do not stay too long in the sun, even while using a sunscreen product. Keep babies and young children out of direct sunlight. Over-exposure to the sun is a serious health threat. Reducing the quantity of sunscreen product applied will lower the level of protection significantly. Generously apply sunscreen products before sun exposure. Keep out of eyes. Stop use and ask a doctor if adverse reaction occurs. Re-apply frequently to maintain protection, especially after perspiring, swimming or toweling.



RP BIORIUS  
EU: WAVRE, BE  
UK: LONDON  
WC2H 9JQ, GB



Manufactured for Colorescience® /  
Fabriqué pour Colorescience®  
Carlsbad, CA 92011  
Made in USA | Fab aux É.-U.  
colorescience.com 1710005  
Patent:  
[www.colorescience.com/patents](http://www.colorescience.com/patents)

## SUNFORGETTABLE TINT DU SOLEIL FOUNDATION SPF 30 SUNSCREEN

titanium dioxide and zinc oxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68078-004
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	48 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	67 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>AHNFELTIOPSIS CONCINNA</b> (UNII: SMF2K46G8D)	
<b>SANTALUM SPICATUM OIL</b> (UNII: H9LVS6REV4)	
<b>GLYCERYL BEHENATE/EICOSADIOATE</b> (UNII: 73CJJ317SR)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>PHENYLETHYL ALCOHOL</b> (UNII: ML9LGA7468)	
<b>COW MILK FAT</b> (UNII: 463JZS0XJ3)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>YLANG-YLANG OIL</b> (UNII: 8YOY78GNNX)	
<b>GLYCERYL MONOLINOLEATE</b> (UNII: 4763AXI84L)	
<b>GLYCERYL LINOLENATE</b> (UNII: SGB6X4G86K)	
<b>SODIUM LACTATE</b> (UNII: TU7HW0W0QT)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836S5JG51DR)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>CERAMIDE NP</b> (UNII: 4370DF050B)	
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>GLYCERYL MONOCAPRYLATE</b> (UNII: TM2TZD4G4A)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE)</b> (UNII:	

UF7620L1W6)

**DIMETHICONOL (100000 CST)** (UNII: OSA9UP217S)

**JOJOBA OIL** (UNII: 724GKU717M)

**POLYHYDROXYSTEARIC ACID STEARATE** (UNII: 8KQ7I65XZE)

**HYDROGENATED SOYBEAN LECITHIN** (UNII: H1109Z9J4N)

**CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE** (UNII: 0A5MM307FC)

**FERRIC OXIDE RED** (UNII: 1K09F3G675)

**FERRIC OXIDE YELLOW** (UNII: EX438O2MRT)

**FERROSOFERRIC OXIDE** (UNII: XM0M87F357)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68078-004-05	1 in 1 CARTON	10/05/2015	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:68078-004-02	1 mL in 1 PACKET; Type 0: Not a Combination Product	10/05/2015	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/05/2015	

**Labeler** - Colorescience (128731929)

Revised: 12/2023

Colorescience