

ADVANCED SKIN LIGHTENING SERUM- hydroquinone gel
Vivier Pharma, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Advanced Skin Lightening Serum

Drug facts

Active ingredient

Hydroquinone USP 2%

Purpose

Skin bleaching

Use

To gradually lighten hyperpigmentation of the skin such as age spots, liver spots, freckles or hyperpigmentation that can occur as a result of pregnancy or from the use of oral contraceptives.

Warnings

For external use only.

Use only on the advice of a physician.

Do not use

- On broken or irritated skin.
- On children under 12 years of age.
- If you are pregnant, nursing or you intend to become pregnant within 3 months of use.

Sunburn alert:Limit sun exposure during treatment by using protective clothing or a sunscreen protective agent to avoid re-darkening of the skin.

When using this product

- A mild transient stinging may occur for people with sensitive skin.
- Gradual lightening of the discolored area can be expected in most cases.
- Avoid contact with eyes and mucous membranes. In case of contact, rinse thoroughly with water.

Stop using this product

if irritation or rash occurs.

Keep out of reach of children.

Directions

- Remove and discard white cap and replace with dropper.
- To apply, place 1 to 2 drops of ADVANCED SKIN LIGHTENING SERUM in palm of hand and use fingertips to apply a thin layer to affected areas.
- Use both morning and night or as directed by a physician.

- Close cap securely after each use.
- Close dropper cap securely after each use.

Information pharmaceutique (suite)

Other information / Autres renseignements

- See package insert for more details. / Voir l'info-feuillet pour plus de détails.
- Store at room temperature (15-30°C / 59-86°F). / Conserver à la température ambiante (15-30 °C / 59-86 °F).

Inactive ingredients


Citrus Grandis (Grapefruit) Extract, Ethoxydiglycol, Fragrance, L-Ascorbic Acid USP, Propylene Glycol, Water/Eau.

Questions ?

450 455 9779 1 877 484 8437

Package Labeling:

<p>Drug facts (continued) / Information pharmaceutique (suite)</p> <p>Other information / Autres renseignements</p> <ul style="list-style-type: none"> • See package insert for more details. / Voir l'info-feuillet pour plus de détails. • Store at room temperature (15-30°C / 59-86°F). / Conserver à la température ambiante (15-30 °C / 59-86 °F). <p>Inactive ingredients / Ingrédients inactifs</p> <p>Citrus Grandis (Grapefruit) Extract, Ethoxydiglycol, Fragrance, L-Ascorbic Acid USP, Propylene Glycol, Water/Eau.</p> <p>Questions?</p> <p>450 455 9779 1 877 484 8437</p>	<p>Drug facts</p> <table border="1"> <tr> <td>Active ingredient</td> <td>Purpose</td> </tr> <tr> <td>Hydroquinone USP 2%</td> <td>Skin bleaching</td> </tr> </table> <p>Use</p> <p>To gradually lighten hyperpigmentation of the skin such as age spots, liver spots, freckles or hyperpigmentation that can occur as a result of pregnancy or from the use of oral contraceptives.</p> <p>Warnings</p> <p>For external use only. Use only on the advice of a physician.</p> <p>Do not use</p> <ul style="list-style-type: none"> • On broken or irritated skin. • On children under 12 years of age. • If you are pregnant, nursing or you intend to become pregnant within 3 months of use. <p>Sunburn alert: Limit sun exposure during treatment by using protective clothing or a sunscreen protective agent to avoid re-darkening of the skin.</p> <p>When using this product</p> <ul style="list-style-type: none"> • A mild transient stinging may occur for people with sensitive skin. • Gradual lightening of the discolored area can be expected in most cases. • Avoid contact with eyes and mucous membranes. In case of contact, rinse thoroughly with water. <p>Stop using this product if irritation or rash occurs.</p> <p>Keep out of reach of children.</p> <p>Directions</p> <ul style="list-style-type: none"> • Remove and discard white cap and replace with dropper. • To apply, place 1 to 2 drops of ADVANCED SKIN LIGHTENING SÉRUM in palm of hand and use fingertips to apply a thin layer to affected areas. • Use both morning and night or as directed by a physician. • Close cap securely after each use. • Close dropper cap securely after each use. 	Active ingredient	Purpose	Hydroquinone USP 2%	Skin bleaching	<div style="text-align: center;">   VIVIER™ ADVANCED SKIN LIGHTENING SÉRUM HYDROQUINONE USP 2% GEL SÉRUM ÉCLAIRCISANT AVANCÉ GEL D'HYDROQUINONE USP 2% REDUCES THE APPEARANCE OF WRINKLES WITH L-ASCORBIC ACID USP RÉDUIT L'APPARENCE DES RIDES AVEC ACIDE L-ASCORBIQUE USP 30 ml 1 fl oz </div>	<p>Informations pharmaceutiques</p> <table border="1"> <tr> <td>Ingrédient actif</td> <td>Utilité</td> </tr> <tr> <td>Hydroquinone USP 2%</td> <td>Éclaircissant</td> </tr> </table> <p>Usage</p> <p>Pour l'éclaircissement graduel des décolorations cutanées comme des taches de son, de vieillesse, hyperpigment ou la pigmentation cutanée pouvant se manifester à la suite d'une grossesse ou avec l'emploi des contraceptifs oraux.</p> <p>Mises en garde</p> <p>Pour usage externe seulement. Utiliser seulement selon les recommandations d'un médecin.</p> <p>Ne pas utiliser</p> <ul style="list-style-type: none"> • Sur une peau irritée ou fendillée. • Chez les enfants de moins de 12 ans. • Si vous allaitez, êtes enceinte ou avez l'intention de le devenir dans les trois mois suivant son utilisation. <p>Alerte coups de soleil: Limiter l'exposition au soleil en utilisant un filtre solaire, un écran solaire total ou des vêtements de protection pour couvrir la peau traitée.</p> <p>Durant l'application de ce produit</p> <ul style="list-style-type: none"> • Les personnes ayant une peau sensible peuvent éprouver une sensation passagère de léger picotement. • On peut constater un éclaircissement graduel de la peau, dans la plupart des cas. • Éviter tout contact avec les yeux et les muqueuses. En cas de contact, rincer à fond avec de l'eau. <p>Cesser l'utilisation en cas d'irritation ou d'éruption.</p> <p>Garder hors de la portée des enfants.</p> <p>Mode d'emploi</p> <ul style="list-style-type: none"> • Dévisser et jeter le bouchon blanc. Reboucher la bouteille avec le compte-gouttes. • Déposer 1 ou 2 gouttes de SÉRUM ÉCLAIRCISANT AVANCÉ dans la paume de votre main et, en utilisant vos doigts, appliquer une mince couche sur la région affectée. • Utiliser matin et soir ou selon l'avis d'un médecin. • Bien visser le compte-gouttes après chaque usage. 	Ingrédient actif	Utilité	Hydroquinone USP 2%	Éclaircissant
Active ingredient	Purpose										
Hydroquinone USP 2%	Skin bleaching										
Ingrédient actif	Utilité										
Hydroquinone USP 2%	Éclaircissant										
<p>L-Ascorbic Acid USP will tend to oxidize and change to a light yellow color with time. This change in color is natural and will not significantly alter the product's effectiveness.</p> <p>Oil-free Alcohol-free Hypoallergenic Recommended by physicians</p> <p>L'acide L-ascorbique USP a une tendance naturelle à devenir un jaune pâle avec le temps. Ce changement de couleur est normal et n'affectera pas l'efficacité du produit.</p> <p>Sans huile Sans alcool Hypoallergène Recommandé par les médecins</p> <div style="text-align: center;">  <p>SUSTAINABLE FORESTRY INITIATIVE Certified Sourcing Approvisionnement certifié www.sfi-program.org</p> </div> <p>THE BEAUTY OF RESULTS™</p> <p>07-6643-01D06</p>	<p>THE BEAUTY OF RESULTS™</p> <p>07-6643-01D06</p>	<p>LA BEAUTÉ DES RÉSULTATS™</p>									



ADVANCED SKIN LIGHTENING SERUM

hydroquinone gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67226-2622
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROQUINONE (UNII: XV74C1N1AE) (HYDROQUINONE - UNII:XV74C1N1AE)	HYDROQUINONE	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GRAPEFRUIT (UNII: O82C39RR8C)	
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A118X02B)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67226-2622-3	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/06/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part358A	11/06/2017	

Labeler - Vivier Pharma, Inc. (250996550)

Revised: 12/2017

Vivier Pharma, Inc.