

**SALICYLIC ACID- corn and callus remover liquid**  
**Geiss, Destin & Dunn, Inc.**

-----  
**Good Sense Liquid Corn And Callus Remover**

***Active ingredient***

Salicylic acid 17% w/w

***Purpose***

Corn and callus remover

***Uses***

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

***Warnings***

**For external use only.**

**Flammable**

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away heat

**Do not use**

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

**When using this product**

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eye, flush with water for 15 minutes

**Stop and ask a doctor if**

discomfort persists, see your doctor or podiatrist

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- wash the affected area and dry thoroughly

- apply one drop at a time with applicator to sufficiently cover each corn/callus; let dry
- use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)
- may soak corn/callus in warm water for 5 minutes to assist in removal

***Other information***

- store between 20° to 25°C (68°F - 77°F)
- close tightly to prevent solidification
- store in a cool place

***Inactive ingredients***

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

***Questions?***

**Call 1-866-964-0939**

**Principal Display Panel**

GoodSense

Safe & Effective

Corn & Callus Remover

with Salicylic Acid

3 cushions 0.33 FL OZ(9.8 mL)

NDC 0113-0139-09

**GOODSENSE®**

**Safe & Effective** **Plus Non-Medicated Cushions**

**Corn & Callus Remover**  
with Salicylic Acid

Compare to the active ingredient of Dr. Scholl's® Liquid Corn/Callus Remover® **100% SATISFACTION GUARANTEED**

**FPO**

Blister and Product Covers This Area

3 CUSHIONS 0.33 FL OZ (9.8 mL)

NDC 0113-0139-09

Drug Facts	Purpose
<b>Active ingredient</b> Salicylic acid 17% w/w	Corn and callus remover
<b>Uses</b> <ul style="list-style-type: none"> <li>■ for the removal of corns and calluses</li> <li>■ relieves pain by removing corns and calluses</li> </ul>	
<b>Warnings</b> For external use only.	
<b>Flammable</b> <ul style="list-style-type: none"> <li>■ keep away from fire or flame</li> <li>■ cap bottle tightly and store at room temperature away from heat</li> </ul>	
<b>Do not use</b> <ul style="list-style-type: none"> <li>■ on irritated skin</li> <li>■ on any area that is infected or reddened</li> <li>■ if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist</li> </ul>	
<b>When using this product</b> <ul style="list-style-type: none"> <li>■ avoid contact with eyes</li> <li>■ avoid inhaling vapors</li> <li>■ if product gets into the eye, flush with water for 15 minutes</li> </ul>	
<b>Stop use and ask a doctor</b> if discomfort persists, see your doctor or podiatrist.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> <ul style="list-style-type: none"> <li>■ wash the affected area and dry thoroughly</li> <li>■ apply one drop at a time with applicator to sufficiently cover each corn/callus; let dry</li> <li>■ use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)</li> <li>■ repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)</li> <li>■ may soak corn/callus in warm water for 5 minutes to assist in removal</li> </ul>	
<b>Other information</b> <ul style="list-style-type: none"> <li>■ store between 20°–25°C (68°–77°F)</li> <li>■ close tightly to prevent solidification</li> <li>■ store in a cool place</li> </ul>	
<b>Inactive ingredients</b> camphor, castor oil, ethanol, ethyl ether, nitrocellulose	
<b>Questions?</b> Call 1-866-964-0939	

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

Distributed by:  
Geiss, Destin & Dunn Inc.  
Peachtree City, GA 30269  
www.valuelabels.com

**MADE IN USA WITH U.S. AND IMPORTED PARTS**

41-030GS-01 8 46036 00749 7

NDC 50804-749-03

**GOODSENSE®**

**Safe & Effective**

**Corn & Callus Remover**  
with Salicylic Acid

- Removes Corns & Calluses Safely
- Cushions Against Pain and Pressure

**1/3 FL OZ (9.8 mL)**

**Do not use this product** on irritated skin, on any area that is infected or reddened.

**When using this product** avoid contact with eyes, if product gets into the eyes, flush with water for 15 minutes. Avoid inhaling vapors.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** Wash affected area and dry thoroughly. Apply one drop at a time with applicator to sufficiently cover each corn/callus. Let dry. Use cushions with hole centered over corn or callus to relieve pressure. Repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

**Other information:** Store at 20° to 30° C (68° to 86° F).

**Inactive ingredients:** camphor, castor oil, ethanol, ethyl ether, nitrocellulose

**MADE IN USA**

**Questions?** 1-866-964-0939  
Distributed by: Geiss, Destin & Dunn Inc.  
Peachtree City, GA 30269  
www.valuelabels.com

NO VARNISH AREA  
0.5315"

50-030GS

SALICYLIC ACID

corn and callus remover liquid

---

Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50804-749	
<b>Route of Administration</b>	TOPICAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)		SALICYLIC ACID	0.17 g in 9.8 mL	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
CASTOR OIL (UNII: D5340Y2I9G)				
CAMPHOR (NATURAL) (UNII: N20HL7Q941)				
PYROXYLIN (UNII: KYR8BR2X6O)				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:50804-749-03	9.8 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	08/10/2015	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M030		08/10/2015	

**Labeler** - Geiss, Destin & Dunn, Inc. (076059836)

Revised: 1/2024

Geiss, Destin & Dunn, Inc.