

ADAPTASUN SEA AND TROPICS PROTECTIVE BODY SPF 30- homosalate, octisalate, avobenzone lotion
Naos USA, Inc.

Adaptasun Sea and Tropics Protective Body Lotion SPF 30

Drug Facts

Active ingredients (w/w)

Homosalate 9%

Octisalate 4.5%

Avobenzone 2.7%

Purpose

Sunscreen

Use

Helps prevent sunburn.

Warnings

For external use only.

Do not use

on broken skin.

When using this product

avoid contact with eyes. If contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, call a poison control centre or get medical help right away.

Directions

Adults 18 years and older:

- Apply liberally and evenly 15 minutes before sun exposure.

- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Sun protection measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. -2 p.m.; and
 - wear long-sleeve shirts, pants, hats and sunglasses.
 - Children under 6 months of age: ask a doctor.

Other information

- Keep the product between 15-30°C (59-86°F).
- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Water, Ethylhexyl Methoxycrylene, Dicaprylyl Carbonate, Glycerin, Tribehenin Peg-20 Esters, Dimethicone, Butyloctyl Salicylate, Tocopheryl Acetate, Benzotriazolyl Dodecyl P-Cresol, Silica, Vp/Eicosene Copolymer, C20-22 Alkyl Phosphate, Creatine, Fragrance (Parfum), Glyceryl Stearate, Glycyrrhetic Acid, Mannitol, Methylpropanediol, Peg-100 Stearate, Pentyleneglycol, Soybean Glycerides, C20-22 Alcohols, Polysilicone-11, Xanthan Gum, Caprylyl Glycol, 1,2-Hexanediol, Acetyl Tyrosine, Aspartic Acid, Helianthus Annuus (Sunflower) Seed Oil, Sodium Citrate, Sodium Dextran Sulfate, Sodium Hydroxide, Hydrolyzed Soy Protein, Oleoyl Tyrosine, Hydrolyzed Wheat Protein, Luffa Cylindrica Seed Oil, Linalool, Hexyl Cinnamal, Hydroxycitronellal, Oleic Acid, Pentaerythrityl Tetra-Di-T-Butyl Hydroxyhydrocinnamate, Propylene Glycol, Butylene Glycol, Aminoethanesulfonic Acid, Phenoxyethanol, Limonene, Benzyl Benzoate, Geraniol, Copper Gluconate, Citronellol, Carnosine, Tocopherol, Isoeugenol, Coumarin, Disodium Adenosine Triphosphate, Artemia Extract, Medicago Sativa (Alfalfa) Extract, Laminaria Digitata Extract, Citral, Acetyl Hexapeptide-1, Dextran. [ES867]

Questions?

Call 1-877-443-3762

Package Labeling:

Drug Facts / Info-médicament

Active ingredients (w/w)/ Ingrédients actifs (p/p)	Purpose / Utilité
Homosalate 9% Octisalate 4.5% Avobenzone 2.7%	Sunscreen / Écran solaire

Use / Usage

Helps prevent sunburn. / Aide à prévenir les coups de soleil.

Warnings / Mises en garde

For external use only.

Pour usage externe seulement.

Do not use on broken skin.

Ne pas utiliser sur une peau éraflée.

When using this product avoid contact with eyes. If contact occurs, rinse thoroughly with water.

Lorsque vous utilisez ce produit, éviter tout contact avec les yeux. Le cas échéant, bien rincer avec de l'eau.

Stop use and ask a doctor if rash occurs.

Cessez d'utiliser et consultez un médecin si une éruption cutanée se développe.

Keep out of reach of children. If swallowed, call a poison control centre or get medical help right away.

Garder hors de la portée des enfants. En cas d'ingestion, appeler immédiatement un centre antipoison ou obtenir une assistance médicale.

Directions / Mode d'emploi

Adults 18 years and older:

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Sun protection measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. - 2 p.m.; and ■ wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months of age: ask a doctor. /

Adultes 18 ans et plus :

- Appliquer généreusement et uniformément 15 minutes avant l'exposition au soleil.
- Appliquer de nouveau au moins toutes les 2 heures.
- Utiliser un écran solaire résistant à l'eau lors d'une activité aquatique ou s'il y a transpiration.
- Mesures de protection contre le soleil : Passer du temps au soleil augmente le risque de cancer de la peau et du vieillissement prématuré de la peau. Afin de diminuer ce risque, il convient d'utiliser régulièrement un écran solaire avec un FPS à large spectre d'au moins 15 et d'appliquer d'autres mesures de protection contre le soleil telles que : ■ limiter le temps passé au soleil, notamment entre 10h - 14h ; et ■ porter des chemises à manches longues, des pantalons, un chapeau et des lunettes de soleil.
- Pour les enfants de moins de 6 mois : demander l'avis d'un médecin.

Other information / Autres renseignements

- Keep the product between 15-30°C (59-86°F).
- Protect the product in this container from excessive heat and direct sun. / • Garder le produit entre 15-30°C (59-86°F).
- Tenir loin de la chaleur excessive ou des rayons du soleil.

Drug Facts (continued) / Info-médicament (suite)


Inactive ingredients / Ingrédients inactifs

Water/Eau, Ethylhexyl Methoxycrylene, Dicaprylyl Carbonate, Glycerin, Tribehnenin Peg-20 Esters, Dimethicone, Butyloctyl Salicylate, Tocopheryl Acetate, Benzotriazoly Dodecyl P-Cresol, Silica, Vp/Eicosene Copolymer, C20-22 Alkyl Phosphate, Creatine, Fragrance (Parfum), Glyceryl Stearate, Glycyrhethinic Acid, Mannitol, Methylpropanediol, Peg-100 Stearate, Pentylen Glycol, Soybean Glycerides, C20-22 Alcohols, Polysilicone-11, Xanthan Gum, Caprylyl Glycol, 1,2-Hexanediol, Acetyl Tyrosine, Aspartic Acid, Helianthus Annuus (Sunflower) Seed Oil, Sodium Citrate, Sodium Dextran Sulfate, Sodium Hydroxide, Hydrolyzed Soy Protein, Oleoyl Tyrosine, Hydrolyzed Wheat Protein, Luffa Cylindrica Seed Oil, Linalool, Hexyl Cinnamal, Hydroxycitronellal, Oleic Acid, Pentaerythrityl Tetra-Di-T-Butyl Hydroxyhydrocinnamate, Propylene Glycol, Butylene Glycol, Aminoethane-sulfonic Acid, Phenoxyethanol, Limonene, Benzyl Benzoate, Geraniol, Copper Gluconate, Citronellol, Carnosine, Tocopherol, Isoeugenol, Coumarin, Disodium Adenosine Triphosphate, Artemia Extract, Medicago Sativa (Alfalfa) Extract, Laminaria Digitata Extract, Citral, Acetyl Hexapeptide-1, Dextran. [ES867]

Questions?

Call / Composez le 1-877-443-3762

INSTITUT
ESTHEDERM
PARIS



ADAPTASUN

Sea And Tropics / Mer Et Tropiques

PROTECTIVE BODY LOTION
LOTION PROTECTRICE CORPS
SPF / FPS 30



PROTECTION UVA-UVB PROTECTION

Care first. ✶ N A O S

5 fl.oz.

150 mL
DIN : 02528029

INSTITUT ESTHEDERM est une marque fondée sur l'écobiologie qui est au coeur de la démarche NAOS pour respecter l'écosystème de votre peau et préserver sa santé. Durablement. www.naos.com

INSTITUT ESTHEDERM is a brand built on ecobiology which is at the heart of NAOS approach to respect the skin ecosystem and preserve its health. Lastingly. www.naos.com

Réf : V 4501 03CA


Importé et distribué par/
Imported and distributed by :
NAOS CANADA INC.,
Montréal (QC) H2W 2R2 Canada
NAOS USA INC.,
Wilmington, DE 19808-1609 USA

✶ N A O S

Ecobiology Company - France
NAOS 13290 Aix-en-Provence
Made in France



3461020013819
IMPRESSION PANT 432 N°
GENCOD 36 x 13 mm



ADAPTASUN SEA AND TROPICS PROTECTIVE BODY SPF 30

homosalate, octisalate, avobenzone lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14324-028
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	27 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
BENZYL BENZOATE (UNII: N863NB338G)	
GERANIOL (UNII: L837108USY)	
COPPER GLUCONATE (UNII: RV823G6G67)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
CARNOSINE (UNII: 8HO6PVN24W)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ISOEUGENOL (UNII: 5M0MWW797U)	
COUMARIN (UNII: A4VZ22K1WT)	
MEDICAGO SATIVA WHOLE (UNII: DJO934BRBD)	
LAMINARIA DIGITATA (UNII: 15E7C67EE8)	
CITRAL (UNII: T7EU009VPP)	
ACETYL HEXAPEPTIDE-1 (UNII: 49ZWR266MZ)	
WATER (UNII: 059QF0KO0R)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIBEHENIN PEG-20 ESTERS (UNII: 84K9EH29Y9)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
C20-22 ALKYL PHOSPHATE (UNII: L4VKP0Y7RP)	
CREATINE (UNII: MU72812GK0)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
ENOXOLONE (UNII: P540XA09DR)	
MANNITOL (UNII: 3OWL53L36A)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
PEG-100 STEARATE (UNII: YD01N1999R)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
C20-22 ALCOHOLS (UNII: O4M0347C6A)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ACETYL L-TYROSINE (UNII: DA8G610ZO5)	
ASPARTIC ACID (UNII: 30KYC7MIAI)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	

SODIUM HYDROXIDE (UNII: 55X04QC32I)				
OLEOYL TYROSINE (UNII: 131P1BQX1U)				
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)				
LINALOOL, (+/-)- (UNII: D81QY6I88E)				
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)				
HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR)				
OLEIC ACID (UNII: 2UMI9U37CP)				
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)				
HYPOTAURINE (UNII: 5L08GE4332)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
LIMONENE, (+)- (UNII: GFD7C86Q1W)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14324-028-00	1 in 1 CARTON	04/01/2023	09/30/2024
1		150 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020		04/01/2023	09/30/2024

Labeler - Naos USA, Inc. (080727572)

Revised: 11/2023

Naos USA, Inc.