# CARBON DIOXIDE- carbon dioxide gas Airgas Usa, LLC

-----

**Carbon Dioxide 130** 

# Airgas CO2 Shoulder label



# CARBON DIOXIDE USP UN1013 DO NOT REMOVE THIS PRODUCT LABEL NON-FLAMMABLE GAS 2

Airgas, Healthcare an Air Liquide company

AIRGAS USA LLC

Radnor, PA 19087-5283

Safety Data Sheets available at www.airgas.com

WARNING: CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. MAY INCREASE RESPIRATION AND HEART RATE. Avoid breathing gas. Do not get in eyes or skin or on clothing. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Use and store only outdoors or in a well-ventilated place. Use a back-flow preventive device in the piping. Close valve after each use and when empty. Do not handle until all safety precautions have been read and understood. Use only with equipment rated for cylinder pressure. Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

# Rx only.


**WARNING:** Administration of Carbon Dioxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practioner who is experienced in the

use and administration of Carbon Dioxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards contraindications and side effects and precautions to be taken.

CAS: 124-38-9



### Airgas CO2 Body Label



### **CARBON DIOXIDE USP UN1013**

Rx only.

### **NON-FLAMMABLE GAS 2**

Airgas, Healthcare an Air Liquide company

AIRGAS USA LLC

Radnor, PA 19087-5283

Safety Data Sheets available at www.airgas.com


WARNING: CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. MAY INCREASE RESPIRATION AND HEART RATE. Avoid breathing gas. Do not get in eyes or skin or on clothing. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Use and store only outdoors or in a well-ventilated place. Use a back-flow preventive device in the piping. Close valve after each use and when empty. Do not handle until all safety precautions have been read and understood. Use only with equipment rated for cylinder pressure. Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

850300 (06/16)

**WARNING:** Administration of Carbon Dioxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practioner who is experienced in the use and administration of Carbon Dioxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards contraindications and side effects and precautions to be taken.

CAS: 124-38-9

DO NOT REMOVE THIS PRODUCT LABEL



WARNING: CONTAINS GAS UNDER PRESSURE: MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. MAY INCREASE RESPIRATION AND HEART RATE. Avoid breathing gas. Do not get in eyes, on skin, or on clothing. Protect from sunlight, when ambient temperature exceeds 52 °C/125 °F. Use and store only outdoors or in a well ventilated place. Use a back flow preventive device in the piping. Close valve after each use and when empty. Do not handle until all safety precautions have been read and understood. Use only with equipment rated for cylinder pressure. Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. 850300 (06/16)

WARNING: Administration of Carbon Dioxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Carbon Dioxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and precautions to be taken. CAS: 124-38-9

DO NOT REMOVE THIS PRODUCT LABEL

Airgas CO2 Siphon

CARBON DIOXIDE USP UN1013

DO NOT REMOVE THIS PRODUCT LABEL

NON-FLAMMABLE GAS 2

SIPHON TUBE

**Rx only. WARNING:** Administration of Carbon Dioxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practioner who is experienced in the use and administration of Carbon Dioxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards contraindications and side effects and precautions to be taken. WARNING: CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. MAY INCREASE RESPIRATION AND HEART RATE. Avoid breathing gas. Do not get in eyes or skin or on clothing. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Use and store only outdoors or in a well-ventilated place. Use a back-flow preventive device in the piping. Close valve after each use and when empty. Do not handle until all safety precautions have been read and understood. Use only with equipment rated for cylinder pressure. Read and follow the Safety Data Sheet (SDS) before use, FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical

advice/attention.

CAS: 124-38-9

Airgas, Healthcare an Air Liquide company

AIRGAS USA LLC

Radnor, PA 19087-5283

Safety Data Sheets available at www.airgas.com



### **Airgas Refrigerated CO2**

# CARBON DIOXIDE, REFRIGERATED LIQUID, USP UN2187

### **NON-FLAMMABLE GAS 2**

**WARNING:** MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. CONTAINS REFRIGERATED GAS. MAY CAUSE CRYOGENIC BURNS OR INJURY. CAN INCREASE RESPIRATION AND HEART RATE.

Avoid breathing gas. Do not get in eyes or skin or on clothing. Use and store only outdoors or in a well-ventilated place. Close valve after each use and when empty. Use a back-flow preventive device in the piping. Do not handle until all safety precautions have been read and understood. Wear cold insulating gloves, face shield, and eye protection. Do not drop. Use a suitable hand truck for container movement. Always keep container in upright position. DO NOT change or force fit connections. Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. **IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

### Rx only.

**WARNING:** Administration of Carbon Dioxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practioner who is experienced in the use and administration of Carbon Dioxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards contraindications and side effects and precautions to be taken.

### DO NOT REMOVE THIS PRODUCT LABEL


CAS: 124-38-9

Airgas, Healthcare an Air Liquide company

AIRGAS USA LLC

Radnor, PA 19087-5283

Safety Data Sheets available at www.airgas.com



WARNING:

MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. CONTAINS REFRIGERATED GAS: MAY CAUSE CRYOGENIC BURNS OR INJURY.

CAN INCREASE RESPIRATION AND HEART RATE.

Avoid breathing gas.

Do not get in eyes, on skin, or on clothing.

Use and store only outdoors or in a well ventilated place.

Close valve after each use and when empty.

Use a back flow preventive device in the piping.

Do not handle until all safety precautions have been read and understood.

Wear cold insulating gloves, face shield, and eye protection.

Do not dron

DO NOT Grop.

Use a suitable hand truck for container movement.

Always keep container in upright position. DO NOT change or force fit connections.

Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID:

IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Get medical advice/attention.

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub

affected area. Get immediate medical advice/attention.

R only

WARNING:

Administration of Carbon Dioxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Carbon Dioxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and precautions to be taken.

DO NOT REMOVE THIS PRODUCT LABEL. CAS: 124-38-9

Airgas Healthcare AIRGAS USA, LLC Radnor, PA 19087-5283 an Air Liquide company

Safety Bata Sheets available of www.airgos.com

843548 (02/17)

### CARBON DIOXIDE

carbon dioxide gas

<b>Product Information</b>			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:11054-130
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
Carbon Dioxide (UNII: 142M471B3J) (Carbon Dioxide - UNII:142M471B3J)	Carbon Dioxide	992 mL in 1 L		

Pa	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:11054- 130-01	186 L in 1 CYLINDER; Type 0: Not a Combination Product	01/02/2012				
2	NDC:11054- 130-02	373 L in 1 CYLINDER; Type 0: Not a Combination Product	01/02/2012				
3	NDC:11054- 130-03	991 L in 1 CYLINDER; Type 0: Not a Combination Product	01/02/2012				
4	NDC:11054- 130-04	1242 L in 1 CYLINDER; Type 0: Not a Combination Product	01/02/2012				
5	NDC:11054- 130-05	1473 L in 1 CYLINDER; Type 0: Not a Combination Product	01/02/2012				
6	NDC:11054- 130-06	1728 L in 1 CYLINDER; Type 0: Not a Combination Product	01/02/2012				
7	NDC:11054- 130-07	2484 L in 1 CYLINDER; Type 0: Not a Combination Product	01/02/2012				
8	NDC:11054- 130-08	4967 L in 1 CYLINDER; Type 0: Not a Combination Product	01/02/2012				
9	NDC:11054- 130-09	7606 L in 1 CYLINDER; Type 0: Not a Combination Product	01/02/2012				
10	NDC:11054- 130-10	8693 L in 1 CYLINDER; Type 0: Not a Combination Product	01/02/2012				
11	NDC:11054- 130-11	12418 L in 1 CYLINDER; Type 0: Not a Combination Product	01/02/2012				
12	130-12	13909 L in 1 CYLINDER; Type 0: Not a Combination Product	01/02/2012				
13	NDC:11054- 130-13	15895 L in 1 CYLINDER; Type 0: Not a Combination Product	01/02/2012				
14	NDC:11054- 130-14	18131 L in 1 CYLINDER; Type 0: Not a Combination Product	01/02/2012				
15	NDC:11054- 130-15	96118 L in 1 DEWAR; Type 0: Not a Combination Product	01/02/2012				
16	NDC:11054- 130-16	102830 L in 1 DEWAR; Type 0: Not a Combination Product	01/02/2012				
17	NDC:11054- 130-17	113988 L in 1 DEWAR; Type 0: Not a Combination Product	01/02/2012				
18	NDC:11054- 130-18	131150 L in 1 DEWAR; Type 0: Not a Combination Product	01/02/2012				
19	NDC:11054- 130-19	71520 L in 1 TANK; Type 0: Not a Combination Product	01/02/2012				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA206025	01/02/2012		

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
Airgas Usa, LLC		807025564	manufacture(11054-130)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Airgas USA LLC		869324756	manufacture(11054-130)

<b>Establishment</b>			
Name	Address	ID/FEI	<b>Business Operations</b>
Airgas USA LLC		026366021	manufacture(11054-130)

<b>Establishment</b>			
Name	Address	ID/FEI	<b>Business Operations</b>
Airgas USA LLC		834717514	manufacture(11054-130)

<b>Establishment</b>			
Name	Address	ID/FEI	<b>Business Operations</b>
Airgas USA LLC		879945632	manufacture(11054-130)

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Usa, LLC		017427142	manufacture(11054-130)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Airgas Usa, LLC		170564608	manufacture(11054-130)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
Airgas Usa, LLC		603878740	manufacture(11054-130)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
Airgas Usa, LLC		802299169	manufacture(11054-130)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
Airgas USA LLC		006136793	manufacture(11054-130)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
Airgas Usa, LLC		119883507	manufacture(11054-130)

Establishment				
Name	Address	ID/FEI	Business Operations	
Airgas Usa, LLC		806715392	manufacture(11054-130)	
Establishment				
Name	Address	ID/FEI	Business Operations	
Airgas Usa, LLC		033485566	manufacture(11054-130)	
Establishment				
Name	Address	ID/FEI	Business Operations	
Airgas Usa, LLC		927773168	manufacture(11054-130)	
Establishment				
Name	Address	ID/FEI	Business Operations	
Airgas USA LLC		103079992	manufacture(11054-130)	
Establishment				
Name	Address	ID/FEI	Business Operations	
Airgas Usa, LLC.	Addiess	156216350	manufacture(11054-130)	
, angus osu, eec.		130210330	manaractare(1105+ 150)	
Establishment				
Name	Address	ID/FEI	Business Operations	
Airgas Usa, LLC.		832997881	manufacture(11054-130)	
Establishment				
Name	Address	ID/FEI	Business Operations	
Airgas Usa, LLC		832997782	manufacture(11054-130)	
			· ·	
<b>Establishment</b>				
Name	Address	ID/FEI	Business Operations	
Airgas Usa, LLC		081474460	manufacture(11054-130)	
Establishment				
Name	Address	ID/FEI	Business Operations	
Airgas Usa, LLC	1.00.000	116874225	manufacture(11054-130)	
Establishment				
Name	Address	ID/FEI	Business Operations	
Airgas Usa, LLC		827455945	manufacture(11054-130)	
Patablista.				
Establishment				
Name	Address	ID/FEI	Business Operations	
Airgas Usa, LLC		947401071	manufacture(11054-130)	
Establishment				
	Adduces	ID/FFI	Pusinos Oneusticus	
Name	Address	ID/FEI	Business Operations	

Airgas Usa, LLC	117759813	manufacture(11054-130)
-----------------	-----------	------------------------

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
AIRGAS USA. LLC		800771487	manufacture(11054-130)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
AIRGAS USA, LLC		119284299	manufacture(11054-130)

Revised: 6/2024 Airgas Usa, LLC