

MEIJER ANTI-ITCH WITH ALOE- hydrocortisone cream

Meijer, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meijer Anti-Itch Cream 1% Hydrocortisone 1 oz and 2 oz NBE Cortizone 10 Cream w/ Aloe

Active ingredient	Purpose
Hydrocortisone 1%.....	Anti-itch

Uses

- for the temporary relief of itching associated with minor skin irritations, inflammation and rashes due to eczema, insect bites, poison ivy, poison oak, poison suman, soaps, detergents, cosmetics, jewelry, seborrheic, dermatitis, and psoriasis
- for temporary relief of external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

Warnings

For external use only

Do not use

- in the genital area if you have a vaginal discharge. Consult a doctor
- for the treatment of a diaper rash. Consult a doctor

When using this product

- avoid contact with the eyes
- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- conditions worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days. Do not begin use of any other hydrocortisone product unless you have consulted a doctor.
- rectal bleeding occurs

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- **for itching of skin irritation, inflammation, and rashes :**
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: consult a doctor
- **for external anal and genital itching, adults :**
- when practical, clean the affected area with mild soap and warm water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or soft cloth before applying
- apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: consult a doctor

Other information

- store at 20°-25°C (68°-77°F)
- Lot No. & Exp. Date: see box or see crimp of tube

Inactive ingredients

aloe vera gel, carbomers 940, cetostearyl alcohol, concentrated glycerin, dimethicone, glyceryl monostearate SE, light liquid paraffin, methylparaben, polyoxyl 40 stearate, propylene glycol, propylparaben, purified water, sodium hydroxide, white petrolatum

DISTRIBUTED BY:

MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

www.meijer.com

MADE IN KOREA



meijer

Compare to Cortizone 10® Creme
active ingredient*

Anti-itch Cream
1% Hydrocortisone

Itch Stopping Cream Enriched with Aloe

Relieves itch associated with minor skin irritations,
inflammation and rashes.

meijer

Maximum Strength

Anti-itch Cream
1% Hydrocortisone

Itch Stopping Cream Enriched with Aloe

NET WT 1 OZ (28 g)

meijer
Anti-itch
Cream
1% Hydrocortisone



DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com

Made in Korea

*This product is not manufactured or distributed by
Chattem, Inc., owner of the registered trademark
Cortizone 10®.

Lot & Exp.

Drug Facts
Active Ingredient
Hydrocortisone 1%
Purpose
Anti-itch

Uses ■ for the temporary relief of itching associated with minor skin irritations, inflammation and rashes due to eczema, insect bites, poison ivy, and genital itching ■ urinary, aseptic, seborrheic dermatitis, and psoriasis for temporary relief of external anal and genital itching ■ other uses of this product should only be under the advice and supervision of a doctor

Warnings
For external use only
Do not use ■ in the genital area if you have a vaginal discharge. Consult a doctor ■ for the treatment of diaper rash. Consult a doctor

When using this product
■ avoid contact with the eyes ■ do not use more than directed unless told to do so by a doctor ■ do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days. Do not begin use of any other hydrocortisone product unless you have consulted a doctor ■ rectal bleeding occurs

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
■ itching of skin irritation, inflammation, and rashes:
■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
■ children under 2 years of age: consult a doctor

For external anal and genital itching, adults:
■ when practical, clean the affected area with mild soap and warm water and rinse thoroughly
■ gently dry by patting or blotting with toilet tissue or soft cloth before applying
■ apply to affected area not more than 3 to 4 times daily

Other information ■ store at 20°-25°C (68°-77°F) ■ Lot No. & Exp. Date: see box or see crimp of tube
■ children under 12 years of age: consult a doctor

Inactive ingredients aloe vera gel, carbomers 940, cetostearyl alcohol, concentrated glycerin, dimethicone, glyceryl monostearate SE, light liquid paraffin, methylparaben, polyoxyl 40 stearate, propylene glycol, propylparaben, purified water, sodium hydroxide, white petrolatum

Questions or Comments? 1-800-814-8028

meijer

Compare to Cortizone 10® Creme
active ingredient*

Anti-itch Cream

1% Hydrocortisone

Itch Stopping Cream Enriched with Aloe

Relieves itch associated with minor skin irritations,
inflammation and rashes.

meijer

Maximum Strength

Anti-itch Cream

1% Hydrocortisone

NET WT
2 OZ (57 g)

Itch Stopping Cream Enriched with Aloe

meijer
Anti-Itch
Cream
1% Hydrocortisone



DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com

Made in Korea

*This product is not manufactured or distributed by
Chattem, Inc., owner of the registered trademark
Cortizone 10®.

Lot & Exp.

Drug Facts
Active ingredient Hydrocortisone 1% Anti-itch
Purpose For the temporary relief of itching associated with minor skin irritations, inflammation and rashes due to eczema, insect bites, poison ivy, poison oak, poison sumac, soaps, detergents, cosmetics, jewelry, seborrheic dermatitis, and psoriasis ■ for temporary relief of external anal and genital itching ■ other uses of this product should only be under the advice and supervision of a doctor
Warnings For external use only Do not use ■ in the genital area if you have a vaginal discharge. Consult a doctor. ■ for the treatment of diaper rash. Consult a doctor
When using this product ■ avoid contact with the eyes ■ do not use more than directed unless told to do so by a doctor ■ do not put directly into the rectum by using fingers or any mechanical device or applicator
Stop use and ask a doctor if ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days. Do not begin use of any other hydrocortisone product unless you have consulted a doctor ■ rectal bleeding occurs
Directions Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away. ■ for itching of skin irritation, inflammation, and rashes: ■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily ■ children under 2 years of age: consult a doctor
For external use only ■ when practical, clean the affected area with mild soap and warm water and rinse thoroughly ■ for external anal and genital itching, adults: ■ gently dry by patting or blotting with toilet tissue or soft cloth before applying ■ apply to affected area not more than 3 to 4 times daily ■ children under 12 years of age: consult a doctor
Other information ■ store at 20°-25°C (68°-77°F) ■ Lot No. & Exp. Date: see box or see crimp of tube
Inactive ingredients aloe vera gel, carbomers 940, cetearyl alcohol, cetearyl glycol, cetylalcohol, glycerin, hydroxyethyl methacrylate, light liquid paraffin, methylparaben, polyoxy 40 stearate, propylene glycol, propylparaben, purified water, sodium hydroxide, sodium lauryl monosulfate SE, light
Questions or Comments? 1-800-814-8028

MEIJER ANTI-ITCH WITH ALOE

hydrocortisone cream

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:41250-940

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: W14X0X7BPJ) (HYDROCORTISONE - UNII:W14X0X7BPJ)	HYDROCORTISONE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CARBOMER 940 (UNII: 4Q93RCW27E)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PARAFFIN (UNII: I9O0E3H2ZE)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
POLYOXYL 40 STEARATE (UNII: 13A4J4NH9I)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-940-28	1 in 1 CARTON	01/14/2015	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:41250-940-57	1 in 1 CARTON	01/14/2015	
2		57 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	01/14/2015	

Labeler - Meijer, Inc. (006959555)

Revised: 12/2017

Meijer, Inc.