

**GOYESCAS BRONCOVAC 1 COUGH AND COLD- dextromethorphan, guaifenesin,  
phenylephrine liquid  
GOYESCAS OF FLA**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Active Ingredients**

**Drug Facts**

**Active Ingredients : Purpose**

**(in each 5 ml. tsp)**

Dextromethorphan HBr USP 10mg Cough Suppressant

Guaifenesin USP 50mg Expectorant

Phenylephrine HCl USP 5mg Nasal Decongestant

**Dosage & Administration**

**Directions:**

Dose as follows or as directed by a doctor. For adults and children 12 years of age and older, 1 tablespoonful every 6 hours. For children 6 to under 12 years of age, 1 teaspoonful every 6 hours. For children under 6 years of age, consult a Physician.

**Warnings**

**Warnings:**

Do not use if you are now taking certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease (MAOI) or for two (2) weeks after stopping (MAOI) drugs. Stop and ask a doctor if cough lasts more than 7 days, if cough comes back or occurs with fever, rash or headache that lasts. Ask a doctor if you are pregnant or breast-feeding. Keep out of reach of children. In case of overdose get medical help or contact a Poison Control Center Immediately.

**Inactive Ingredients**

**Inactive Ingredients:**

Althea F.E, Caramel Color, Citric Acid, FD&C Red #40, Flavor, Glycerin, Licorice Root F.E, Methylparaben, Propylene Glycol, Propylparaben, Purified Water, Tolu F.E, Wild Cherry F.E and sucrose.

**Use**

**USE:**

Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes. Temporarily relieves these symptoms occurring with a cold, nasal congestion, cough due to minor throat and bronchial irritation.

**Purpose**

**Active Ingredients : Purpose****(in each 5 ml. tsp)**

Dextromethorphan HBr USP 10mg Cough Suppressant

Guaifenesin USP 50mg Expectorant

Phenylephrine HCl USP 5mg Nasal Decongestant

**Warnings****Warnings :**

Do not use if you are now taking certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease (MAOI) or for two (2) weeks after stopping (MAOI) drugs. Stop and ask a doctor if cough lasts more than 7 days, if cough comes back or occurs with fever, rash or headache that lasts. Ask a doctor if you are pregnant or breast-feeding. **Keep out of reach of children.** In case of overdose get medical help or contact a Poison Control Center Immediately.

**Drug Facts****Active Ingredients : Purpose****(in each 5 ml. tsp)**

Dextromethorphan HBr USP 10mg Cough Suppressant

Guaifenesin USP 50mg Expectorant

Phenylephrine HCl USP 5mg Nasal Decongestant

**USE:**

Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes. Temporarily relieves these symptoms occurring with a cold, nasal congestion, cough due to minor throat and bronchial irritation.

**Warnings :**

Do not use if you are now taking certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease (MAOI) or for two (2) weeks after stopping (MAOI) drugs. Stop and ask a doctor if cough lasts more than 7 days, if cough comes back or occurs with fever, rash or headache that lasts. Ask a doctor if you are pregnant or breast-feeding. **Keep out of reach children.** In case of overdose get medical help or contact a Poison Control Center Immediately.

**Directions :**

Dose as follows or as directed by a doctor. For adults and children 12 years of age and older, 1 tablespoonful every 6 hours. For children 6 to under 12 years of age, 1 teaspoonful every 6 hours. For children under 6 years of age, consult a Physician.

**Inactive Ingredients :**

Althea F.E, Caramel Color, Citric Acid, FD&C Red #40, Flavor, Glycerin, Licorice Root F.E, Methylparaben, Propylene Glycol, Propylparaben, Purified Water, Tolu F.E, Wild Cherry F.E and sucrose.

**BRONCOVAC®**

*Goyescas*

**ORIGINAL  
COLD and COUGH  
RELIEF**

**Drug Facts**

**Active Ingredients:**

(In each 5 mL tsp)

Dextromethorphan HBr, USP 10mg.....Cough Suppressant  
Guaifenesin, USP 50 mg.....Expectorant  
Phenylephrine HCl, USP 5 mg.....Nasal Decongestant

**Use:**

Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes. Temporarily relieves these symptoms occurring with a cold, nasal congestion, cough due to minor throat and bronchial irritation.

**Warnings:**

Do not use if you are now taking certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease (MAOI), or for two (2) weeks after stopping (MAOI) drugs. Stop and ask a doctor if cough lasts more than 7 days, if cough comes back or occurs with fever, rash or headache that lasts. Ask a doctor if you are pregnant or breast-feeding. Keep out of reach of children. In case of overdose get medical help or contact a Poison Control Center immediately.

**Directions:**

Dose as follows or as directed by a doctor. For adults and children 12 years of age and over, 1 tablespoonful every 6 hours. For children 6 to under 12 years of age, 1 teaspoonful every 6 hours. For children under 6 years of age, consult a physician.

**Inactive Ingredients:**

Althea F.E., Caramel Color, Citric Acid, FD&C Red #40, Flavor, Glycerin, Licorice Root F.E., Methylparaben, Propylene Glycol, Propylparaben, Purified Water, Tolu F.E., Wild Cherry F.E. and Sucrose.

**ALCOHOL FREE**



Goyescasusa.com

6 Fl. Oz.

Distributed By:  
**GOYESCAS CORP.**  
Miami, Florida 33178

**B  
R  
O  
N  
C  
O  
V  
A  
C**

**COLD AND COUGH EXPECTORANT**

**Drug Facts**

**Active Ingredients:**

**Purpose:**

(In each 5 ml. tsp.)

Dextromethorphan HBr USP 10 mg..... Cough Suppressant  
 Guaifenesin 100 mg ..... Expectorant  
 Phenylephrine HCl USP 5 mg..... Nasal Decongestant

**Uses:**

- Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes.
- Temporarily relieves these symptoms occurring with a cold.
  - Nasal congestion.
  - Cough due to minor throat and bronchial irritation.

**Warnings:** Do not use if you are now taking certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease (MAOI), or for two (2) weeks after stopping (MAOI) drugs. Stop and ask a doctor if cough lasts more than 7 days, if cough comes back or occurs with fever, rash or headache that lasts. Ask a doctor if you are pregnant or breast-feeding. Keep out of reach of children. In case of overdose get medical help or contact a Poison Control Center immediately. Do not use if seal is broken or missing.



**Directions:** Dose as follows or as directed by a doctor.

For adults and children 12 years of age and over	1 Tablespoonful every 6 hours
For children 6 to Under 12 years of age	1 Teaspoonful every 6 hours
For children under 6 years of age	Consult your Physician

**Inactive Ingredients:** Althea F.E., Caramel Color, Citric Acid, FD&C Red #40, Flavor, Glycerin, Licorice Root F.E., Methylparaben, Propylene Glycol, Propylparaben, Purified Water, Tolu F.E., Wild Cherry F.E., and Sucrose.

[www.goyescasusa.com](http://www.goyescasusa.com)



# GOYESCAS BRONCOVAC 1 COUGH AND COLD

dextromethorphan, guaifenesin, phenylephrine liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11856-0016
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 5 mL
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	50 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>PROPYLENE GLYCOL 1-PALMITATE</b> (UNII: 34BD3PWM6B)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CARAMEL</b> (UNII: T9D99G2B1R)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LICORICE</b> (UNII: 61ZBX54883)	
<b>METHYL PARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYL PARABEN</b> (UNII: Z8IX2SC1OH)	
<b>CHERRY</b> (UNII: BUC5I9595W)	
<b>SUCROSE</b> (UNII: C151H8M554)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11856-0016-1	1 in 1 BOX		
1		177 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	08/01/1958	

**Labeler** - GOYESCAS OF FLA (032506248)