

**CLE CCC WARM MEDIUM DEEP- titanium dioxide, octinoxate, octisalate cream
KW ABSC, INC.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

69231-026_CCC Warm Medium Deep

Titanium Dioxide 8.41%

Ethylhexyl Methoxycinnamate 7.00%

Ethylhexyl Salicylate 3.00%

Sunscreen

Helps prevent sunburn

Apply liberally 15 minutes before sun exposure. Reapply at least every two hours

Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: 1) Limited time in the sun, especially from 10 am to 2 pm. 2)

Wear long-sleeve shirts, pants, hats, and sunglasses

Ask a doctor to use for children under 6 months

For external use only.

Do not use on damaged or broken skin.

When using this product, keep out of eyes. Rinse with water to remove.

Stop using and ask a doctor if rash occurs.

Keep out of reach of the children. If product is swallowed, get medical help or contact a poison control center right away.

Water, Cyclomethicone, C12-15 Alkyl Benzoate, Butylene Glycol, Iron Oxides (CI 77492), Cyclopentasiloxane, Isoamyl p-Methoxycinnamate, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Cetyl PEG/PPG-10/1, Dimethicone, Niacinamide, Dicaprylyl Carbonate, Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine, Ceresin, Silica, Diisostearyl Malate, Cyclohexasiloxane, Sodium Chloride, Iron Oxides (CI 77491), Distearidimonium Hectorite, Sorbitan Sesquioleate, Synthetic Wax, Sorbitan Olivatate, Mica (CI 77019), Vegetable Oil, Iron Oxides (CI 77499), Chlorphenesin, Dipropylene Glycol, Dimethicone, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Citrus Aurantium Dulcis (Orange) Oil, 1,2-Hexanediol, Propylene Carbonate, Hydroxyacetophenone, Polyester-1, Triethoxycaprylylsilane, Silica Dimethyl Silylate, Cananga Odorata Flower Oil, Adenosine, Disodium EDTA, Natto Gum, Saussurea Involucrata Extract, Bambusa Vulgaris Leaf/Stem Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Cocos Nucifera (Coconut) Oil, Tocopheryl Acetate, Hydrolyzed Hyaluronic Acid, Tocopherol

WARM
MEDIUM
DEEP

DRUG FACTS

ACTIVE INGREDIENTS-PURPOSES
TITANIUM DIOXIDE 8.41% - **SUNSCREEN**
ZINC OXIDE 7% - **SUNSCREEN**
BENZOYL PEROXIDE 3% - **SUNSCREEN**

USES

HELP PREVENT SUNBURN

DIRECTIONS

- APPLY LIBERALLY 15 MINUTES BEFORE SUN EXPOSURE. REAPPLY AT LEAST EVERY TWO HOURS.
- SUN PROTECTION MEASURES, SPENDING TIME IN THE SUN INCREASES YOUR RISK OF SKIN CANCER AND EARLY SKIN AGING. TO DECREASE THIS RISK, REGULARLY USE A SUNSCREEN WITH A BROAD-SPECTRUM SPF OF 15 OR HIGHER AND OTHER SUN PROTECTION MEASURES INCLUDING:
1) LIMITED TIME IN THE SUN, ESPECIALLY FROM 10 AM TO 2 PM
2) WEAR LONG-SLEEVE SHIRTS, PANTS, HATS, AND SUN GLASSES
- ASK A DOCTOR TO USE FOR CHILDREN UNDER 6 MONTHS

INACTIVE INGREDIENTS

WATER, CYCLOMETHICONE, C12-15 ALKYL BENZOATE, BUTYLENE GLYCOL, IRON OXIDES (CI 77492), CYCLOPENTASILOXANE, ISOAMYL P-METHOXY CINNAMATE, LAURYL PEG-9 POLYDI METHYLSILOXYETHYL DIMETHICONE, CETYL PEG/PPG-10/1, DIMETHICONE, NIACINAMIDE, Dicaprylyl Carbonate, Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine, Ceresin, Silica, Disostearyl Malate, Cyclohexasiloxane, Sodium Chloride, Iron Oxides (CI 77491), Distearoyl Monium Hectorite, Sorbitan Sesquileate, Synthetic Wax, Sorbitan Olivate, Mica (CI 77019), Vegetable Oil, Iron Oxides (CI 77499), Chlorophanesin, Dipropylene Glycol, Dimethicone, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Citrus Aurantium Dulcis (Orange) Oil, 1,2-Hexanediol, Propylene Carbonate, Hydroxyacetophenone, Polyester-1, Triethoxycaprylsilane, Silica Dimethyl Silylate, Cananga Odorata Flower Oil, Adenosine, Disodium EDTA, Natto Gum, Salisborea Involucrata Extract, Bambusa Vulgaris Leaf/Stem Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Cocos Nucifera (Coconut) Oil, Tocopheryl Acetate, Hydrolyzed Hyaluronic Acid, Tocopherol

DRUG FACTS (CONTINUED)

WARNINGS
FOR EXTERNAL USE ONLY
DO NOT USE ON DAMAGED OR BROKEN SKIN. STOP USING AND ASK A DOCTOR IF RASH OCCURS. WHEN USING THIS PRODUCT, KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE. KEEP OUT OF REACH OF CHILDREN. IF PRODUCT IS SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

OTHER INFORMATION

PROTECT THIS PRODUCT FROM EXCESSIVE HEAT AND DIRECT SUN.

MANUFACTURED FOR
CLE LIFESTYLE CORPORATION
18655 BISHOP AVENUE, CARSON,
CALIFORNIA USA 90746

MADE IN KOREA
WWW.CLECOSMETICS.COM



CLE COSMETICS

GUIDED BY THE BELIEF THAT THERE'S TRUTH IN IMPERFECTION AND FREEDOM IN FLUIDITY, CLE COSMETICS IS A MINIMALIST BRAND DESIGNED TO SUPPORT THE CONTEMPORARY WOMAN WITH SELF-CARE BASICS AS SHE PURSUES THE FULLEST EXPRESSION OF HER PERSONAL POWER AND SENSUALITY.

CCC CREAM IS COMPOSED OF CC AND BB CREAM, UTILIZING MICRO CAPSULE TECHNOLOGY – AN EFFECTIVE TECHNIQUE TO ENSURE THE ESSENCE, TINT AND SUN PROTECTION ARE RELEASED INSTANTLY.

RADIANT SKIN
CCC CREAM

MICRO CAPSULE
TECHNOLOGY

BROAD SPECTRUM SPF50
PA++++

SUNSCREEN

30 ML 1 FL.OZ



WARM MEDIUM DEEP



PLEASE RECYCLE FOR ENVIRONMENTAL PRESERVATION PURPOSE. PLEASE FOLLOW THE INSTRUCTIONS AND CAUTION INFORMATION BEFORE USE.

CLE CCC WARM MEDIUM DEEP

titanium dioxide, octinoxate, octisalate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69231-026
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 mg in 30 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	0.9 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.5215 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
AMILOXATE (UNII: 376KTP06K8)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
NIACINAMIDE (UNII: 25X51I8RD4)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
BEMOTRIZINOL (UNII: PWZ1720CBH)	
CERESIN (UNII: Q1LS2UJO3A)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
SYNTHETIC WAX (1200 MW) (UNII: Q3Z4BCH099)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	
MICA (UNII: V8A1AW0880)	
CORN OIL (UNII: 8470G57WFM)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BERGAMOT OIL (UNII: 39W1PKE3J)	
ORANGE OIL (UNII: AKN3KSD11B)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	

HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
CANANGA OIL (UNII: 8YOY78GNNX)	
ADENOSINE (UNII: K72T3FS567)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69231-026-02	1 in 1 PACKAGE	11/29/2018	
1	NDC:69231-026-01	30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/29/2018	

Labeler - KW ABSC, INC. (079548604)

Registrant - KW ABSC, INC. (079548604)

Establishment

Name	Address	ID/FEI	Business Operations
Cit Co., Ltd		690081646	manufacture(69231-026)

Revised: 11/2018

KW ABSC, INC.