

**OXYGEN SIZE B- oxygen gas**  
**OXYGEN SIZE 400- oxygen gas**  
**OXYGEN SIZE D- oxygen gas**  
**OXYGEN SIZE C- oxygen gas**  
**OXYGEN SIZE E- oxygen gas**  
**OXYGEN SIZE M- oxygen gas**  
**OXYGEN SIZE F- oxygen gas**  
**OXYGEN SIZE H- oxygen gas**  
**OXYGEN SIZE T- oxygen gas**  
**Anesthesia Service, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**OXYGEN,**  
C.A.S. NO. 7782-44-7  
**COMPRESSED**  
**USP**  
**UN 1072**



**OXYGEN**  
**2**

**Distributed by:**



**Anesthesia Services, Inc.**  
1821 N. Classen Blvd, Suite 100  
Oklahoma City, OK 73106  
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390



PRODUCED BY AIR LIQUEFACTION  
**WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.**

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

**CAUTION:** Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.  
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. \_\_\_\_\_

Contents \_\_\_\_\_

Cylinder Size \_\_\_\_\_

Liters \_\_\_\_\_

FORM 426 (Rev. 3-02)

MADE IN U.S.A.

**OXYGEN,**  
C.A.S. NO. 7782-44-7  
**COMPRESSED**  
**USP**  
**UN 1072**



Distributed by:



Anesthesia Services, Inc.  
1821 N. Classen Blvd, Suite 100  
Oklahoma City, OK 73106  
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390



PRODUCED BY AIR LIQUEFACTION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.  
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. \_\_\_\_\_ Cylinder Size \_\_\_\_\_

Contents \_\_\_\_\_ Liters \_\_\_\_\_

FORM 426 (Rev. 3-02)

MADE IN U.S.A.

**OXYGEN,**  
C.A.S. NO. 7782-44-7  
**COMPRESSED**  
**USP**  
**UN 1072**



Distributed by:



**Anesthesia Services, Inc.**  
1821 N. Classen Blvd, Suite 100  
Oklahoma City, OK 73106  
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390



PRODUCED BY AIR LIQUEFACTION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.  
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. \_\_\_\_\_ Cylinder Size \_\_\_\_\_

Contents \_\_\_\_\_ Liters \_\_\_\_\_

FORM 426 (Rev. 3-02)

MADE IN U.S.A.

**OXYGEN,**  
C.A.S. NO. 7782-44-7  
**COMPRESSED**  
**USP**  
**UN 1072**



Distributed by:



**Anesthesia Services, Inc.**  
1821 N. Classen Blvd, Suite 100  
Oklahoma City, OK 73106  
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390



PRODUCED BY AIR LIQUEFACTION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.  
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. \_\_\_\_\_ Cylinder Size \_\_\_\_\_

Contents \_\_\_\_\_ Liters \_\_\_\_\_

FORM 426 (Rev. 3-02)

MADE IN U.S.A.

**OXYGEN,**  
C.A.S. NO. 7782-44-7  
**COMPRESSED**  
**USP**  
**UN 1072**



Distributed by:



Anesthesia Services, Inc.  
1821 N. Classen Blvd, Suite 100  
Oklahoma City, OK 73106  
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390



PRODUCED BY AIR LIQUEFACTION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.  
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. \_\_\_\_\_ Cylinder Size \_\_\_\_\_

Contents \_\_\_\_\_ Liters \_\_\_\_\_

FORM 426 (Rev. 3-02)

MADE IN U.S.A.

**OXYGEN,**  
C.A.S. NO. 7782-44-7  
**COMPRESSED**  
**USP**  
**UN 1072**



Distributed by:



**Anesthesia Services, Inc.**  
1821 N. Classen Blvd, Suite 100  
Oklahoma City, OK 73106  
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390



PRODUCED BY AIR LIQUEFACTION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.  
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. \_\_\_\_\_ Cylinder Size \_\_\_\_\_

Contents \_\_\_\_\_ Liters \_\_\_\_\_

FORM 426 (Rev. 3-02)

MADE IN U.S.A.

**OXYGEN,**  
C.A.S. NO. 7782-44-7  
**COMPRESSED**  
**USP**  
**UN 1072**



Distributed by:



**Anesthesia Services, Inc.**  
1821 N. Classen Blvd, Suite 100  
Oklahoma City, OK 73106  
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390

PRODUCED BY AIR LIQUEFACTION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.  
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. \_\_\_\_\_ Cylinder Size \_\_\_\_\_

Contents \_\_\_\_\_ Liters \_\_\_\_\_

FORM 426 (Rev. 3-02)

MADE IN U.S.A.

**OXYGEN,**  
C.A.S. NO. 7782-44-7  
**COMPRESSED**  
**USP**  
**UN 1072**



Distributed by:



**Anesthesia Services, Inc.**  
1821 N. Classen Blvd, Suite 100  
Oklahoma City, OK 73106  
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390



PRODUCED BY AIR LIQUEFACTION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.  
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. \_\_\_\_\_ Cylinder Size \_\_\_\_\_

Contents \_\_\_\_\_ Liters \_\_\_\_\_

FORM 426 (Rev. 3-02)

MADE IN U.S.A.



**OXYGEN,**  
C.A.S. NO. 7782-44-7  
**COMPRESSED**  
**USP**  
**UN 1072**



Distributed by:



Anesthesia Services, Inc.  
1821 N. Classen Blvd, Suite 100  
Oklahoma City, OK 73106  
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390

PRODUCED BY AIR LIQUEFACTION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.  
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. \_\_\_\_\_ Cylinder Size \_\_\_\_\_

Contents \_\_\_\_\_ Liters \_\_\_\_\_

FORM 426 (Rev. 3-02)

MADE IN U.S.A.

## OXYGEN SIZE B

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:19218-0001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	196 L in 196 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

<b>1</b>	NDC:19218-0001-1	1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1956	
----------	------------------	--	------------	--

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1956	

## OXYGEN SIZE 400

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:19218-0009
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	11321 L in 11321 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
<b>1</b>	NDC:19218-0009-9	1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1956	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1956	

## OXYGEN SIZE D

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:19218-0003
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	396 L in 396 L

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:19218-0003-3	1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1956	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1956	

**OXYGEN SIZE C**

oxygen gas

**Product Information**

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:19218-0002
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	240 L in 240 L

**Product Characteristics**

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:19218-0002-2	1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1956	

**OXYGEN,**  
C.A.S. NO. 7782-44-7  
**COMPRESSED**  
**USP**  
**UN 1072**



Distributed by:



Anesthesia Services, Inc.  
1821 N. Classen Blvd, Suite 100  
Oklahoma City, OK 73106  
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390



PRODUCED BY AIR LIQUEFACTION

**WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.**

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

**CAUTION:** Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.  
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. \_\_\_\_\_ Cylinder Size \_\_\_\_\_

Contents \_\_\_\_\_ Liters \_\_\_\_\_

FORM 426 (Rev. 3-02)

MADE IN U.S.A.

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1956	

## OXYGEN SIZE E

oxygen gas

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:19218-0004
Route of Administration	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	659 L in 659 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:19218-0004-4	1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1956	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1956	

## OXYGEN SIZE M

oxygen gas

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:19218-0005
Route of Administration	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	3453 L in 3453 L

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:19218-0005-5	1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1956	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1956	

## OXYGEN SIZE F

oxygen gas

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:19218-0006
Route of Administration	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	1567 L in 1567 L

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:19218-0006-6	1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1956	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1956	

## OXYGEN SIZE H

oxygen gas

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:19218-0007
--------------	-------------------------	--------------------	----------------

**Route of Administration** RESPIRATORY (INHALATION)

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	6931 L in 6931 L

**Product Characteristics**

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
<b>1</b>	NDC:19218-0007-7	1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1956	

**OXYGEN,**  
C.A.S. NO. 7782-44-7  
**COMPRESSED**  
**USP**  
**UN 1072**



Distributed by:



Anesthesia Services, Inc.  
1821 N. Classen Blvd, Suite 100  
Oklahoma City, OK 73106  
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390



PRODUCED BY AIR LIQUEFACTION

**WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.**

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

**CAUTION:** Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.  
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. \_\_\_\_\_

Cylinder Size \_\_\_\_\_

Contents \_\_\_\_\_

Liters \_\_\_\_\_

FORM 426 (Rev. 3-02)

MADE IN U.S.A.

**Marketing Information**



Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1956	

## OXYGEN SIZE T

oxygen gas

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:19218-0008
Route of Administration	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	8688 L in 8688 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:19218-0008-8	1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1956	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1956	

**Labeler** - Anesthesia Service, Inc. (033008186)

**Registrant** - Anesthesia Service, Inc. (033008186)

### Establishment

Name	Address	ID/FEI	Business Operations
AIRGAS USA LLC		037989415	manufacture(19218-0001, 19218-0002, 19218-0003, 19218-0004, 19218-0005, 19218-0006, 19218-0007, 19218-0008, 19218-0009)

Revised: 12/2023

Anesthesia Service, Inc.