

**TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment
Shopko Stores Operating Co., LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Triple Antibiotic

Drug Facts

Active ingredients (in each gram)	Purpose
Bacitracin zinc USP 400 units	First aid antibiotic
Neomycin sulfate USP 3.5 mg	First aid antibiotic
Polymyxin B sulfate USP 5,000 units	First aid antibiotic

Uses

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- To open: unscrew cap, pull tab to remove foil seal
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

cocoa butter, cottonseed oil, olive oil, sodium pyruvate, vitamin E, white petrolatum

Questions?

Call 1-866-923-4914

**Manufactured By Taro Pharmaceuticals Inc.
Brampton, Ontario, Canada L6T 1C1**

PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton

NDC 37012-999-02

ORIGINAL
STRENGTH

*Compare to Neosporin®
active ingredients

SHOPKO
CARE™

TRIPLE ANTIBIOTIC
OINTMENT

Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP
FIRST AID ANTIBIOTIC OINTMENT

NET WT 1 oz (28.4 g)

NDC 37012-999-02
ORIGINAL
STRENGTH

*Compare to Neosporin®
active ingredients

SHOPKO
CARE
TM

TRIPLE ANTIBIOTIC OINTMENT

Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP
FIRST AID ANTIBIOTIC OINTMENT

Helps Prevent Infection in
Minor Cuts, Scrapes, and Burns.

LPK-7500-1
0918-1
52

NDC 37012-999-02
ORIGINAL
STRENGTH

SHOPKO
CARE
TM

TRIPLE ANTIBIOTIC OINTMENT

Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP
FIRST AID ANTIBIOTIC OINTMENT
NET WT 1 oz (28.4 g)

TRIPLE
ANTIBIOTIC
OINTMENT
Bacitracin Zinc USP • Neomycin Sulfate USP
• Polymyxin B Sulfate USP
NET WT 1 oz (28.4 g)

T51
B50.3
ENG19.13



By Refund
or Exchange

Manufactured By Taro Pharmaceuticals Inc.
Brampton, Ontario, Canada L6T 1C1
for Shopko
1-866-923-4914
©2018 Shopko Stores Operating Co., LLC
Made in Canada



4 00102 00229 0

NO VARNISH/NO AQ
NO COPY/NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporin®

Drug Facts	Active ingredients (in each gram) Purpose Bacitracin zinc USP 400 units.....First aid antibiotic Neomycin sulfate USP 2.5 mg.....First aid antibiotic Polymyxin B sulfate USP 5,000 units.....First aid antibiotic
Uses	first aid to help prevent infection in minor: • cuts • scrapes • burns
Warnings	For external use only.
Do not use	• if you are allergic to any of the ingredients • in the eyes • over large areas of the body
Ask a doctor before use if you have	• deep or puncture wounds • animal bites • serious burns
Stop use and ask a doctor if	• you need to use longer than 1 week • condition persists or gets worse • rash or other allergic reaction develops
Other information	• To open: unscrew cap, pull tab to remove foil seal • store at 20° to 25°C (68° to 77°) • see carton or tube crimp for lot number and expiration date
Inactive ingredients	vitamin E, white petrolatum cocoa butter, cottonseed oil, olive oil, sodium pyruvate,
Directions	• clean the affected area • apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage
Drug Facts (continued)	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Questions?	Call 1-866-923-4914

bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:370 12-999
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN ZINC	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
cocoa butter (UNII: 512OYT1CRR)	
cottonseed oil (UNII: H3E878020N)	
olive oil (UNII: 6UYK2W1W1E)	
sodium pyruvate (UNII: POD38AIF08)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:370 12-999-02	1 in 1 CARTON	10/23/2018	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333B	10/23/2018	

Labeler - Shopko Stores Operating Co., LLC (023252638)