

**NEOSPORIN PLUS PAIN RELIEF FIRST AID ANTIBIOTIC/PAIN RELIEVING-
neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride cream
Johnson & Johnson Consumer Inc.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

NEOSPORIN[®] + PAIN RELIEF CREAM

Drug Facts

Active ingredients (in each gram)	Purpose
Neomycin Sulfate (3.5 mg)	First aid antibiotic
Polymyxin B Sulfate (10,000 units)	First aid antibiotic
Pramoxine HCl (10 mg)	External analgesic

Uses

first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Centre right away.

Directions

- adults and children 2 years of age and older:
 - clean the affected area
 - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at 20° to 25°C (68° to 77°F)
- product may settle

Inactive ingredients

Water, Emulsifying Wax, Mineral Oil, Petrolatum, Propylene Glycol, Methylparaben, Sulfuric acid, Sodium Hydroxide

Questions?

call **800-223-0182** or **215-273-8755** (collect)

Distributed by:

**JOHNSON & JOHNSON
CONSUMER INC.**

Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 28.3 g Tube Carton

**#1
DOCTOR
RECOMMENDED
BRAND
NEOSPORIN®**

**+
PAIN RELIEF**

**Maximum Strength
Pain Relief**

**Soothing Infection
Protection**

**Fast-Absorbing
Cream**

NO STING

CREAM

FIRST AID ANTIBIOTIC/PAIN RELIEVING CREAM

Neomycin Sulfate-Polymyxin B Sulfate-Pramoxine HCl

NET WT. 1 OZ (28.3 g)

30047872



3 12547 23779 6

The makers of NEOSPORIN® do not make store brand products.

how2recycle.info



NEOSPORIN®

#1 DOCTOR RECOMMENDED BRAND



PAIN RELIEF

Maximum Strength Pain Relief

Soothing Infection Protection

Fast-Absorbing Cream



NO STING



CREAM

FIRST AID ANTIBIOTIC / PAIN RELIEVING CREAM
Neomycin Sulfate - Polymyxin B Sulfate - Pramoxine HCl

NET WT. 1 OZ (28.3 g)



Every Cut.
Every Time.*
Use with
BAND-AID®
Brand
Bandages



Distributed by:
JOHNSON & JOHNSON CONSUMER INC.
Skillman, NJ 08558
© J&J 2020 www.neosporin.com

Drug Facts

Active ingredients (in each gram)

Neomycin Sulfate (3.5 mg)..... First aid antibiotic
Polymyxin B Sulfate (10,000 units)..... First aid antibiotic
Pramoxine HCl (10 mg)..... External analgesic

Uses first aid to help prevent infection and for the temporary relief of pain or discomfort in minor: ■ cuts ■ scrapes ■ burns

Warnings

For external use only.
Do not use
■ if you are allergic to any of the ingredients ■ in the eyes
■ over large areas of the body
Ask a doctor before use if you have
■ deep or puncture wounds ■ animal bites ■ serious burns

Drug Facts (continued)

Drug Facts (continued)

Stop use and ask a doctor if
■ you need to use longer than 1 week
■ condition persists or gets worse
■ symptoms persist for more than 1 week, or clear up and occur again within a few days
■ rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ adults and children 2 years of age and older:
■ clean the affected area

Drug Facts (continued)

■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
■ may be covered with a sterile bandage
■ children under 2 years of age: ask a doctor

Other information

■ store at 20° to 25°C (68° to 77°F) ■ product may settle

Inactive ingredients Water, Emulsifying Wax, Mineral Oil, Petrolatum, Propylene Glycol, Methylparaben, Sulfuric Acid, Sodium Hydroxide

Questions? call 800-223-0182 or 215-273-8755 (collect)

EXP
LOT



NEOSPORIN®

+ PAIN RELIEF

CREAM

NEOSPORIN PLUS PAIN RELIEF FIRST AID ANTIBIOTIC/PAIN RELIEVING

neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0055
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
METHYLPARABEN (UNII: A2I8C7HI9T)	
MINERAL OIL (UNII: T5L8T28FGP)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
PETROLATUM (UNII: 4T6H12BN9U)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SULFURIC ACID (UNII: O40UQP6WCF)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0055-2	1 in 1 CARTON	12/01/2009	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:69968-0055-1	1 in 1 CARTON	12/01/2009	
2		28.3 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/01/2009	

Labeler - Johnson & Johnson Consumer Inc. (118772437)

Revised: 1/2023

Johnson & Johnson Consumer Inc.