

**FAMILY WELLNESS FLU AND SEVERE COLD AND COUGH NIGHTTIME-  
acetaminophen, diphenhydramine hydrochloride, phenylephrine  
hydrochloride powder, for solution  
Family Dollar Services Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Family Dollar Services, Inc. Nighttime Flu & Severe Cold & Cough Drug Facts**

**Active ingredient (in each packet)**

Acetaminophen 650 mg

Diphenhydramine hydrochloride 25 mg

Phenylephrine hydrochloride 10 mg

**Purpose**

Pain reliever/fever reducer

Antihistamine/Cough suppressant

Nasal decongestant

**Uses**

- temporarily relieves
- minor aches and pains
- minor sore throat
- headache
- nasal and sinus congestion
- runny nose
- sneezing
- itchy nose or throat
- itchy, watery eyes due to hay fever
- cough due to minor throat and bronchial irritation
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 packets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen

- 3 or more alcoholic drinks every day while using this product

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

### **Ask a doctor before use if you have**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema, asthma or chronic bronchitis
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema
- a sodium-restricted diet

### **Ask a doctor or pharmacist before use if you are**

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

### **When using this product**

- **do not use more than directed**
- avoid alcoholic drinks
- marked drowsiness may occur
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

### **Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
- fever gets worse or lasts more than 3 days

- redness or swelling is present
- new symptoms occur
- pain, cough or nasal congestion gets worse or lasts more than 7 days
- cough comes back or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not use more than directed – see Liver warning
- take every 4 hours; do not exceed 6 packets in 24 hours or as directed by a doctor
- adults and children 12 years of age and over: dissolve contents of one packet in 8 oz. hot water; sip while hot. Consume entire drink within 10-15 minutes.
- children under 12 years of age: consult a doctor
- if using a microwave, add contents of one packet to 8 oz. of cool water; stir briskly before and after heating. Do not overheat.

**Other information**

- **each packet contains:** potassium 10 mg and sodium 24 mg
- **phenylketonurics:** contains phenylalanine 13 mg per packet
- store at 20°-25°C (68°-77°F)

**Inactive ingredients**

acesulfame potassium, anhydrous citric acid, aspartame, colloidal silicon dioxide, D&C yellow no. 10, FD&C blue no. 1, FD&C red no. 40, flavors, maltodextrin, pregelatinized starch, sodium citrate, sucrose, tribasic calcium phosphate

**Questions or comments?**

**1-800-719-9260**

**Package/Label Principal Display Panel**

COMPARE TO THE ACTIVE INGREDIENTS OF THERAFLU® SEVERE COLD & COUGH NIGHTTIME

Nighttime

Flu & Severe Cold & Cough

Pain Reliever – Fever Reducer (Acetaminophen)

Antihistamine/Cough Suppressant (Diphenhydramine HCl)

Nasal Decongestant (Phenylephrine HCl)

Nasal Congestion

Cough

Runny Nose

Sneezing

Body Ache

Headache

Sore Throat Pain

Fever

HONEY LEMON INFUSED WITH CHAMOMILE & WHITE TEA FLAVORS

CONVENIENT RECLOSING TAB

**FAMILY** 

**wellness™**

COMPARE TO THE ACTIVE  
INGREDIENTS OF **THERAFLU®**  
**SEVERE COLD & COUGH**  
**NIGHTTIME\***



# Nighttime Flu & Severe Cold & Cough

Pain Reliever-Fever Reducer (**Acetaminophen**)  
Antihistamine/Cough Suppressant (**Diphenhydramine HCl**)  
Nasal Decongestant (**Phenylephrine HCl**)

Nasal Congestion  
Cough  
Runny Nose  
Sneezing  
Body Ache  
Headache  
Sore Throat Pain  
Fever

**6** PACKETS

**HONEY LEMON INFUSED WITH  
CHAMOMILE & WHITE TEA FLAVORS**



OPEN OTHER END

SKU 0902336

V-1476



**Nighttime  
Flu & Severe Cold & Cough**

Pain Reliever-Fever Reducer (**Acetaminophen**)  
Antihistamine/Cough Suppressant (**Diphenhydramine HCl**)  
Nasal Decongestant (**Phenylephrine HCl**)







**LOT NO.**

**EXP.**

: 96491 60 C1





DO NOT USE IF PRINTED PACKETS ARE TORN OR PUNCTURED

### Drug Facts

Active ingredients (in each packet)	Purpose
Acetaminophen 650 mg.....	Pain reliever/fever reducer
Diphenhydramine hydrochloride 25 mg.....	Antihistamine/Cough suppressant
Phenylephrine hydrochloride 10 mg.....	Nasal decongestant

### Uses

- temporarily relieves
  - minor aches and pains
  - itchy nose or throat
  - minor sore throat
  - temporarily reduces fever
- headache
- sneezing
- nasal and sinus congestion
- runny nose
- itchy, watery eyes due to hay fever
- cough due to minor throat and bronchial irritation

### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 packets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. ■ to make a child sleepy

**Ask a doctor before use if you have**

- liver disease
- heart disease
- diabetes
- glaucoma
- high blood pressure
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema, asthma or chronic bronchitis
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if you are**

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

**When using this product** ■ do not use more than directed

- avoid alcoholic drinks
- marked drowsiness may occur
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- pain, cough or nasal congestion gets worse or lasts more than 7 days
- cough comes back or occurs with fever, rash or headache that lasts.

These could be signs of a serious condition. ▶

### Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### Directions

- do not use more than directed – see Liver warning
- take every 4 hours; do not exceed 6 packets in 24 hours or as directed by a doctor
- adults and children 12 years of age and over: dissolve contents of one packet in 8 oz. hot water; sip while hot. Consume entire drink within 10-15 minutes.
- children under 12 years of age: consult a doctor
- if using a microwave, add contents of one packet to 8 oz. of cool water; stir briskly before and after heating. Do not overheat.

### Other information

- each packet contains: potassium 10 mg and sodium 24 mg
- phenylketonurics: contains phenylalanine 13 mg per packet
- store at 20°-25°C (68°-77°F)

### Inactive ingredients

acesulfame potassium, anhydrous citric acid, aspartame, colloidal silicon dioxide, D&C yellow no. 10, FD&C blue no. 1, FD&C red no. 40, flavors, maltodextrin, pregelatinized starch, sodium citrate, sucrose, tribasic calcium phosphate

### Questions or comments?

1-800-719-9260

\*This product is not manufactured or distributed by Novartis AG, owner of the registered trademark Therallu®.

### Not 100% satisfied?

Return package and unused product within 30 days to any Family Dollar store for a refund (with receipt) or exchange.

DISTRIBUTED BY:  
FAMILY DOLLAR SERVICES, INC.,  
10401 MONROE RD,  
MATTHEWS, NC 28105 USA

MADE IN MEXICO





# FAMILY WELLNESS FLU AND SEVERE COLD AND COUGH NIGHTTIME

acetaminophen, diphenhydramine hydrochloride, phenylephrine hydrochloride powder, for solution

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55319-964
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>ACESULFAME POTASSIUM</b> (UNII: 23OV73Q5G9)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>ASPARTAME</b> (UNII: Z0H242BBR1)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>TRIBASIC CALCIUM PHOSPHATE</b> (UNII: 91D9GV0Z28)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-964-91	6 in 1 CARTON; Type 0: Not a Combination Product	11/16/2017	
2	NDC:55319-964-51	8 in 1 CARTON; Type 0: Not a Combination Product	11/16/2017	



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	11/16/2017	

**Labeler** - Family Dollar Services Inc (024472631)

Revised: 11/2021

Family Dollar Services Inc