# PRESSURE AND PAIN PLUS MUCUS PE- acetaminophen, guaifenesin, and phenylephrine hydrochloride tablet, coated VALU MERCHANDISERS COMPANY

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# 1173-BST-2021-1118

# **Drug Facts**

Active ingredients (in each caplet)	Purpose
Acetaminophen 325 mg	Pain reliever/fever reducer
Guaifenesin 200 mg	Expectorant
Phenylephrine HCl 5 mg	Nasal decongestant

#### Uses

- temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
  - sinus congestion and pressure
  - headache
  - minor aches and pains
  - nasal congestion
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily reduces fever

# Warnings

# Liver warning

This product contains acetaminophen. The maximum daily dose of this product is 10 caplets (3,250 mg acetaminophen) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

# Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription

drug contains an MAOI, ask a doctor or pharmacist before taking this product.

• if you have ever had an allergic reaction to this product or any of its ingredients

# Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

# Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

# When using this product do not exceed recommended dosage

# Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

# Keep out of reach of children.

# **Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

# Directions

# do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul> <li>take 2 caplets every 4 hours</li> <li>do not take more than 10 caplets in 24 hours</li> </ul>
children under 12 years	<ul> <li>ask a doctor</li> </ul>

# Other information

- store between 20-25°C (68-77°F) in a dry place
- retain carton for complete product information

#### Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, crospovidone, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide

#### PRINCIPAL DISPLAY PANEL

COMPARE TO THE ACTIVE INGREDIENTS IN SUDAFED PE® PRESSURE + PAIN + MUCUS\* Best Choice® PRESSURE & PAIN Plus Mucus PE ACTUAL SIZE For Non-Drowsy Relief of Sinus Pressure & Congestion, Sinus Headache, Chest Congestion Pain Reliever / Fever Reducer - Acetaminophen Nasal Decongestant - Phenylephrine HCl Expectorant - Guaifenesin 24 CAPLETS

		NC	2 7
NC	<ul> <li>actor uses ind sack an occorn in an envoluences, distaines, or sleeplesaness occur fasts more an adva adva a service or lasts more than 3 days</li> <li>a fever gets worse or lasts more than 3 days</li> <li>a fever gets worse or lasts more than 3 days</li> <li>a fever gets worse or lasts more than 3 days</li> <li>a fever gets worse or lasts more than 3 days</li> <li>a fever gets worse or lasts more than 3 days</li> <li>a fever gets worse or lasts more than 3 days</li> <li>a fever gets worse or lasts more than 3 days</li> <li>a fever gets worse or lasts more than 3 days</li> <li>a fever gets worse or lasts more than 3 days</li> <li>a form 6 more than 3 days</li> <li>a for than 3 days</li> <li>a form 6 more than 3 days</li> <l< th=""><th>Drug Facts (continued) e temporarily reduces fever Varinings Liver waming: This product is 10 caplets (3,50 mg acetaminophen Liver waming: This product is 10 caplets (3,50 mg acetaminophen and the drug containing acetaminophen in 24 hours e with other drugs containing acetaminophen in 24 hours and the drugs containing acetaminophen in 24 hours a with other drugs containing acetaminophen in 24 hours a set more shoroholic drinks every day while using this product an onpreacription in the depression, psychiatric, or emotional the MAOI drug. If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. The MAOI drugs for depression, psychiatric, or emotional the MAOI (cetain drugs for depression), the prescription drug contain the MAOI (cetain drugs for depression), the prescription drug contain the MAOI (cetain drugs for depression), the prescription drug contain the format of the prescription drug contain of the first disease = diables for distression drug for endities, or em</th><th>NC</th></l<></ul>	Drug Facts (continued) e temporarily reduces fever Varinings Liver waming: This product is 10 caplets (3,50 mg acetaminophen Liver waming: This product is 10 caplets (3,50 mg acetaminophen and the drug containing acetaminophen in 24 hours e with other drugs containing acetaminophen in 24 hours and the drugs containing acetaminophen in 24 hours a with other drugs containing acetaminophen in 24 hours a set more shoroholic drinks every day while using this product an onpreacription in the depression, psychiatric, or emotional the MAOI drug. If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. The MAOI drugs for depression, psychiatric, or emotional the MAOI (cetain drugs for depression), the prescription drug contain the MAOI (cetain drugs for depression), the prescription drug contain the MAOI (cetain drugs for depression), the prescription drug contain the format of the prescription drug contain of the first disease = diables for distression drug for endities, or em	NC
	Interview of the structure of the s	Drug Facts Active ingredients (in each caplet) Purpose becaminophen 325 mg	
BEST CHOICE	COMPARE TO THE ACTIVE INGREDIENTS IN SUDAFED PE® PRESSURE + PAIN + MUCUS* PRESSURE & PA PIUS MUCUS*		Best Choice, 100% Guaranteed www.bestendeebrand.com You may report serious side effects to 681Main Street, Lumberton, NJ 08048 F11730285T_R0
0	For Non-Drowsy Relief of Sinus Pressure & Congestion, Sinus Headache, Chest Congestion Pain Reliever / Fever Reducer - Acetaminoph Nasal Decongestant - Phenylephrine HCI Expectorant - Guaifenesin	nen 24 CAPLETS	This product is not manufactured or distributed by MMMeral Consumer Heathcare, distributor of Sudated PE© Pressure + Pain + Mucus, DO NOT USE IF BLISTER UNITS ARE TORN OR BROKEN
		Inactive ingredients colloidal silicon dioxide, crospovidone, magnesium stearate,	
	Drug Facts (continued) malodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide	Drug Facts (continued) a store between 20-25°C (68-77°F) in a dry place = store between 20-25°C (68-77°F) in a dry place = retain carton for complete product information	

	en, guaifenes	in, and phen	Jephinie ny	arocinoi					
Product In	formation								
Product Type	•	HUMAN OT	C DRUG	Item Co	em Code (Source) NDO			DC:63941-173	
Route of Adn	ninistration	ORAL							
Active Ingr	edient/Activ	e Moiety							
	Ing	redient Nan	ne			Basis of	Strength	Strengt	
ACETAMINOPH	EN (UNII: 36209	ITL9D) (ACETAN	INOPHEN - UN	II:362O9IT	-L9D)	ACETAMINOPH	HEN	325 mg	
GUAIFENESIN	UNII: 495W7451	VQ) (GUAIFENES	5IN - UNII:495W	7451VQ)		GUAIFENESIN		200 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE -       PHENYLEPHRINE         JNII:1WS297W6MV)       HYDROCHLORIDE						5 mg			
Inactive Ing	gredients								
		Ingred	ient Name					Strength	
SILICON DIOXI	DE (UNII: ETJ7Z6	SXBU4)							
CROSCARMELL	OSE SODIUM (	UNII: M28OL1H	148)						
CROSPOVIDON	IE (UNII: 257830	E561)							
MAGNESIUM S	TEARATE (UNII:	70097M6I30)							
MALTODEXTRI	N (UNII: 7CVR7L4	1A2D)							
CELLULOSE, M	ICROCRYSTALI	LINE (UNII: OP1	R32D61U)						
	E GLYCOL, UNS		II: 3WJQ0SDW1	A)					
	COHOL (UNII: 53								
	ll: FZ989GH94E)								
	I (UNII: 08232NY								
	(UNII: 4ELV7Z65	AP)							
TALC (UNII: 75E									
TITANIUM DIO	KIDE (UNII: 15FI)	(9V2JP)							
Product Ch	aracteristic	S							
Color	-	white	Score				no score		
Shape		OVAL	Size		19mm				
Flavor			Imprint Cod	de			AAA;1173		
Contains									
Packaging									
# Item Cod	e	Package De	scription		Marl	ceting Star Date	t Mark	eting End Date	
<b>1</b> NDC:63941- 173-02	2 in 1 CART	TON			11/13/2	2014			
1	12 in 1 BLIS	TER PACK; Type	e 0: Not a Com	bination					

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part341	11/13/2014			

Labeler - VALU MERCHANDISERS COMPANY (868703513)

Revised: 11/2021

VALU MERCHANDISERS COMPANY