

NO DRIP NASAL MIST- oxymetazoline spray liquid
Walgreens Company

Anefrin Nasal Spray Extra Moisturizing

Drug Facts

Active Ingredient

Oxymetazoline Hydrochloride 0.05%

Purpose

Nasal Decongestant

Uses

Temporarily relieves nasal congestion due to:

- common cold
- hay fever
- upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- Shrinks swollen membranes so you can breathe more freely

Warnings

Ask a Doctor before use if you have

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to enlarged prostate gland.

When using this product

- **Do not use more than directed**
- do not use for more than three days, Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur.
- use of this container by more than one person may spread infection.

stop use and ask a doctor if

symptoms persist.

if pregnant or breast-feeding

ask a health professional before use.

Keep out of the reach of children

if swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Before using for the first time, remove the protective cap from the tip and prime the pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm and even stroke, and sniff deeply.
- Wipe nozzle clean after use.
- Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- Children under 6 years of age consult a doctor.

Other information

- store between 20° and 25°C (68° to 77°F)
- retain carton for future reference on full labeling

Inactive Ingredients

Benzalkonium Chloride Solution, Benzyl Alcohol, Edetate Disodium, Flavor, Glycerin, Microcrystalline Cellulose and Carboxymethylcellulose Sodium, Polyethylene Glycol, Povidone, Purified Water, Sodium Phosphate Dibasic, Sodium Phosphate Monobasic

Principal Panel 0.5 FLOZ Bottle

The image shows the principal panel of a 0.5 FLOZ bottle of Anefrin Nasal Spray. The label is white with blue and red accents. At the top left is the Walgreens logo. Below it, the text reads "NO DRIP" and "NDC 0363-2307-52". The product name "Anefrin Nasal Spray" is prominently displayed in blue, followed by "OXYMETAZOLINE HCl 0.05% / NASAL DECONGESTANT" in black. Below this, it says "• 12 hour" and "0.5 FL OZ (15 mL)". On the right side of the label, there are several sections of text: "SEE CARTON FOR FULL LABELING" in red, "DO NOT USE IF PRINTED SEAL OVER CAP IS TORN OR MISSING" in red, "Active ingredient: Oxymetazoline hydrochloride 0.05% Uses • See Carton.", "Warnings Ask a doctor before use if you have" followed by a list of conditions: heart disease, high blood pressure, thyroid disease, diabetes, trouble urinating due to an enlarged prostate gland. It also includes instructions: "When using this product" followed by a list of things to avoid: do not use for more than 3 days, frequent or prolonged use may cause nasal congestion to recur or worsen, temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur, use of this container by more than one person may spread infection. It concludes with "Stop use and ask a doctor if symptoms persist. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away." Below this is the "Directions" section: "To use: squeeze cap at base on opposite sides and twist cap counterclockwise to remove. Secure cap after use. • adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. • children under 6 years of age: ask a doctor." At the bottom right, there is a "Questions or comments?" section with the phone number "1-800-222-1087", the distributor information "DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD. DEERFIELD, IL 60015", a "100% SATISFACTION GUARANTEE" statement, the website "walgreens.com", the copyright "©2018 Walgreen Co.", and the item number "ITEM 821847 W00000-0000-0". At the very bottom right, the text "REV0319 ORG0518-F" is printed.

Walgreen No Drip Nasal Mist

Extra Moisturizing

Nasal Spray

Oxymetazoline HCL 0.05%

12 hour Nasal Spray

Net Wt 0.5 FLOZ (15ml)

Walgreens
NO DRIP NDC 0363-2307-52
Anefrin Nasal Spray
OXYMETAZOLINE HCl 0.05% /
NASAL DECONGESTANT
• 12 hour
0.5 FL OZ (15 mL)

SEE CARTON FOR FULL LABELING
DO NOT USE IF PRINTED SEAL OVER CAP IS TORN OR MISSING

Active ingredient: Oxymetazoline hydrochloride 0.05% **Uses:** See Carton.
Warnings: Ask a doctor before use if you have
• heart disease • high blood pressure • thyroid disease • diabetes • trouble urinating due to an enlarged prostate gland. **When using this product**
• do not use more than directed • do not use for more than 3 days. Frequent or prolonged use may cause nasal congestion to recur or worsen. • temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur • use of this container by more than one person may spread infection. **Stop use and ask a doctor if symptoms persist. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.
Directions: To use: squeeze cap at base on opposite sides and twist cap counterclockwise to remove. Secure cap after use. • adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. • children under 6 years of age: ask a doctor.
Questions or comments?
1-800-222-1087
DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD. DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2018 Walgreen Co.
ITEM 821847 W00000-0000-0

REV0319
ORG0518-F

Walgreens
NO DRIP NDC 0363-2307-52
Anefrin Nasal Spray
OXYMETAZOLINE HCl 0.05% /
NASAL DECONGESTANT
• 12 hour
0.5 FL OZ (15 mL)

SEE CARTON FOR FULL LABELING
DO NOT USE IF PRINTED SEAL OVER CAP IS TORN OR MISSING

Active ingredient: Oxymetazoline hydrochloride 0.05% **Uses:** See Carton.
Warnings: Ask a doctor before use if you have
• heart disease • high blood pressure • thyroid disease • diabetes • trouble urinating due to an enlarged prostate gland. **When using this product**
• do not use more than directed • do not use for more than 3 days. Frequent or prolonged use may cause nasal congestion to recur or worsen. • temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur • use of this container by more than one person may spread infection. **Stop use and ask a doctor if symptoms persist. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.
Directions: To use: squeeze cap at base on opposite sides and twist cap counterclockwise to remove. Secure cap after use. • adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. • children under 6 years of age: ask a doctor.
Questions or comments?
1-800-222-1087
DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD. DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2018 Walgreen Co.
ITEM 821847 W00000-0000-0

REV0319
ORG0518-F

Walgreens
NO DRIP NDC 0363-2307-52
Anefrin Nasal Spray
OXYMETAZOLINE HCl 0.05% /
NASAL DECONGESTANT
• 12 hour
0.5 FL OZ (15 mL)

SEE CARTON FOR FULL LABELING
DO NOT USE IF PRINTED SEAL OVER CAP IS TORN OR MISSING

Active ingredient: Oxymetazoline hydrochloride 0.05% **Uses:** See Carton.
Warnings: Ask a doctor before use if you have
• heart disease • high blood pressure • thyroid disease • diabetes • trouble urinating due to an enlarged prostate gland. **When using this product**
• do not use more than directed • do not use for more than 3 days. Frequent or prolonged use may cause nasal congestion to recur or worsen. • temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur • use of this container by more than one person may spread infection. **Stop use and ask a doctor if symptoms persist. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.
Directions: To use: squeeze cap at base on opposite sides and twist cap counterclockwise to remove. Secure cap after use. • adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. • children under 6 years of age: ask a doctor.
Questions or comments?
1-800-222-1087
DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD. DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2018 Walgreen Co.
ITEM 821847 W00000-0000-0

REV0319
ORG0518-F



Principal display panel- Carton label

Walgreens No Drip Nasal Mist

Extra Moisturizing

Nasal Spray

Oxymetazoline HCL 0.05%

12 hour Nasal Spray

Net Wt 0.5 FLOZ (15ml)

Anefrin[®] Nasal Spray

NO DRIP

Walgreens

DO NOT USE IF PRINTED SEAL OVER CAP IS TORN OR MISSING

Drug Facts

Active ingredient Oxymetazoline hydrochloride 0.05% Nasal decongestant

Purpose Nasal decongestant

Uses temporarily relieves nasal congestion due to:
• common cold • hay fever • upper respiratory allergies • temporarily relieves sinus congestion and pressure • shrinks swollen nasal membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have • heart disease • high blood pressure • thyroid disease • diabetes • trouble urinating due to an enlarged prostate gland

When using this product

• do not use more than directed
• do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
• temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
• use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Before using the first time, remove the protective cap from the tip and prime pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use.

• adults and children 6 to under 12 years of age: hold adult supervision; 2 or 3 sprays in each nostril not more often than every 12 to 12 hours. Do not exceed 2 doses in any 24-hour period.
• children under 6 years of age: ask a doctor

Drug Facts (continued)

Other information

• store between 20° to 25°C (68° to 77°F)
• refer carton for future reference or full labeling

Inactive ingredients

Borzoalkonium Chloride Solution, Benzyl Alcohol, Edetate Disodium, Flavor, Glycerin, Methylparaben, Polysorbate 20, Purified Water, Sodium Phosphate Dibasic, Sodium Phosphate Monobasic

IMPORTANT:

KEEP OUTER CARTON FOR FUTURE REFERENCE ON FULL LABELING

Cap Removal Instructions:

To remove cap, squeeze cap at base on opposite sides on the two firm indentations with thumb while depressing, twist cap counterclockwise to remove. Press down to use. Refer to arrows on cap. To reapply cap, turn cap on pump clockwise until it locks.

Walgreens Pharmaceutical Recommended
This product is not manufactured or distributed by Walgreens Pharmacy, Inc., the distributor of Anefrin[®] No Drip Extra Moisturizing Pump.

Questions or comments?

1-800-222-1167

DISTRIBUTED BY WALGREEN CO.
2000 W. 10TH ST., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2010 Walgreen Co.

Walgreens

Compare to Anefrin[®] No Drip Extra Moisturizing Pump Mist active ingredient!

NO DRIP Anefrin[®] Nasal Spray

NDC 0363-2301-02

OXYMETAZOLINE HCl 0.05% / NASAL DECONGESTANT

EXTRA MOISTURIZING

12 HOUR

- Won't drip from nose or down throat
- Helps relieve congestion

0.5 FL OZ (15 mL)

ACTUAL SIZE

LOT

EXP

ITEM 821947 W00000-0000-0



0H00019-F



NO DRIP NASAL MIST

oxymetazoline spray liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-2307
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	50 mg in 100 mL

Inactive Ingredients

Ingredient Name	Strength

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)
GLYCERIN (UNII: PDC6A3C0OX)
POLYETHYLENE GLYCOL 1000 (UNII: U076Q6Q621)
EDETATE DISODIUM (UNII: 7FLD91C86K)
SODIUM PHOSPHATE, MONOBASIC (UNII: 3980JIH2SW)
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)
BENZYL ALCOHOL (UNII: LKG8494WBH)
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)
WATER (UNII: 059QF0KO0R)
POVIDONE (UNII: FZ989GH94E)
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-2307-52	1 in 1 CARTON	10/08/2018	
1		15 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/08/2018	

Labeler - Walgreens Company (008965063)

Revised: 11/2024

Walgreens Company