

**GENTLELAX- polyethylene glycol 3350 powder, for solution**  
**Kroger Company**

-----  
**Kroger Co. GentleLax® Drug Facts**

**Active ingredient (in each dose)**

Polyethylene Glycol 3350, 17 g (cap filled to line)

**Purpose**

Osmotic Laxative

**Use**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

**Warnings**

**Allergy alert:** Do not use if you are allergic to polyethylene glycol

**Do not use**

if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug

**When using this product**

you may have loose, watery, more frequent stools

**Stop use and ask a doctor if**

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### **Directions**

- **do not take more than directed unless advised by your doctor**
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
  - use once a day
  - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
  - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
  - do not combine with starch-based thickeners used for difficulty swallowing
  - ensure that the powder is fully dissolved before drinking
  - do not drink if there are any clumps
  - do not use more than 7 days
- children 16 years of age or under: ask a doctor

### **Other information**

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

### **Inactive ingredients**

natural and artificial orange flavor, sucralose

### **Questions or comments?**

**1-800-632-6900**

### **Package/Label Principal Display Panel**

Kroger® health

COMPARE TO THE ACTIVE INGREDIENT IN MIRALAX®

GentleLax®

GRIT FREE POWDER

Polyethylene Glycol 3350

Powder For Solution

Osmotic Laxative

Sugar-free

Dye-free

Orange Flavored

RELIEVES OCCASIONAL CONSTIPATION / IRREGULARITY

SOFTENS STOOL

14 ONCE-DAILY DOSES

NET WT 8.3 OZ (238 g)

NDC 30142-504-02

**Kroger**  health



COMPARE TO THE ACTIVE  
INGREDIENT IN MIRALAX<sup>®</sup>+

# GentleLax<sup>®</sup>

Polyethylene  
Glycol 3350  
Powder For Solution  
**Osmotic Laxative**

Sugar-free  
Dye-free

**GRIT  
FREE  
POWDER**



Orange Flavored

**RELIEVES  
OCCASIONAL  
CONSTIPATION /  
IRREGULARITY  
SOFTENS STOOL**

**14 ONCE-DAILY DOSES  
NET WT 8.3 OZ (238 g)**

: 7U9E1 45 F1

Peel Here

Our Brands. Our Guarantee.  
Love It or Your Money Back.  
www.kroger.com

Polyethylene Glycol 3350 increases  
frequency of bowel movements and softens the stool.  
Dissolves in Any Beverage

**Drug Facts**

<i>Active ingredient (in each dose)</i>	<i>Purpose</i>
Polyethylene Glycol 3350, 17 g (cap filled to line).....	Osmotic Laxative

**Use**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

**Warnings**

**Allergy alert:** Do not use if you are allergic to polyethylene glycol

**Do not use** if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

**Ask a doctor or pharmacist before use if you are taking a prescription drug**

**When using this product** you may have loose, watery, more frequent stools

**Stop use and ask a doctor if**

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- ◀ ■ you need to use a laxative for longer than 1 week

OUR PHARMACIST RECOMMENDED 0

For More Product Information,  
Scan UPC Using Your Kroger App  
or Call 800-632-6900

4 1260 02194 7




: 7U9E1 45 B1

## **Drug Facts** (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### **Directions**

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
  - use once a day
  - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
  - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
  - do not combine with starch-based thickeners used for difficulty swallowing
  - ensure that the powder is fully dissolved before drinking
  - do not drink if there are any clumps
  - do not use more than 7 days
- children 16 years of age or under: ask a doctor

### **Other information**

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

**Inactive ingredients** natural and artificial orange flavor, sucralose

**Questions or comments?** 1-800-632-6900

\*MiraLAX® is a registered trademark of Bayer HealthCare LLC. Bayer HealthCare LLC is not affiliated with The Kroger Co. or this product. GentleLax® is a registered trademark of the L. Perrigo Company.

**DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202**

Pat. No. 11,793,876

## **GENTLELAX**

polyethylene glycol 3350 powder, for solution

### **Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:30142-504
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>POLYETHYLENE GLYCOL 3350</b> (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

**Product Characteristics**

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	ORANGE	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-504-02	238 g in 1 CONTAINER; Type 0: Not a Combination Product	06/20/2024	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090685	06/20/2024	

**Labeler** - Kroger Company (006999528)

Revised: 7/2024

Kroger Company