

ALLERGY- diphenhydramine hydrochloride tablet
Publix Super Markets Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Publix Super Markets, Inc. Allergy Tablets Drug Facts

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- **each tablet contains:** calcium 20 mg
- store at 68-77°F (20-25°C). Avoid high humidity. Protect from light.
- **do not use if blister unit is broken or torn**

Inactive ingredients

carnauba wax, crospovidone, D&C red no. 27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, pregelatinized starch, stearic acid, titanium dioxide

Principal Display Panel

P

allergy tablets

DIPHENHYRAMINE HCl 25 mg

ANTIHISTAMINE

Relieves:

- Sneezing
- Itchy, watery eyes

- Runny nose
- Itchy throat

ACTUAL SIZE

24 TABLETS

Compare to the active ingredient in Benadryl[®] Allergy Tablets



Drug Facts (continued)
Inactive ingredients: carnuba wax, croscollon, D&C red no. 27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, poly sorbate 80, pregelatinized starch, stearyl acid, titanium dioxide

Important: Read all product information before using. Keep this box for important information.

Drug Facts
Active ingredient (in each tablet) Diphenhydramine HCl 25 mg. *Antihistamine*

Uses
 ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat
 ■ temporarily relieves these symptoms due to the common cold: ■ runny nose ■ sneezing

Warnings
 Do not use ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin
 Ask a doctor before use if you have ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ trouble urinating due to an enlarged prostate gland
 Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers
 When using this product ■ marked drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children
 If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222).

Directions ■ take every 4 to 6 hours, or as directed by a doctor. ■ do not take more than 6 doses in 24 hours
 adults and children 12 years and over 1 to 2 tablets
 children 6 to under 12 years 1 tablet
 children under 6 years do not use

Other information
 ■ each tablet contains: calcium 20 mg ■ store at 68-77°F (20-25°C). Avoid high humidity. Protect from light. ■ do not use if blister unit is broken or torn

OPEN OTHER END

Doodle/Artoon

47962 63 C9

CONVENIENT RECLOSING TAB

DISTRIBUTED BY PUBLIX SUPER MARKETS, INC.,
 3300 PUBLIX CORPORATE PARKWAY
 LAKELAND, FL 33811 publix.com
 1-888-267-3037
PUBLIX GUARANTEE: COMPLETE SATISFACTION OR YOUR MONEY BACK
Publix.
 *This product is not manufactured or distributed by the owner of the registered trademark Benadryl®.





NDC 56062-479-62

allergytablets
DIPHENHYDRAMINE HCl 25 mg
 ANTIHISTAMINE

- Relieves:**
- Sneezing
 - Itchy, watery eyes
 - Runny nose
 - Itchy throat



ACTUAL SIZE



24 TABLETS

*Compare to the active ingredient in Benadryl® Allergy Tablets

ALLERGY

diphenhydramine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56062-479
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	

Product Characteristics

Color	PINK (dark)	Score	no score
Shape	OVAL	Size	10mm
Flavor		Imprint Code	L479;25
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56062-479-	24 in 1 CARTON	05/07/2008	

1	62	24 in 1 CARTON	05/07/1998	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:56062-479-67	48 in 1 CARTON	04/18/2002	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:56062-479-78	1 in 1 CARTON	11/26/2007	
3		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	05/07/1998	

Labeler - Publix Super Markets Inc (006922009)

Revised: 6/2023

Publix Super Markets Inc