

TEAT GUARD- iodine solution
Ecolab Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

FOR COMMERCIAL USE ONLY
KEEP OUT OF REACH OF CHILDREN
NOT FOR HUMAN USE

CAUTION

Not for internal use. May cause eye irritation. If swallowed, may cause irritation, nausea, stomach distress.

PRECAUTIONARY STATEMENTS

No protective equipment is necessary under normal use conditions. If splashing may occur, eye protection is recommended.

FIRST AID

If in Eyes: Immediately flush eyes with plenty of cool running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.

If Swallowed: Rinse mouth; then immediately drink 1 or 2 large glasses of water. DO NOT induce vomiting. Never give anything by mouth to an unconscious person. IF IRRITATION OR DISCOMFORT PERSISTS, CALL A PHYSICIAN.

FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL: 1-800-328-0026.

FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL: 1-651-222-5352 (IN THE USA).

DIRECTIONS FOR USE

IMPORTANT: Do not mix *Teat Guard* with water, any other teat dips, or other products unless specified in product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for *Teat Guard*.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip or teat spray to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Pre-Milk Dipping: Fill teat dip cup with *Teat Guard*. Do not dilute. Before each cow is milked, dip each teat full-length into the teat dip cup containing *Teat Guard*. Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, use *Teat Guard* at full-strength. Dip each teat full-length into the teat dip cup containing *Teat Guard*. Allow to air dry. Do not wipe. Always use fresh, full-strength *Teat Guard*. Do not turn cows out in freezing weather until *Teat Guard* is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: *Teat Guard* is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Principal Display Panel and Representative Label

ECOLAB[®]

Teat Guard[™]

42390

Net Contents: 5 U.S. gal/18.93 L

Sanitizing Teat Dip

An Aid in Reducing the Spread of Organisms Which May Cause Mastitis

ACTIVE INGREDIENT:

Iodine:..... 1.0%

INACTIVE INGREDIENTS..... 99.0%

(Contains an emollient system.)

Ecolab Food & Beverage Division

Ecolab Inc., 370 Wabasha Street N.

St. Paul, Minnesota 55102-1390 U.S.A.

©2003 ECOLAB Inc.

All Rights Reserved

Made in U.S.A.

890301/5306/0603

ECOLAB®

42325

Net Contents: 15 U.S. gal/56.78 L

Teat Guard™

Sanitizing Teat Dip

An Aid in Reducing the Spread of Organisms Which May Cause Mastitis

ACTIVE INGREDIENT:

Iodine.....1.0%

INACTIVE INGREDIENTS:99.0%
(Contains an emollient system.)

**FOR COMMERCIAL USE ONLY
KEEP OUT OF REACH OF CHILDREN
NOT FOR HUMAN USE**

CAUTION

Not for internal use. May cause eye irritation. If swallowed, may cause irritation, nausea, stomach distress.

PRECAUTIONARY STATEMENTS

No protective equipment is necessary under normal use conditions. If splashing may occur, eye protection is recommended.

FIRST AID

If in Eyes: Immediately flush eyes with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.
If Swallowed: Rinse mouth; then immediately drink 1 or 2 large glasses of water. DO NOT induce vomiting. Never give anything by mouth to an unconscious person. IF IRRITATION OR DISCOMFORT PERSISTS, CALL A PHYSICIAN.
**FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL: 1-800-328-0026.
FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL: 1-851-222-5352 (IN THE USA).**

Formula ingredients contain no Phosphorus.

DIRECTIONS FOR USE

IMPORTANT: Do not mix *Teat Guard* with water, any other teat dips, or other products unless specified in product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for *Teat Guard*.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip or teat spray to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Pre-Milk Dipping: Fill teat dip cup with *Teat Guard*. Do not dilute. Before each cow is milked, dip each teat full-length into the teat dip cup containing *Teat Guard*. Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, use *Teat Guard* at full-strength. Dip each teat full-length into the teat dip cup containing *Teat Guard*. Allow to air dry. Do not wipe. Always use fresh, full-strength *Teat Guard*. Do not turn cows out in freezing weather until *Teat Guard* is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: *Teat Guard* is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Ecolab Food & Beverage Division
Ecolab Inc., 370 Wabasha Street N.
St. Paul, Minnesota 55102-1390 U.S.A.
© 2003 Ecolab Inc. Made in U.S.A. 891259/5301/0603
All Rights Reserved



0 00 25469 42325 2

TEAT GUARD

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:47593-101
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Iodine (UNII: 9679TC07X4) (Iodine - UNII:9679TC07X4)	Iodine	10.4 mg in 1 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47593-101-16	18900 mL in 1 PAIL		
2	NDC:47593-101-17	56800 mL in 1 DRUM		
3	NDC:47593-101-21	208200 mL in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/29/1986	

Labeler - Ecolab Inc. (006154611)

Revised: 10/2012

Ecolab Inc.