

OXYGEN- oxygen gas
Oxarc, LLC

Oxygen

OXYGEN, COMPRESSED USP UN1072 OXYGEN 2 CAS: 7782-44-7
OXARC 4003 E BROADWAY SPOKANE, WA 99202 1-800-536-9272 www.oxarc.com
DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS GAS UNDER
PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have
been read and understood. Keep and store away from clothing and other combustible
materials. Keep valves and fittings free from grease and oil. Use and store only outdoors
or in a well-ventilated place. In case of fire; Stop leak if safe to do so. Use a back flow
preventive device in the piping. Use only with equipment of compatible materials of
construction and rated for cylinder pressure. Use only with equipment cleaned for
oxygen service. Open valve slowly. Close valve after each use and when empty. Protect
from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the
Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODUCT LABEL

WARNING: For emergency use only when administered by properly trained personnel
for oxygen deficiency and resuscitation. For all other medical applications, Rx only.
Uninterrupted use of high concentrations of oxygen over a long duration, without
monitoring its effect on oxygen content of arterial blood, may be harmful. Do not
attempt to use on patients who have stopped breathing unless used in conjunction with
resuscitative equipment. Produced by Air Liquefaction. Size Contents Size Contents M6
170 Liters K 6910 Liters M9 248 Liters LO AND 415 Liters HC ANE 682 Liters Other

**OXYGEN,
COMPRESSED
USP
UN1072**



C.A.S. NO. 7782-44-7



oxarc

4003 E. BROADWAY
SPOKANE, WA 99202
1-800-536-9272

www.oxarc.com



⚠ DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE: MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. **DO NOT REMOVE THIS PRODUCT LABEL.**

⚠ WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

Size	Contents	Size	Contents
<input type="checkbox"/> M6	170 Liters	<input type="checkbox"/> K	6910 Liters
<input type="checkbox"/> M9	248 Liters	<input type="checkbox"/> LO	
<input type="checkbox"/> AND	415 Liters	<input type="checkbox"/> HC	
<input type="checkbox"/> ANE	682 Liters	<input type="checkbox"/> Other	_____ Liters

Liters

OXYGEN REFRIGERATED LIQUID, USP UN1073 OXYGEN 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

WARNING: USP For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction. Keep out of reach of children. Federal law requires that this container be filled with oxygen USP only by establishments registered as a drug

manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.
DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. **DO NOT** change or force fit connections. Avoid spills, Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.
 CAS: 7782-44-7 FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. Lot Number: Contents:
 Expiration Date:
 OXARC 4003 E BROADWAY SPOKANE, WA 99202 1-800-536-9272 www.oxarc.com
DO NOT REMOVE THIS PRODUCT LABEL.

OXYGEN

REFRIGERATED LIQUID, USP

UN 1073



ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

USP

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

Keep out of reach of children; and Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.

CAS: 7782-44-7

DANGER

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. **DO NOT** change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valves after each use and when empty. Always keep container in upright position.



FIRST AID

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Lot Number:

Contents:

Expiration Date:

REV. 9/2015



oxarc

4003 E. BROADWAY
 SPOKANE, WA 99202
 1-800-536-9272

www.oxarc.com

DO NOT REMOVE THIS PRODUCT LABEL

PRINTED BY WATERMANN MFG. INC.
www.fisherdot.com

OXYGEN, COMPRESSED USP
 UN1072

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. **DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS 7782-44-7 **DO NOT REMOVE THIS PRODUCT LABEL.**

OXARC

OXARC INC.

4003 E. BROADWAY

SPOKANE, WA 99202

1-800-765-9055

OXYGEN, COMPRESSED USP
UN1072
PRODUCED BY AIR LIQUEFACTION

OXYGEN 2

18033 (R311)

OXARC INC.
4003 E. BROADWAY • SPOKANE, WA 99202
1-800-765-9055

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. **DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS 7782-44-7 **DO NOT REMOVE THIS PRODUCT LABEL.**

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:34057-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:34057-001-01	113 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
2	NDC:34057-001-02	198 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
3	NDC:34057-001-03	254 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
4	NDC:34057-001-04	311 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
5	NDC:34057-001-05	396 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
6	NDC:34057-001-06	566 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
7	NDC:34057-001-07	651 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
8	NDC:34057-001-08	1132 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
9	NDC:34057-001-09	1557 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
10	NDC:34057-001-10	1699 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
11	NDC:34057-001-11	1982 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
12	NDC:34057-001-12	2350 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
13	NDC:34057-001-13	2831 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
14	NDC:34057-001-14	3511 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
15	NDC:34057-001-15	3992 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
16	NDC:34057-001-16	4360 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
17	NDC:34057-001-17	5776 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
18	NDC:34057-001-18	6399 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
19	NDC:34057-001-19	7050 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
20	NDC:34057-001-20	7957 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	

21	NDC:34057-001-21	9542 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
22	NDC:34057-001-22	14271 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
23	NDC:34057-001-23	62297 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
24	NDC:34057-001-24	127425 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
25	NDC:34057-001-25	141867 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
26	NDC:34057-001-26	144132 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
27	NDC:34057-001-27	154326 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
28	NDC:34057-001-28	155742 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
29	NDC:34057-001-29	184370 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
30	NDC:34057-001-30	185475 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
31	NDC:34057-001-31	202465 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
32	NDC:34057-001-32	207505 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	
33	NDC:34057-001-33	295911 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1977	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205849	01/01/1977	

Labeler - Oxarc, LLC (045704400)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		005126375	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		023413843	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		027588227	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		054029207	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		079397943	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		122450901	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		169175390	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		603889721	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		611947086	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		612414425	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		783197932	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		859257297	manufacture(34057-001)

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, LLC		609558051	manufacture(34057-001)