

**LAB SERIES SKINCARE FOR MEN BB TINTED MOISTURIZER BROAD SPECTRUM SPF 35- octinoxate, octisalate, oxybenzone, titanium dioxide, and zinc oxide liquid**  
**Aramis Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**LAB SERIES SKINCARE FOR MEN**

**BB TINTED MOISTURIZER BROAD SPECTRUM SPF 35**

***Drug Facts***

**Active ingredients**

Octinoxate 7.5%  
Octisalate 4.0%  
Oxybenzone 2.5%  
Titanium Dioxide 2.2%  
Zinc Oxide 2.0%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally and evenly 15 minutes before sun exposure

- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

## Inactive ingredients

water\aquaeau•trioctyldodecyl citrate•methyl trimethicone•dimethicone•octyldodecyl stearoyl stearate•butylene glycol•phenyl trimethicone•pentylene glycol•glyceryl stearate•behenyl alcohol•polymethylsilsesquioxane•peg-40 stearate•polyglyceryl-10 pentastearate•acetyl glucosamine•tocopheryl acetate•sodium hyaluronate•lecithin•squalane•sigesbeckia orientalis (st. paul's wort) extract•hordeum vulgare (barley) extract\extrait d'orge• triticum vulgare (wheat) germ extract•laminaria saccharina extract•cucumis sativus (cucumber) fruit extract•pyrus malus (apple) fruit extract•scutellaria baicalensis root extract•caffeine•cholesterol•glycerin•sodium pca•polyglyceryl-6 polyricinoleate•oryzanol•trehalose•octyldodecyl neopentanoate•acetyl hexapeptide-8•propylene glycol stearate•propylene glycol laurate•isopropyl myristate•aluminum hydroxide•sodium stearoyl lactylate•xanthan gum•sucrose•urea•acrylates/ammonium methacrylate copolymer•disodium edta•ammonium acryloyldimethyltaurate/vp copolymer•silica•isopropyl titanium triisostearate•sorbitan laurate•polysorbate 20•polyquaternium-51•stearic acid•linoleic acid•glycyrrhetic acid•triethyl citrate•triacetin•bht•sodium sulfite•sodium metabisulfite•potassium sorbate•pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate•phenoxyethanol•chlorphenesin•sodium dehydroacetate•[+/- iron oxides (ci 77491)•iron oxides (ci 77492)•iron oxides (ci 77499)•titanium dioxide (ci 77891)] <iln48883>

## Other information

protect the product in this container from excessive heat and direct sun

## PRINCIPAL DISPLAY PANEL - 50 ml Bottle Carton

LAB

SERIES

INSTANT FIX

BB TINTED

MOISTURIZER

BROAD

SPECTRUM

SPF 35

SOLUTIONS FOR MEN

1.7 FL. OZ./OZ. LIQ./50 ml e



**SKIN BENEFITS**

Blur imperfections and even skin tone with natural coverage

Instantly hydrate skin

Defend against UVA/UVB rays

**TEXTURE**

Easy-to-spread tinted cream

**USAGE**

Apply evenly to clean face every morning. Wash hands after use.

**Drug Facts**

Active ingredients	Purpose
Octinoxate 7.5%	Sunscreen
Octisalate 4.0%	
Oxybenzone 2.5%	
Titanium Dioxide 2.2%	
Zinc Oxide 2.0%	

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally and evenly 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ▶

**Drug Facts (continued)**

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

**Inactive ingredients**

water/aqua/eau • triethylhexyl salicylate • methyl trimethicone • dimethicone • octyldodecyl stearoyl stearate • butylene glycol • phenyl trimethicone • pentylene glycol • glyceryl stearate • behenyl alcohol • polymethylsiloxane • peg-40 stearate • polyglyceryl-10 pentastearate • acetyl glucosamine • tocopheryl acetate • sodium hyaluronate • lecithin • squalane • sigesbeckia orientalis (st. paul's wort) extract • hordium vulgare (barley) extract/extrait d'orge • triticum vulgare (wheat) germ extract • laminaria saccharina extract • cucumis sativus (cucumber) fruit extract • pyrus malus (apple) fruit extract • scutellaria baicalensis root extract • caffeine • cholesterol • glycerin • sodium pca • polyglyceryl-8 polyricinoleate • oryzanol • trehalose • octyldodecyl neopentanoate • acetyl hexapeptide-8 • propylene glycol stearate • propylene glycol laurate • isopropyl myristate • aluminum hydroxide • sodium stearoyl lactylate • xanthan gum • sucrose • ura • acrylates/ ammonium methacrylate copolymer • disodium edta • ammonium acryloyldimethyltaurate/vp copolymer • silica • isopropyl titanium triisostearate • sorbitan laurate • polysorbate 20 • polyquaternium-51 • stearic acid • linoleic acid • glyceryl stearate • triethyl citrate • triacetin • bht • sodium sulfite • sodium metabisulfite • potassium sorbate • pentaerythrityl tetra-di-t-butyl hydroxyhydrocinamate • phenoxethanol • chlorphenesin • sodium dehydroacetate • (+/- iron oxides (ci 77491) • iron oxides (ci 77492) • iron oxides (ci 77499) • titanium dioxide (ci 77891)) <ci 77891>

**Other information**

protect the product in this container from excessive heat and direct sun

**LAB SERIES**

**INSTANT FIX  
BB TINTED  
MOISTURIZER  
BROAD  
SPECTRUM  
SPF 35**

SOLUTIONS FOR MEN

1.7 FL. OZ./OZ. LIQ./50 ml e



THIS CARTON IS RECYCLABLE AND MADE USING FSC®-CERTIFIED WOOD FIBER.

© LAB SERIES, DIST., NEW YORK, NY 10022  
WLB LTD, GU32 3DD, UK  
WLB NV, Oevel, BE-2260  
MADE IN BELGIUM 44HB  
LABSERIES.COM



**UPC/FPO**  
1-5/16" x 17/32"  
(1.3125" x .5312")

44HB-01-1111

# LAB SERIES SKINCARE FOR MEN BB TINTED MOISTURIZER BROAD SPECTRUM SPF 35

octinoxate, octisalate, oxybenzone, titanium dioxide, and zinc oxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:42472-011
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	40 mg in 1 mL
<b>OXYBENZONE</b> (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	25 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	22 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	20 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>DOCOSANOL</b> (UNII: 9G10E216XY)	
<b>PEG-40 STEARATE</b> (UNII: ECU18C66Q7)	
<b>N-ACETYLGLUCOSAMINE</b> (UNII: V956696549)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>WHEAT GERM</b> (UNII: YR3G369F5A)	
<b>SACCHARINA LATISSIMA</b> (UNII: 68CMP2MB55)	
<b>CUCUMBER</b> (UNII: YY7C30VXJT)	
<b>APPLE</b> (UNII: B423VGH5S9)	
<b>SCUTELLARIA BAICALENSIS ROOT</b> (UNII: 7J95K7ID2S)	
<b>CAFFEINE</b> (UNII: 3G6A5W338E)	
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM PYRROLIDONE CARBOXYLATE</b> (UNII: 469OTG57A2)	
<b>ORYZANOL</b> (UNII: SST9XCL51M)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>ACETYL HEXAPEPTIDE-8</b> (UNII: L4EL31FWL)	
<b>PROPYLENE GLYCOL MONOSTEARATE</b> (UNII: MZM1I680W0)	
<b>PROPYLENE GLYCOL MONOLAURATE</b> (UNII: 668Z5835Z3)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	

<b>SODIUM STEAROYL LACTYLATE</b> (UNII: IN99IT31LN)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>SUCROSE</b> (UNII: C151H8M554)
<b>UREA</b> (UNII: 8W8T17847W)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER</b> (UNII: W59H9296Z G)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>ISOPROPYL TITANIUM TRIISOSTEARATE</b> (UNII: 949E3KBJ1I)
<b>SORBITAN MONOLAURATE</b> (UNII: 6W9PS8B71J)
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>LINOLEIC ACID</b> (UNII: 9KJL21T0QJ)
<b>ENOXOLONE</b> (UNII: P540XA09DR)
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>TRIOCTYLDODECYL CITRATE</b> (UNII: 35X8CT063R)
<b>METHYL TRIMETHICONE</b> (UNII: S73ZQI0GXM)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>OCTYLDODECYL STEAROYL STEARATE</b> (UNII: 3D47Q6D93C)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42472-011-01	1 in 1 CARTON	11/19/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	04/24/2011	

**Labeler** - Aramis Inc. (042918826)

**Registrant** - Estee Lauder Companies Inc. (790802086)

### Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Estee Lauder N.V. 370151326 pack(42472-011) , manufacture(42472-011) , label(42472-011)

Revised: 5/2023

Aramis Inc.