

**FUNGIFOAM- tolnaftate aerosol, foam**  
**The Tetra Corporation**

-----  
**FungiFoam ANTIFUNGAL**

**Active Ingredient**

Tolnaftate 1 percent

**Purpose**

Antifungal

**Uses:**

For effective treatment of most athlete's foot (tinea pedis), and ringworm (tinea corporis).

Relieves:

- itching
- scaling
- cracking
- redness
- soreness
- burning
- irritation

Prevents the recurrence of most athlete's foot with daily use.

**Warnings**

**For external use only.**

**When using this product** avoid contact with the eyes.

**Stop use and ask a doctor if:**

- When using for treatment of athlete's foot or ringworm: If irritation occurs or if there is no improvement within 4 weeks, discontinue use and consult a doctor.
- When using for prevention of athlete's foot: If irritation occurs, discontinue use and consult a doctor.

**Do not use** on children under 2 years of age unless directed by a doctor.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **If pregnant or breast-feeding**

ask a health professional before use.

## **Directions:**

For treatment of athlete's foot, and ring-worm:

- Clean the affected area and dry thoroughly. Apply a thin layer of the product over the affected area twice daily (morning and night) or as directed by a doctor.
- Supervise children in the use of this product
- For athlete's foot: Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily.
- For athlete's foot and ringworm, use daily for 4 weeks.
- If condition persists longer, consult a doctor. This product is not effective on the scalp or nails.

To prevent athlete's foot:

- Wash the feet and dry thoroughly.
- Apply a thin layer of the product to the feet once or twice daily (morning and/or night)
- Supervise children in the use of this product.
- Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily.

## **Other information:**

Store at room temperature, 25 degrees Celsius (77 degrees Fahrenheit).

## **Inactive ingredients:**

BHT, C12-15 Alkyl Benzoate, Cellulose Gum, Ceteareth-20 and Ceteareth-25, Cetearyl Alcohol, Ehtyl-hexyglycerin, Ethoxydiglycol, Hydroxyethyl Cellulose, Stearic Acid, Phenoxyethanol, Polysorbate 60, Propylene Glycol, Simmondsia Chinensis (Jojoba) Seed Oil, Triethanolamine, Urea and Water

## **Product label**

Professional Size  
2.5 fl oz (75ml)

**FungiFoam<sup>®</sup>**  
ANTIFUNGAL

Ask your Doctor  
about  
**Formula 3<sup>®</sup>**

NDC #49406-004-75

**FungiFoam<sup>®</sup>**  
ANTIFUNGAL  
TOLNAFTATE 1% ANTIFUNGAL FOAM

**Drug Facts**

**Active ingredient** Purpose  
Tolnaftate 1% . . . . . Antifungal

**Uses:** For effective treatment of most athlete's foot (tinea pedis), and ringworm (tinea corporis).  
Relieves: • Itching • Scaling • Cracking • Redness  
• Soreness • Burning • Irritation

Prevents the recurrence of most athlete's foot with daily use.

**Warnings:**

For external use only.

When using this product avoid contact with the eyes.

Stop use and ask a doctor if:

- When using for treatment of athlete's foot or ringworm: If irritation occurs or if there is no improvement within 4 weeks, discontinue use and consult a doctor.
- When using for prevention of athlete's foot: If irritation occurs, discontinue use and consult a doctor.

Do not use on children under 2 years of age unless directed by a doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding ask a health professional before use.

*FungiFoam<sup>®</sup> is backed by  
The Tetra Corporation's Unconditional,  
Patient-Direct, Money-Back Guarantee.*

Questions or Comments?  
1-800-826-0479  
9:00 AM to 6:00 PM EST.



**Drug Facts (continued)**

**Directions:**

For treatment of athlete's foot, and ringworm:

- Clean the affected area and dry thoroughly. Apply a thin layer of the product over the affected area twice daily (morning and night) or as directed by a doctor.
- Supervise children in the use of this product.
- For athlete's foot: Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily.
- For athlete's foot and ringworm, use daily for 4 weeks.
- If condition persists longer, consult a doctor. This product is not effective on the scalp or nails.

To prevent athlete's foot:

- Wash the feet and dry thoroughly.
- Apply a thin layer of the product to the feet once or twice daily (morning and/or night).
- Supervise children in the use of this product.
- Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily.

**Other information:**

Store at room temperature, 25°C (77°F).

**Inactive ingredients:** BKT, C12-15 Alkyl Benzoate, Cellulose Gum, Cetearith-20 & Cetearith-25, Cetearyl Alcohol, Ethylhexylglycerin, Ethoxydiglycol, Hydroxyethyl Cellulose, Stearic Acid, Phenylethanol, Polysorbate 80, Propylene Glycol, Simmondsia Chinensis (Jojoba) Seed Oil, Triethanolamine, Urea & Water



Manufactured for  
THE TETRA CORPORATION  
Eaton Rapids, MI 48827

**FungiFoam<sup>®</sup>**  
ANTIFUNGAL  
TOLNAFTATE 1% ANTIFUNGAL FOAM

**Proven clinically effective:**

- in the treatment of most Athlete's Foot and Ringworm.
- to prevent most Athlete's Foot with daily use.

**Patent Pending**

*Relieves Itching, Scaling,  
Cracking, Redness,  
Soreness, Burning  
& Irritation*

From the makers of Formula 3<sup>®</sup>

DISPENSED ONLY BY PHYSICIANS

2.5 fl oz (75ml)

**3 EASY STEPS  
FOR TREATMENT  
AND PREVENTION**

*Proven clinically effective in the treatment of athlete's foot, and with daily use, helps keep it from coming back.*



**1** Wash thoroughly and towel off until completely dry.



**2** A pearl-sized amount of FungiFoam<sup>®</sup> is enough to treat one foot. Use sparingly - a little goes a long way. **To Treat - Use Twice a Day. For Prevention - Use Once a Day**



**3** Wear clean, dry socks and dry shoes. Change daily.

NDC #49406-004-30

**FungiFoam**<sup>®</sup>  
**ANTIFUNGAL**  
 TOLNAFTATE 1% ANTIFUNGAL FOAM

**Proven clinically effective:**

- in the treatment of most Athlete's Foot and Ringworm.

<b>Active ingredient</b>	<b>Purpose</b>	<b>Directions:</b>
Tolnaftate 1%.....	Antifungal	<p>For treatment of athlete's foot, and ringworm: • Clean the affected area and dry thoroughly. Apply a thin layer of the product over the affected area twice daily (morning and night) or as directed by a doctor.</p> <ul style="list-style-type: none"> <li>• Supervise children in the use of this product.</li> <li>• For athlete's foot: Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily.</li> <li>• For athlete's foot and ringworm, use daily for 4 weeks.</li> <li>• If condition persists longer, consult a doctor. This product is not effective on the scalp or nails.</li> </ul> <p>To prevent athlete's foot: • Wash the feet and dry thoroughly. • Apply a thin layer of the product to the feet once or twice daily (morning and/or night). • Supervise children in the use of this product. • Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily.</p>
<p><b>Uses:</b> For effective treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis).          Relieves: • Itching • Scaling • Cracking • Redness • Soreness • Burning • Irritation</p> <p>Prevents the recurrence of most athlete's foot with daily use.</p>		<p><b>Inactive ingredients:</b> BHT, C12-15 Alkyl Benzoate, Cellulose Gum, Cetareth-20 &amp; Cetareth-25, Cetearyl Alcohol, Ethylhexylglycerin, Ethoxydiglycol, Hydroxyethyl Cellulose, Stearic Acid, Phenoxyethanol, Polysorbate 60, Propylene Glycol, Simmondsia Chinensis (Jojoba) Seed Oil, Triethanolamine, Urea &amp; Water</p>
<p><b>Warnings:</b>  <b>For external use only.</b>  <b>When using this product</b> avoid contact with eyes.  <b>Stop use and ask a doctor if:</b> • When using for treatment of athlete's foot or ringworm: If irritation occurs or if there is no improvement within 4 weeks, discontinue use and consult a doctor. • When using for prevention of athlete's foot: If irritation occurs, discontinue use and consult a doctor.  <b>Do not use</b> on children under 2 years of age unless directed by a doctor.  <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.  <b>If pregnant or breast-feeding</b> ask a health professional before use.</p>		<p><b>Manufactured for:</b>  <b>The Tetra Corporation</b>  <b>Eaton Rapids, MI 48827</b></p>
<p><b>Other information:</b> Store at room temperature, 25°C (77°F).</p>		

# FungiFoam<sup>®</sup>

ANTIFUNGAL

TOLNAFATE 1% ANTIFUNGAL FOAM

**Proven clinically effective:**

• **in the treatment of most Athlete's Foot and Ringworm.**

• **to prevent most Athlete's Foot with daily use.**

*Relieves Itching, Scaling, Cracking, Redness, Soreness, Burning & Irritation*



From the makers of Formula 3<sup>®</sup>

DISPENSED ONLY BY PHYSICIANS

1 fl oz (30ml)

**Drug Facts (continued)**

**Directions:**

- For treatment of athlete's foot, and ringworm:
- Clean the affected area and dry thoroughly. Apply a thin layer of the product over the affected area twice daily (morning and night) or as directed by a doctor.
  - Supervise children in the use of this product.
  - For athlete's foot: Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily.
  - For athlete's foot and ringworm, use daily for 4 weeks.
  - If condition persists longer, consult a doctor. This product is not effective on the scalp or nails.

To prevent athlete's foot:

- Wash the feet and dry thoroughly.
- Apply a thin layer of the product to the feet once or twice daily (morning and/or night).
- Supervise children in the use of this product.
- Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily.

**Other information:**

Store at room temperature, 25° C (77° F).

**Inactive ingredients:** BHT, C12-15 Alkyl Benzoate, Cellulose Gum, Cetesareth-20 & Cetesareth-25, Cetesaryl Alcohol, Ethylhexylglycerin, Ethoxylglycol, Hydroxyethyl Cellulose, Stearic Acid, Phenoxylethanol, Polysorbate 80, Propylene Glycol, Simmondsia Chinensis (Jojoba) Seed Oil, Triethanolamine, Urea & Water



Manufactured for  
THE TETRA CORPORATION  
Eaton Rapids, MI 48827  
www.FungiFoam.com

# FungiFoam<sup>®</sup>

ANTIFUNGAL

TOLNAFATE 1% ANTIFUNGAL FOAM

**Drug Facts**

Active ingredient	Purpose
Tolnaftate 1%	Antifungal

**Uses:** For effective treatment of most athlete's foot (linea pedis), and ringworm (linea corporis).

Relieves: • Itching • Scaling • Cracking • Redness • Soreness • Burning • Irritation

Prevents the recurrence of most athlete's foot with daily use.

**Warnings:**

For external use only.

When using this product avoid contact with the eyes.

Stop use and ask a doctor if:

- When using for treatment of athlete's foot or ringworm: If irritation occurs or if there is no improvement within 4 weeks, discontinue use and consult a doctor.
- When using for prevention of athlete's foot: If irritation occurs, discontinue use and consult a doctor.

Do not use on children under 2 years of age unless directed by a doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding ask a health professional before use.

**3 EASY STEPS FOR TREATMENT AND PREVENTION**

*Proven clinically effective in the treatment of athlete's foot, and with daily use, helps keep it from coming back.*



1 Wash thoroughly and towel off until completely dry.



2 A pearl-sized amount of FungiFoam<sup>®</sup> is enough to treat one foot. Use sparingly - a little goes a long way. To Treat - Use Twice a Day. For Prevention - Use Once a Day



3 Wear clean, dry socks and dry shoes. Change daily.

Questions or Comments?  
1-800-826-0479  
9:00 AM to 6:00 PM EST.



Made in a USA, FDA Registered Laboratory

NDC #49406-004-75

# FungiFoam<sup>®</sup>



**ANTIFUNGAL**

TOLNAFTATE 1% ANTIFUNGAL FOAM

**Proven clinically effective:**

- in the treatment of most Athlete's Foot and Ringworm.
- to prevent most Athlete's Foot with daily use.

**Patent Pending**

*Relieves Itching, Scaling, Cracking, Redness & Soreness*

2.5 fl oz (75ml)

**DISPENSED ONLY BY PHYSICIANS**

**THE TETRA CORPORATION**

800-826-0479  
Eaton Rapids, MI 48827

## Drug Facts

### Active ingredient

Tolnaftate 1%

### Purpose

Antifungal

**Uses:** For effective treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis). Relieves: • Itching • Scaling • Cracking • Redness • Soreness • Burning • Irritation  
Prevents the recurrence of most athlete's foot with daily use.

### Warnings:

For external use only.

**When using this product** avoid contact with eyes.

**Stop use and ask a doctor if:** • When using for treatment of athlete's foot or ringworm: If irritation occurs or if there is no improvement within 4 weeks, discontinue use and consult a doctor. • When using for prevention of athlete's foot: If irritation occurs, discontinue use and consult a doctor.

**Do not use on children under 2 years of age unless directed by a doctor.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**If pregnant or breast-feeding** ask a health professional before use.

**Directions:** For treatment of athlete's foot, and ringworm: • Clean the affected area and dry thoroughly. Apply a thin layer of the product over the affected area twice daily (morning and night) or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot: Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm, use daily for 4 weeks. • If condition persists longer, consult a doctor. This product is not effective on the scalp or nails.

To prevent athlete's foot: • Wash the feet and dry thoroughly. • Apply a thin layer of the product to the feet once or twice daily (morning and/or night). • Supervise children in the use of this product. • Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily.

**Other information:** Store at room temperature, 25° (77°F).

**Inactive ingredients:** BHT, C12-15 Alkyl Benzoate, Cellulose Gum, Cetareth-20 & Cetareth-25, Cetearyl Alcohol, Ethylhexylglycerin, Ethoxydiglycol, Hydroxyethyl Cellulose, Stearic Acid, Phenoxyethanol, Polysorbate 60, Propylene Glycol, Simmondsia Chinensis (Jojoba) Seed Oil, Triethanolamine, Urea & Water

## FUNGIFOAM

tolnaftate aerosol, foam

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49406-004
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	10 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)
<b>POLYOXYL 20 CETOSTEARYL ETHER</b> (UNII: YRC528SWUY)
<b>CETEARETH-25</b> (UNII: 8FA93U5T67)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>DIETHYLENE GLYCOL MONOETHYL ETHER</b> (UNII: A1A18X02B)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>JOJOBA OIL</b> (UNII: 724GKU717M)
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)
<b>UREA</b> (UNII: 8W8T17847W)
<b>WATER</b> (UNII: 059QF0KO0R)

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49406-004-75	1 in 1 BOX	07/13/2020	
1		75 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:49406-004-30	1 in 1 BOX	07/13/2020	
2		30 mL in 1 TUBE; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	07/13/2020	

**Labeler** - The Tetra Corporation (829958409)

**Registrant** - The Tetra Corporation (829958409)