# ALOCANE PLUS- lidocaine hydrochloride and benzalkonium chloride gel Quest Products, Inc.

-----

#### Alocane ® Plus

#### **Drug Facts**

| Active Ingredient           | Purpose            |
|-----------------------------|--------------------|
| Lidocaine HCL 4%            | Topical Analgesic  |
| Benzalkonium Chloride 0.13% | Topical Antiseptic |

#### Uses

For the temporary relief of pain and itching associated with: Sunburn, Minor Cuts & Scrapes, Minor Skin Irritation, Minor Burns

#### Warnings

For external use only. Avoid contact with eyes.

#### Keep out of reach of children.

**Stop use and ask doctor:** if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days.

**If pregnant or breast-feeding**, ask a health care professional before use.

#### **Directions**

#### **Directions**

Apply to affected area not more than 3 to 4 times daily. Do not use in large quantities, particularly over raw surfaces or blistered areas.

Children under 2 years of age, consult a physician.

#### Other Information

Store at Room Temperature of 15° - 30°C (59° - 86°F)

#### **Inactive Ingredients**

1,3-Propanediol, Aloe Barbadensis (Aloe) Leaf Juice, Caprylyl Glycol, Chlorphenesin, Dimethyl Isosorbide, Hydroxyethyl Cellulose, Phenoxyethanol, Tocopheryl Acetate (Vitamin E), Water.

DISTRIBUTED BY

#### **QUEST PRODUCTS LLC**

#### PRINCIPAL DISPLAY PANEL - 59 mL Tube Carton



#### **Drug Facts** Active Ingredients... .Purpose Benzalkonium Chloride 0.13%.. Topical Antiseptio Topical Analgesic Lidocaine HCL 4% ... Uses: For the temporary relief of pain and itching associated with: Minor Cuts and Scrapes Minor Burns ■ Minor Skin Irritation ■ Sunburn Warnings: For external use only. Avoid contact with eyes Keep out of reach of children. In case of accidental ingestion, get medical help or contact a Poison Control Center immediately. Stop use and ask doctor: if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days. If pregnant or breast-feeding, ask a health care professional before use. Directions: Adults and Children 2 years of age or older: Apply to affected area not more than 3 to 4 times daily. Do not use in large quantities, particularly over raw surfaces or blistered areas. Children under 2 years of age: Consult a Doctor Other Information: Store at room temperature 15-30°C (59-86°F) Inactive Ingredients: 1,3-Propanediol, Aloe Barbadensis (Aloe) Leaf Juice, Caprylyl Glycol, Chlorphenesi Dimethyl Isosorbide, Hydroxyethyl Cellulose, Phenoxyethanol, Tocopheryl Acetate (Vitamin E), Water.

ALOCANE plus

ALOCANE® plus is recommended for minor burns and skin irritations such as:

- · First Degree Burns
- Radiation Burns
- Minor Pressure Injuries

Distributed by: Quest Products LLC Pleasant Prairie, WI 53158

NDC# 68229-300-03

# ALOCANE plus

### Topical Anesthetic Antiseptic Gel

Lidocaine HCL 4%
Benzalkonium Chloride 0.13%

Provides relief from radiation dermatitis and other minor wounds

Relieves pain and itch associated with minor burns and skin irritations

Antiseptic to prevent skin infection

Soothing Aloe Vera and Vitamin E

#### FOR TOPICAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

2 FI Oz (59mL)

# ALOCANE plus

ALOCANE® plus may be used where a water soluble, non-staining topical anesthetic/anti-microbial is indicated to ease pain and prevent infection.

ALOCANE® plus is especially formulated to treat a range of skin

discomforts. Some of the more common uses of this medication are to treat and provide temporary relief from first degree burns, as well as minor cuts, scrapes and ulcerations. It is also effective to treat minor burns resulting from radiation therapy.

#### 946mL Bottle

| Drug Facts   |  |
|--|--|
| Benzakonium Chlorid                                | Purpose<br>le 0.13% First Aid Antiseptik<br>Topical Analgesic  |
| associated with: m Mi                              | ary reset of pain and itching<br>nor Cuts m Minor Scrapes<br>Minor Burns M Sunburn                                       |
| eyes.<br>Keep out of reach o                       | al use only. Avoid contact with<br>f children. In case of accidenta<br>help or contact a Poison Control                  |
|  | ector: if condition worsens, or if<br>more than 7 days or clear up<br>n a few days.                                      |
| Do not use in large que<br>surfaces or blistered a | antities, particularly over raw<br>reas.   |
| If pregnant or bread<br>professional before us     | st-feeding, ask a health care<br>e.  |
| older: • Clean the af<br>area not more than 3 to   | nd children 2 years of age or<br>Tected area on Apply to affected<br>to 4 times daily.<br>I of age: consult a physician. |
| Other Information:<br>15-30°C (59-86°F)            | Store at Room Temperature of   |
| Barbadensis (Aloe) Le<br>Chlorphenesin, Dimet      | s: 1,3-Propanediol, Aloe<br>af Juice, Caprylyl Glycol,<br>hyl Isosorbide, Hydroxyethyl<br>anol, Tocopheryl Acetate       |
| 164E   | \$161111   |



## Topical Anesthetic /Antiseptic

Lidocaine HCL 4% Benzalkonium Chloride 0,13%

Recommended by Physicians and Pharmacists

This Package for Households Without Young Children

32 Fl Oz @46mL)



ALOCANE is recommended for First Degree Burns including:















#### **ALOCANE PLUS**

lidocaine hydrochloride and benzalkonium chloride gel

#### **Product Information**

NDC 66229-500-04

Product Type HUMAN OTC DRUG Item Code (Source) NDC:68229-300

Route of Administration TOPICAL

# Active Ingredient/Active Moiety Ingredient Name Basis of Strength LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE UNII:98PI200987) BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM UNII:7N6JUD5X6Y) BENZALKONIUM CHLORIDE 0.13 g in 100 mL

| Inactive Ingredients   |          |  |
|--|----------|--|
| Ingredient Name  | Strength |  |
| PROPANEDIOL (UNII: 5965N8W85T)                               |          |  |
| ALOE VERA LEAF (UNII: ZY81Z83H0X)                            |          |  |
| DIMETHYL ISOSORBIDE (UNII: SA6A6V432S)                       |          |  |
| HYDROXYETHYL CELLULOSE (5500 MPA.S AT 2%) (UNII: M825OX60H9) |          |  |
| PHENOXYETHANOL (UNII: HIE492ZZ3T)                            |          |  |

| CAPRYLYL GLYCOL (UNII: 00YIU5438U)          |  |
|---|--|
| CHLORPHENESIN (UNII: 1670DAL4SZ)            |  |
| .ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |  |
| WATER (UNII: 059QF0KO0R)                    |  |

| I | Packaging            |   |                         |                       |
|---|----------------------|---|-------------------------|-----------------------|
|   | # Item Code          | Package Description   | Marketing Start<br>Date | Marketing End<br>Date |
|   | NDC:68229-<br>300-02 | 50 in 1 BOX   | 12/11/2013              | 07/12/2021            |
|   | NDC:68229-<br>300-01 | 3.55 mL in 1 DOSE PACK; Type 0: Not a Combination Product   |                         |                       |
|   | NDC:68229-<br>300-03 | 1 in 1 CARTON   | 03/01/2020              |                       |
| ľ | 2                    | 59 mL in 1 TUBE; Type 0: Not a Combination Product          |                         |                       |
|   | NDC:68229-<br>300-04 | 946 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product | 07/09/2021              |                       |

| Marketing Information |   |                         |                       |
|-----------------------|---|-------------------------|-----------------------|
| Marketing<br>Category | Application Number or Monograph<br>Citation | Marketing Start<br>Date | Marketing End<br>Date |
| OTC Monograph Drug    | M017  | 12/11/2013              |                       |
|                       |   |                         |                       |

## Labeler - Quest Products, Inc. (075402441)

| Establishment |         |           |                        |
|---------------|---------|-----------|------------------------|
| Name          | Address | ID/FEI    | Business Operations    |
| Fill Tech USA |         | 926433855 | manufacture(68229-300) |

Revised: 1/2024 Quest Products, Inc.