

**LBEL EFFET PARFAIT MINERAL NATURAL SKIN EFFECT MOUSSE FOUNDATION SPF 16 CLAIRE 1 - BEIGE- octinoxate, titanium dioxide, and zinc oxide paste**  
**LBEL EFFET PARFAIT MINERAL NATURAL SKIN EFFECT MOUSSE FOUNDATION SPF 16 CLAIRE 2 - BEIGE- octinoxate, titanium dioxide, and zinc oxide paste**  
**LBEL EFFET PARFAIT MINERAL NATURAL SKIN EFFECT MOUSSE FOUNDATION SPF 16 CLAIRE 3 - BEIGE- octinoxate, titanium dioxide, and zinc oxide paste**  
**LBEL EFFET PARFAIT MINERAL NATURAL SKIN EFFECT MOUSSE FOUNDATION SPF 16 CLAIRE 4 - BEIGE- octinoxate, titanium dioxide, and zinc oxide paste**  
**LBEL EFFET PARFAIT MINERAL NATURAL SKIN EFFECT MOUSSE FOUNDATION SPF 16 MEDIUM 5 - BEIGE- octinoxate, titanium dioxide, and zinc oxide paste**  
**LBEL EFFET PARFAIT MINERAL NATURAL SKIN EFFECT MOUSSE FOUNDATION SPF 16 MEDIUM 6 - BEIGE- octinoxate, titanium dioxide, and zinc oxide paste**  
**LBEL EFFET PARFAIT MINERAL NATURAL SKIN EFFECT MOUSSE FOUNDATION SPF 16 MEDIUM 7 - BEIGE- octinoxate, titanium dioxide, and zinc oxide paste**  
**LBEL EFFET PARFAIT MINERAL NATURAL SKIN EFFECT MOUSSE FOUNDATION SPF 16 OBSCURE 8 - BEIGE- octinoxate, titanium dioxide, and zinc oxide paste**  
**Ventura International LTD**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**L'BEL EFFET PARFAIT MINÉRAL natural skin effect mousse foundation SPF 16**

***Drug Facts***

<b><i>Active Ingredients</i></b>	<b><i>Purpose</i></b>
OCTINOXATE 6.50 %	Sunscreen
TITANIUM DIOXIDE 2.442 %	Sunscreen
ZINC OXIDE 1.568 %	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.

- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

#### **Other information**

- Protect the product in this container from excessive heat and direct sun.

#### **Inactive ingredients**

CYCLOPENTASILOXANE, MICA, DIMETHICONE CROSSPOLYMER, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TRIMETHYLSILOXYSILICATE, CYCLOHEXASILOXANE, BIS-HYDROXYETHOXYPROPYL DIMETHICONE, OCTYLDODECANOL, PHENOXYETHANOL, BORON NITRIDE, DISTEARDIMONIUM HECTORITE, ALUMINA, CETYL PEG/PPG-10/1 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, MICROCRYSTALLINE WAX , SILICA, HEXYL LAURATE, DIMETHICONOL, CAPRYLYL GLYCOL, TOCOPHERYL ACETATE, CHLORPHENESIN, LAUROYL LYSINE, PETROLATUM, PROPYLENE CARBONATE, METHICONE, PHOSPHOLIPIDS, RHODIOLA ROSEA ROOT EXTRACT, CHOLESTEROL, BHA, BHT, CARNOSINE, TRIETHOXYCAPRYLYLSILANE, EUPHORBIA CERIFERA (CANDELILLA) WAX, BEESWAX, CETEARYL ALCOHOL, CETEARYL GLUCOSIDE, COPERNICIA CERIFERA (CARNAUBA) WAX, POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE, GLYCOSPHINGOLIPIDS, ALANYL GLUTAMINE.

**MAY CONTAIN:** TITANIUM DIOXIDE, IRON OXIDES.

Dist. by Ventura Int Ltd. DBA  
Belcorp USA, Miami, FL 33126

#### **PRINCIPAL DISPLAY PANEL - 30 g Tube Box - CLAIRE 1 - BEIGE**

##### **L'BEL**

EFFET PARFAIT  
MINÉRAL

natural skin effect  
mousse **foundation**  
**SPF 16**

Net Wt. 1 oz. (30 g)



L'BEL

EFFET PARFAIT  
MINÉRAL

natural skin effect  
mousse foundation  
SPF 16

Net Wt. 1 oz. (30 g)

**Drug Facts**

**Active Ingredients Purpose**

Octinoxate 6.5% ..... Sunscreen  
Titanium Dioxide 2.4% ..... Sunscreen  
Zinc Oxide 1.5% ..... Sunscreen

**Uses** ■ Helps prevent sunburn.

**Warnings**

■ **Skin cancer / skin aging alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes, rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children**, if swallowed, get medical help or contact a poison control center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

**Other Information**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients**

cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsilyloxysilicate.

**Drug Facts**

(Continued)

cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, octyldodecanol, phenoxyethanol, boron nitride, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, microcrystalline wax, silica, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, petrolatum, propylene carbonate, methicone, phospholipids, rhodiola rosea root extract, cholesterol, bha, bht, carnosine, triethoxycaprylylsilane, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, alanyl glutamine. **May contain:** titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126 Made in Colombia **PUERTO RICO:** Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926, Made in Colombia

www.lbel.com

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - CLAIRE 2 - BEIGE

L'BEL

EFFET PARFAIT  
MINÉRAL

natural skin effect  
mousse **foundation**  
**SPF 16**

Net Wt. 1 oz. (30 g)



L'BEL

EFFET PARFAIT  
MINÉRAL

natural skin effect  
mousse **foundation**  
**SPF 16**

Net Wt. 1 oz. (30 g)

### Drug Facts

#### Active Ingredients Purpose

Octinoxate 6.5% ..... Sunscreen  
Titanium Dioxide 2.4% ..... Sunscreen  
Zinc Oxide 1.5% ..... Sunscreen

**Uses** ■ Helps prevent sunburn.

#### Warnings

■ **Skin cancer / skin aging alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes, rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children**, if swallowed, get medical help or contact a poison control center right away.

■ **Directions** ■ Apply liberally and evenly 15 minutes before sun exposure.

■ **Reapply** at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ **Children** under 6 months of age: ask a doctor.

#### Other Information

■ Protect the product in this container from excessive heat and direct sun.

#### Inactive Ingredients

cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate.

### Drug Facts (Continued)

cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, octyldodecanol, phenoxyethanol, boron nitride, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, microcrystalline wax, silica, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, petrolatum, propylene carbonate, methicone, phospholipids, rhodiola rosea root extract, cholesterol, bha, bht, carnosine, triethoxycaprylylsilane, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, alanil glutamine. **May contain:** titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int Ltd, DBA B&corp USA, Miami, FL 33126 Made in Colombia **PUERTO RICO:** Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926, Made in Colombia

[www.lbel.com](http://www.lbel.com)

**PRINCIPAL DISPLAY PANEL - 30 g Tube Box - CLAIRE 3 - BEIGE**

**L'BEL**

EFFET PARFAIT  
MINÉRAL

natural skin effect  
mousse **foundation**  
**SPF 16**

Net Wt. 1 oz. (30 g)



L'BEL

EFFET PARFAIT  
MINÉRAL

natural skin effect  
mousse foundation  
SPF 16

Net Wt. 1 oz. (30 g)

**Drug Facts**

**Active Ingredients Purpose**

Octinoxate 6.5% ..... Sunscreen  
Titanium Dioxide 2.4% ..... Sunscreen  
Zinc Oxide 1.5% ..... Sunscreen

**Uses** ■ Helps prevent sunburn.

**Warnings**

■ **Skin cancer / skin aging alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes, rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children**, if swallowed, get medical help or contact a poison control center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

**Other Information**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients**

cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsilyloxysilicate.

**Drug Facts**

(Continued)

cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, octyldodecanol, phenoxyethanol, boron nitride, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, microcrystalline wax, silica, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, petrolatum, propylene carbonate, methicone, phospholipids, rhodiola rosea root extract, cholesterol, bha, bht, carnosine, triethoxycaprylylsilane, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, alanyl glutamine. **May contain:** titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126 Made in Colombia **PUERTO RICO:** Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926, Made in Colombia

www.lbel.com

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - CLAIRE 4 - BEIGE

L'BEL

EFFET PARFAIT  
MINÉRAL

natural skin effect  
mousse **foundation**  
**SPF 16**

Net Wt. 1 oz. (30 g)



L'BEL

EFFET PARFAIT  
MINÉRAL

natural skin effect  
mousse **foundation**  
**SPF 16**

Net Wt. 1 oz. (30 g)

### Drug Facts

#### Active Ingredients Purpose

Octinoxate 6.5% ..... Sunscreen  
Titanium Dioxide 2.4% ..... Sunscreen  
Zinc Oxide 1.5% ..... Sunscreen

**Uses** ■ Helps prevent sunburn.

#### Warnings

■ **Skin cancer / skin aging alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes, rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children**, if swallowed, get medical help or contact a poison control center right away.

■ **Directions** ■ Apply liberally and evenly 15 minutes before sun exposure.

■ **Reapply** at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ **Children** under 6 months of age: ask a doctor.

#### Other Information

■ Protect the product in this container from excessive heat and direct sun.

#### Inactive Ingredients

cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate.

### Drug Facts (Continued)

cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, octyldodecanol, phenoxyethanol, boron nitride, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, microcrystalline wax, silica, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, petrolatum, propylene carbonate, methicone, phospholipids, rhodiola rosea root extract, cholesterol, bha, bht, carnosine, triethoxycaprylylsilane, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, alanine, glutamine. **May contain:** titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int Ltd, DBA B&corp USA, Miami, FL 33126 Made in Colombia **PUERTO RICO:** Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926, Made in Colombia

[www.lbel.com](http://www.lbel.com)

**PRINCIPAL DISPLAY PANEL - 30 g Tube Box - MEDIUM 5 - BEIGE**

**L'BEL**

EFFET PARFAIT  
MINÉRAL

natural skin effect  
mousse **foundation**  
**SPF 16**

Net Wt. 1 oz. (30 g)





L'BEL

EFFET PARFAIT  
MINÉRAL

natural skin effect  
mousse foundation  
SPF 16

Net Wt. 1 oz. (30 g)

**Drug Facts**

**Active Ingredients Purpose**

Octinoxate 6.5% ..... Sunscreen  
Titanium Dioxide 2.4% ..... Sunscreen  
Zinc Oxide 1.5% ..... Sunscreen

**Uses** ■ Helps prevent sunburn.

**Warnings**

■ **Skin cancer / skin aging alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes, rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children**, if swallowed, get medical help or contact a poison control center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

**Other Information**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients**

cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsilyloxysilicate.

**Drug Facts**

(Continued)

cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, octyldodecanol, phenoxyethanol, boron nitride, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, microcrystalline wax, silica, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, petrolatum, propylene carbonate, methicone, phospholipids, rhodiola rosea root extract, cholesterol, bha, bht, carnosine, triethoxycaprylylsilane, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, alanil glutamine. **May contain:** titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126 Made in Colombia **PUERTO RICO:** Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926, Made in Colombia

www.lbel.com

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - MEDIUM 6 - BEIGE

L'BEL

EFFET PARFAIT  
MINÉRAL

natural skin effect  
mousse **foundation**  
**SPF 16**

Net Wt. 1 oz. (30 g)



L'BEL

EFFET PARFAIT  
MINÉRAL

natural skin effect  
mousse **foundation**  
**SPF 16**

Net Wt. 1 oz. (30 g)

### Drug Facts

#### Active Ingredients Purpose

Octinoxate 6.5% ..... Sunscreen  
Titanium Dioxide 2.4% ..... Sunscreen  
Zinc Oxide 1.5% ..... Sunscreen

**Uses** ■ Helps prevent sunburn.

#### Warnings

■ **Skin cancer / skin aging alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes, rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** If swallowed, get medical help or contact a poison control center right away.

■ **Directions** ■ Apply liberally and evenly 15 minutes before sun exposure.

■ **Reapply** at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ **Children** under 6 months of age: ask a doctor.

#### Other Information

■ **Protect the product** in this container from excessive heat and direct sun.

#### Inactive Ingredients

cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate.

### Drug Facts (Continued)

cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, octyldodecanol, phenoxyethanol, boron nitride, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, microcrystalline wax, silica, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, petrolatum, propylene carbonate, methicone, phospholipids, rhodiola rosea root extract, cholesterol, bha, bht, carnosine, triethoxycaprylylsilane, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, alanil glutamine. **May contain:** titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int Ltd, DBA B&corp USA, Miami, FL 33126 Made in Colombia **PUERTO RICO:** Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926, Made in Colombia

[www.lbel.com](http://www.lbel.com)

**PRINCIPAL DISPLAY PANEL - 30 g Tube Box - MEDIUM 7 - BEIGE**

**L'BEL**

EFFET PARFAIT  
MINÉRAL

natural skin effect  
mousse **foundation**  
**SPF 16**

Net Wt. 1 oz. (30 g)



L'BEL

EFFET PARFAIT  
MINÉRAL

natural skin effect  
mousse foundation  
SPF 16

Net Wt. 1 oz. (30 g)

**Drug Facts**

**Active Ingredients Purpose**

Octinoxate 6.5% ..... Sunscreen  
Titanium Dioxide 2.4% ..... Sunscreen  
Zinc Oxide 1.5% ..... Sunscreen

**Uses** ■ Helps prevent sunburn.

**Warnings**

■ **Skin cancer / skin aging alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes, rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children**, if swallowed, get medical help or contact a poison control center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure.

■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

**Other Information**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients**

cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsilyloxysilicate.

**Drug Facts**

(Continued)

cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, octyldodecanol, phenoxyethanol, boron nitride, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, microcrystalline wax, silica, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, petrolatum, propylene carbonate, methicone, phospholipids, rhodiola rosea root extract, cholesterol, bha, bht, carnosine, triethoxycaprylylsilane, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, alaninyl glutamine. **May contain:** titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126 Made in Colombia **PUERTO RICO:** Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926, Made in Colombia

www.lbel.com

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - OBSCURE 8 - BEIGE

L'BEL

EFFET PARFAIT  
MINÉRAL

natural skin effect  
mousse **foundation**  
**SPF 16**

Net Wt. 1 oz. (30 g)



L'BEL

EFFET PARFAIT  
MINÉRAL

natural skin effect  
mousse **foundation**  
**SPF 16**

Net Wt. 1 oz. (30 g)

### Drug Facts

#### Active Ingredients Purpose

Octinoxate 6.5% ..... Sunscreen  
Titanium Dioxide 2.4% ..... Sunscreen  
Zinc Oxide 1.5% ..... Sunscreen

**Uses** ■ Helps prevent sunburn.

#### Warnings

■ **Skin cancer / skin aging alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes, rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children**, if swallowed, get medical help or contact a poison control center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

#### Other Information

■ Protect the product in this container from excessive heat and direct sun.

#### Inactive Ingredients

cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate.

### Drug Facts (Continued)

cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, octyldodecanol, phenoxyethanol, boron nitride, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, microcrystalline wax, silica, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, petrolatum, propylene carbonate, methicone, phospholipids, rhodiola rosea root extract, cholesterol, bha, bht, carnosine, triethoxycaprylylsilane, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, alanil glutamine. **May contain:** titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int Ltd, DBA B&corp USA, Miami, FL 33126 Made in Colombia **PUERTO RICO:** Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926, Made in Colombia

[www.lbel.com](http://www.lbel.com)

# LBEL EFFET PARFAIT MINERAL NATURAL SKIN EFFECT MOUSSE FOUNDATION SPF 16 CLAIRE 1 - BEIGE

octinoxate, titanium dioxide, and zinc oxide paste

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-000
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.024 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.015 g in 1 g

## Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (45000 MP.A.S AT 12 % IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
OCTYLDODECANOL (UNII: 461N10614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM OXIDE (UNII: LM26O6933)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
LAUROYL LYSINE (UNII: 113171Q70B)	
PETROLATUM (UNII: 4T6H12BN9U)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CARNOSINE (UNII: 8HO6PVN24W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CANDELILLA WAX (UNII: WL0328HX19)	
YELLOW WAX (UNII: 2ZA36H0S2V)	

CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)

CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)

CARNAUBA WAX (UNII: R12CBM0EIZ)

POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)

ALANYL GLUTAMINE (UNII: U5JDO2770Z)

FERRIC OXIDE RED (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-000-02	1 in 1 BOX	11/02/2016	
1	NDC:14783-000-01	30 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/02/2016	

## LBEL EFFET PARFAIT MINERAL NATURAL SKIN EFFECT MOUSSE FOUNDATION SPF 16 CLAIRE 2 - BEIGE

octinoxate, titanium dioxide, and zinc oxide paste

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-001
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.024 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.015 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0TH5PC10R)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM OXIDE (UNII: LM26O6933)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	

MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CHLORPHENESIN (UNII: I670DAL4SZ)
LAUROYL LYSINE (UNII: 113171Q70B)
PETROLATUM (UNII: 4T6H12BN9U)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
METHICONE (20 CST) (UNII: 6777U11MKT)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)
CHOLESTEROL (UNII: 97C5T2UQ7J)
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
CARNOSINE (UNII: 8HO6PVN24W)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CANDELILLA WAX (UNII: WL0328HX19)
YELLOW WAX (UNII: 2ZA36H0S2V)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
CARNAUBA WAX (UNII: R12CBM0EIZ)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
ALANYL GLUTAMINE (UNII: U5JDO2770Z)
FERRIC OXIDE RED (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-001-02	1 in 1 BOX	11/02/2016	
1	NDC:14783-001-01	30 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/02/2016	

## LBEL EFFET PARFAIT MINERAL NATURAL SKIN EFFECT MOUSSE FOUNDATION SPF 16 CLAIRE 3 - BEIGE

octinoxate, titanium dioxide, and zinc oxide paste

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-002
Route of Administration	TOPICAL		



**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.024 g in 1 g
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.015 g in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>METHICONE (20 CST)</b> (UNII: 6777U11MKT)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>SEDUM ROSEUM ROOT</b> (UNII: 3S5ITS5ULN)	
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
<b>BUTYLATED HYDROXYANISOLE</b> (UNII: REK4960K2U)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>CARNOSINE</b> (UNII: 8HO6PVN24W)	
<b>TRIETHOXYCAPRYLSILANE</b> (UNII: LDC331P08E)	
<b>CANDELILLA WAX</b> (UNII: WL0328HX19)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE</b> (UNII: 9229XJ4V12)	
<b>ALANYL GLUTAMINE</b> (UNII: U5JDO2770Z)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-002-02	1 in 1 BOX	11/02/2016	

1	NDC:14783-002-01	30 g in 1 TUBE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC MONOGRAPH FINAL	part352	11/02/2016		

**LBEL EFFET PARFAIT MINERAL NATURAL SKIN EFFECT MOUSSE FOUNDATION SPF 16 CLAIRE 4 - BEIGE**  
 octinoxate, titanium dioxide, and zinc oxide paste

<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-003
<b>Route of Administration</b>	TOPICAL		

<b>Active Ingredient/Active Moiety</b>		
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.024 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.015 g in 1 g

<b>Inactive Ingredients</b>	
<b>Ingredient Name</b>	<b>Strength</b>
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM OXIDE (UNII: LM26O6933)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
LAUROYL LYSINE (UNII: 113171Q70B)	
PETROLATUM (UNII: 4T6H12BN9U)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	

SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)
CHOLESTEROL (UNII: 97C5T2UQ7J)
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
CARNOSINE (UNII: 8HO6PVN24W)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CANDELILLA WAX (UNII: WL0328HX19)
YELLOW WAX (UNII: 2ZA36H0S2V)
CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
CARNAUBA WAX (UNII: R12CBM0EIZ)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
ALANYL GLUTAMINE (UNII: U5JDO2770Z)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-003-02	1 in 1 BOX	11/02/2016	
1	NDC:14783-003-01	30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/02/2016	

**LBEL EFFET PARFAIT MINERAL NATURAL SKIN EFFECT MOUSSE FOUNDATION SPF 16 MEDIUM 5 - BEIGE**  
 octinoxate, titanium dioxide, and zinc oxide paste

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.024 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.015 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
MICA (UNII: V8A1AW0880)	

<b>DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>METHICONE (20 CST)</b> (UNII: 6777U11MKT)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>SEDUM ROSEUM ROOT</b> (UNII: 3S5ITS5ULN)
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)
<b>BUTYLATED HYDROXYANISOLE</b> (UNII: REK4960K2U)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>CARNOSINE</b> (UNII: 8HO6PVN24W)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>CANDELILLA WAX</b> (UNII: WL0328HX19)
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)
<b>POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE</b> (UNII: 9229XJ4V12)
<b>ALANYL GLUTAMINE</b> (UNII: U5JDO2770Z)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-004-02	1 in 1 BOX	11/02/2016	
1	NDC:14783-004-01	30 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/02/2016	

**LBEL EFFET PARFAIT MINERAL NATURAL SKIN EFFECT MOUSSE  
FOUNDATION SPF 16 MEDIUM 6 - BEIGE**

octinoxate, titanium dioxide, and zinc oxide paste

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-005
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.024 g in 1 g
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.015 g in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>CYCLOMETHICONE 5</b> (UNII: 0THF5PCI0R)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>METHICONE (20 CST)</b> (UNII: 6777U11MKT)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>SEDUM ROSEUM ROOT</b> (UNII: 3S5ITS5ULN)	
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
<b>BUTYLATED HYDROXYANISOLE</b> (UNII: REK4960K2U)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>CARNOSINE</b> (UNII: 8HO6PVN24W)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>CANDELILLA WAX</b> (UNII: WL0328HX19)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	

POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229 XJ4V12)				
ALANYL GLUTAMINE (UNII: U5JDO2770Z)				
FERRIC OXIDE RED (UNII: 1K09F3G675)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-005-02	1 in 1 BOX	11/02/2016	
1	NDC:14783-005-01	30 g in 1 TUBE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH FINAL	part352	11/02/2016		

**LBEL EFFET PARFAIT MINERAL NATURAL SKIN EFFECT MOUSSE FOUNDATION SPF 16 MEDIUM 7 - BEIGE**  
 octinoxate, titanium dioxide, and zinc oxide paste

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-006
Route of Administration	TOPICAL		

<b>Active Ingredient/Active Moiety</b>			
Ingredient Name	Basis of Strength	Strength	
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g	
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.024 g in 1 g	
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.015 g in 1 g	

<b>Inactive Ingredients</b>	
Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM OXIDE (UNII: LM26O6933)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	

CAPRYLYL GLYCOL (UNII: 00YIU5438U)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CHLORPHENESIN (UNII: I670DAL4SZ)
LAUROYL LYSINE (UNII: 113171Q70B)
PETROLATUM (UNII: 4T6H12BN9U)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
METHICONE (20 CST) (UNII: 6777U11MKT)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)
CHOLESTEROL (UNII: 97C5T2UQ7J)
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
CARNOSINE (UNII: 8HO6PVN24W)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CANDELILLA WAX (UNII: WL0328HX19)
YELLOW WAX (UNII: 2ZA36H0S2V)
CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
CARNAUBA WAX (UNII: R12CBM0EIZ)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
ALANYL GLUTAMINE (UNII: U5JDO2770Z)
FERRIC OXIDE RED (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-006-02	1 in 1 BOX	11/02/2016	
1	NDC:14783-006-01	30 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/02/2016	

## LBEL EFFET PARFAIT MINERAL NATURAL SKIN EFFECT MOUSSE FOUNDATION SPF 16 OBSCURE 8 - BEIGE

octinoxate, titanium dioxide, and zinc oxide paste

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-007
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g

<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.024 g in 1 g
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.015 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THF5PC10R)	
MICA (UNII: V8A1AW0880)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM OXIDE (UNII: LM26O6933)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
LAUROYL LYSINE (UNII: 113171Q70B)	
PETROLATUM (UNII: 4T6H12BN9U)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CARNOSINE (UNII: 8HO6PVN24W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CANDELILLA WAX (UNII: WL0328HX19)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
ALANYL GLUTAMINE (UNII: U5JDO2770Z)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-007-02	1 in 1 BOX	11/02/2016	
1	NDC:14783-007-01	30 g in 1 TUBE; Type 0: Not a Combination Product		



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/02/2016	

**Labeler** - Ventura International LTD (603192787)

## Establishment

Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	MANUFACTURE(14783-000, 14783-001, 14783-002, 14783-003, 14783-004, 14783-005, 14783-006, 14783-007)

Revised: 11/2016

Ventura International LTD