

SALICYLIC ACID- corn removers patch
Walgreen Company

Walgreens Medicated Corn Removers

Active ingredient

Salicylic acid 40%

Purpose

Corn remover

Uses

- for the removal of corns
- relieves pain by removing corns

Warnings

For external use only.

Do not use

- if you are diabetic
- if you have poor blood circulation
- on irritated skin, on any area that is infected or reddened

If discomfort persists

see your doctor or podiatrist.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry area thoroughly
- if necessary, cut medicated patch to fit corn
- apply adhesive side down of medicated patch onto corn
- cover medicated patch with pad
- after 48 hours, remove medicated patch
- repeat procedure every 48 hours as needed for up to 14 days (until corn is removed)
- may soak corn in warm water for 5 minutes to assist in removal

Other information

store between 15°C to 30°C (59°F to 86°F)

Inactive ingredients

acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol

Questions?

call 1-866-964-0939

Principal Display Panel

Walgreens

Corn

Removers

SALICYLIC ACID 40%

MAXIMUM STRENGTH

MEDICATED

- Safe & effective corn removal treatment
- Cushioned pads protect against friction & reduced pressure

9 MEDICATED PATCHES

9 PADS

Drug Facts	
Active ingredient	Purpose
Salicylic acid 40%.....	Corn remover
Uses	
<ul style="list-style-type: none"> ■ for the removal of corns ■ relieves pain by removing corns 	
Warnings	
For external use only.	
Do not use	
<ul style="list-style-type: none"> ■ if you are diabetic ■ if you have poor blood circulation ■ on irritated skin, on any area that is infected or reddened 	
Stop use and ask a doctor if discomfort persists	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> ■ wash affected area and dry thoroughly ■ if necessary, cut medicated patch to fit corn ■ apply adhesive side of medicated patch onto corn ■ cover medicated patch with pad ■ after 48 hours, remove medicated patch ■ repeat procedure every 48 hours as needed for up to 14 days (until corn is removed) ■ may soak corn in warm water for 5 minutes to assist in removal 	
Other information	
store between 15° and 30°C (59° and 86°F)	
Inactive ingredients	
acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol	
Questions? Call 1-866-964-0939	

Walgreens Pharmacist Recommended
Walgreens Pharmacist Survey

[†]This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Dr. Scholl's®.

52-003WG-02

Walgreens

Corn Removers

Compare to Dr. Scholl's® active ingredient[†]

NDC 0363-9757-09

SALICYLIC ACID 40%

MAXIMUM STRENGTH

MEDICATED

- Safe & effective corn removal treatment
- Cushioned pads protect against friction & reduce pressure

9 MEDICATED PATCHES
9 PADS

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
Walgreens.com © 2017 Walgreen Co.
MADE IN USA WITH U.S. AND IMPORTED PARTS



ORG0917-F-R1

SALICYLIC ACID

corn removers patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-9757
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	40 mg in 9

Inactive Ingredients

Ingredient Name	Strength
POLYVINYL ALCOHOL (UNII: 532B59J990)	
VINYL ACETATE (UNII: L9MK238N77)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9757-09	9 in 1 PACKAGE; Type 0: Not a Combination Product	07/22/2008	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	07/22/2008	

Labeler - Walgreen Company (008965063)

Revised: 2/2024

Walgreen Company