

STILA COLOR CORRECTING BROAD SPECTRUM SPF 20 (ALL SHADES)- octinoxate, titanium dioxide, and zinc oxide cream

Stila Styles, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**Stila Color Correcting Broad Spectrum SPF 20
(All Shades)**

DRUG FACTS

ACTIVE INGREDIENTS		PURPOSE
OCTINOXATE	7.50%	sunscreen
TITANIUM DIOXIDE	5.00%	sunscreen
ZINC OXIDE	1.00%	sunscreen

USES

- helps prevent sunburn
- if used as directed with other sun protection measures (see **DIRECTIONS**), decreases the risk of skin cancer and early skin aging caused by the sun

WARNINGS

FOR EXTERNAL USE ONLY.

DO NOT USE ON DAMAGED OR BROKEN SKIN.

WHEN USING THIS PRODUCT KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE.

STOP USE AND ASK A DOCTOR IF RASH OCCURS.

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIRECTIONS

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS

ACRYLATES CROSSPOLYMER, ACRYLATES/AMMONIUM METHACRYLATE COPOLYMER, ALUMINUM HYDROXIDE, BENZIMIDAZOLE DIAMOND AMIDOETHYL UREA CARBAMOYL PROPYL POLYMETHYLSILSESQUIOXANE, BORON NITRIDE, BUTYLENE GLYCOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, CAPRYLYL GLYCOL, DEXTRIN PALMITATE,

DIMETHICONE, DIMETHYLMETHOXY CHROMANYL PALMITATE, DISODIUM EDTA, DISTEARDIMONIUM HECTORITE, ETHANOL, GLYCERIN, GLYCERYL POLYACRYLATE, HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER, HEXYLENE GLYCOL, LECITHIN, LYSINE, MAGNESIUM ASCORBYL PHOSPHATE, MAGNESIUM CHLORIDE, METHICONE, NYLON-12, PALMITIC ACID, PEG/PPG-18/18 DIMETHICONE, PHENOXYETHANOL, POLYMETHYLSILSESQUIOXANE, POTASSIUM CHLORIDE, ROSE EXTRACT/ROSA CANINA EXTRACT, SACCHARIDE ISOMERATE, SODIUM CHLORIDE, SODIUM DEHYDROACETATE, SODIUM HYALURONATE, SQUALANE, STEARIC ACID, TRIETHOXYCAPRYLYLSILANE, TRIETHYL CITRATE, TRIMETHYLSILOXYSILICATE, WATER (AQUA), XANTHAN GUM, ZINC CHLORIDE, **MAY CONTAIN (+/-):** CHROMIUM OXIDE GREENS (CI 77288), IRON OXIDES (CI 77491, CI 77492, CI 77499), MICA, TITANIUM DIOXIDE (CI 77891) <ILN C131004>.

OTHER INFORMATION

- protect this product from excessive heat and direct sun

QUESTIONS OR COMMENTS?

stilacosmetics.com

dist. by © stila styles, llc • los angeles, ca 90027

PRINCIPAL DISPLAY PANEL - 40 ml Tube Carton

stila

CC

color correcting cream

broad-spectrum SPF 20

1.3 FL. OZ./40 ml



stila

cc

color correcting cream
broad-spectrum SPF 20

1.3 FL. OZ./40 ml

stila CC color correcting cream with SPF 20 provides sheer to medium, buildable coverage with a lightweight, satin finish. revolutionary green base with micro-encapsulated pigments color corrects upon application and adapts to skin tone to help brighten the skin, while reducing the appearance of hyperpigmentation, fine lines and wrinkles.

DRUG FACTS

ACTIVE INGREDIENTS		PURPOSE
OCTINOXATE	7.50%	sunscreen
TITANIUM DIOXIDE	5.00%	sunscreen
ZINC OXIDE	1.00%	sunscreen

USES

- helps prevent sunburn
- if used as directed with other sun protection measures (see **DIRECTIONS**), decreases the risk of skin cancer and early skin aging caused by the sun

WARNINGS

FOR EXTERNAL USE ONLY. DO NOT USE ON DAMAGED OR BROKEN SKIN. WHEN USING THIS PRODUCT KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE. STOP USE AND ASK A DOCTOR IF RASH OCCURS. KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIRECTIONS

- apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours • children under 6 months: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS

ACRYLATES CROSSPOLYMER, ACRYLATES/AMMONIUM METHACRYLATE COPOLYMER, ALUMINUM HYDROXIDE, BENZYLALCOHOL, DIMETHYL DIMETHACRYLATE, DIMETHYL TEREPHTHALATE, ETHANOL, ETHYLHEXYL METHACRYLATE, GLYCERIN, HYDROXYETHYLCELLULOSE, ISOPROPYL ALCOHOL, MITICANE-1, MITICANE-2, MITICANE-3, MITICANE-4, MITICANE-5, MITICANE-6, MITICANE-7, MITICANE-8, MITICANE-9, MITICANE-10, MITICANE-11, MITICANE-12, MITICANE-13, MITICANE-14, MITICANE-15, MITICANE-16, MITICANE-17, MITICANE-18, MITICANE-19, MITICANE-20, MITICANE-21, MITICANE-22, MITICANE-23, MITICANE-24, MITICANE-25, MITICANE-26, MITICANE-27, MITICANE-28, MITICANE-29, MITICANE-30, MITICANE-31, MITICANE-32, MITICANE-33, MITICANE-34, MITICANE-35, MITICANE-36, MITICANE-37, MITICANE-38, MITICANE-39, MITICANE-40, MITICANE-41, MITICANE-42, MITICANE-43, MITICANE-44, MITICANE-45, MITICANE-46, MITICANE-47, MITICANE-48, MITICANE-49, MITICANE-50, MITICANE-51, MITICANE-52, MITICANE-53, MITICANE-54, MITICANE-55, MITICANE-56, MITICANE-57, MITICANE-58, MITICANE-59, MITICANE-60, MITICANE-61, MITICANE-62, MITICANE-63, MITICANE-64, MITICANE-65, MITICANE-66, MITICANE-67, MITICANE-68, MITICANE-69, MITICANE-70, MITICANE-71, MITICANE-72, MITICANE-73, MITICANE-74, MITICANE-75, MITICANE-76, MITICANE-77, MITICANE-78, MITICANE-79, MITICANE-80, MITICANE-81, MITICANE-82, MITICANE-83, MITICANE-84, MITICANE-85, MITICANE-86, MITICANE-87, MITICANE-88, MITICANE-89, MITICANE-90, MITICANE-91, MITICANE-92, MITICANE-93, MITICANE-94, MITICANE-95, MITICANE-96, MITICANE-97, MITICANE-98, MITICANE-99, MITICANE-100

BENEFITS:

- photonic crystal technology contains a color corrector and an optically transparent polymer that helps soften the appearance of wrinkles and other skin imperfections for a natural, youthful looking appearance
- exclusive, photo-protective chroma-luminescent technology helps brighten the skin while shielding it from damaging environmental elements
- hydra-extend technology, comprised of sugar molecules, helps provide continuous hydration
- a potent blend of vitamins & minerals help nourish the skin, reduce the appearance of fine lines & wrinkles and repair skin from the inside out

S906-00-111C

ING

ALUMINUM HYDROXIDE, BENZIMIDAZOLE DIAMOND AMIDEETHYL UREA CARBAWATE, PROPYL POLYMETHYLSILSESQUIOXANE, BORON NITRIDE, BUTYLENE GLYCOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, CAPRYLYL GLYCOL, DEXTRIN PALMITATE, DIMETHICONE, DIMETHYLMETHOXY CHROMANYL PALMITATE, DISODIUM EDTA, DISTEARDIMONIUM HECTORITE, ETHANOL, GLYCERIN, GLYCERYL POLYACRYLATE, HDI/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER, HEXYLENE GLYCOL, LECITHIN, LYSINE, MAGNESIUM ASCORBYL PHOSPHATE, MAGNESIUM CHLORIDE, METHICONE, NYLON-12, PALMITIC ACID, PEG/PPG-18/18 DIMETHICONE, PHENOXYETHANOL, POLYMETHYLSILSESQUIOXANE, POTASSIUM CHLORIDE, ROSE EXTRACT/ROSA CANINA EXTRACT, SACCHARIDE ISOMERATE, SODIUM CHLORIDE, SODIUM DEHYDROACETATE, SODIUM HYALURONATE, SQUALANE, STEARIC ACID, TRIETHOXYCAPRYLYLSILANE, TRIETHYL CITRATE, TRIMETHYLSILOXYSILICATE, WATER (AQUA), XANTHAN GUM, ZINC CHLORIDE, **MAY CONTAIN (+/-): CHROMIUM OXIDE GREENS (CI 77288), IRON OXIDES (CI 77491, CI 77492, CI 77499), MICA, TITANIUM DIOXIDE (CI 77891)**<ILN CI31004>.

OTHER INFORMATION

- protect this product from excessive heat and direct sun

QUESTIONS OR COMMENTS? stilacosmetics.com

stilacosmetics.com

dist. by © stila styles, llc • los angeles, ca 90027
 biorius sprl • 2 rue rené descartes • b-7000, mons, belgium
 made in u.s.a. 5906-00-1110

FPO
 Batch Code/Exp. Date

USAGE: apply to clean skin using a brush or your fingertips. blend well until the skin tone shade is achieved. layer for additional coverage.

FPO UPC LABEL
 1" x 0.75", CR = 0.0625"

STILA COLOR CORRECTING BROAD SPECTRUM SPF 20 (ALL SHADES)

octinoxate, titanium dioxide, and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76049-906
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	50 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHYLMETHOXY CHROMANYL PALMITATE (UNII: 5G222ZDK7U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
MAGNESIUM ASCORBYL PHOSPHATE (UNII: 0R822556M5)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
NYLON-12 (UNII: 446U8J075B)	
PALMITIC ACID (UNII: 2V16EO95HI)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POTASSIUM CHLORIDE (UNII: 660YQ981I0)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
SQUALANE (UNII: GW89575KF9)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
WATER (UNII: 059QF0K00R)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
CHROMIC OXIDE (UNII: X5Z09SU859)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76049-906-01	1 in 1 CARTON		
1		40 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

Labeler - Stila Styles, LLC (809192896)

Establishment

Name	Address	ID/FEI	Business Operations
GORDON LABORATORIES, INC.		008328619	MANUFACTURE(76049-906)

Revised: 11/2013

Stila Styles, LLC