

SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION NEUTRAL 1-
 octinoxate and titanium dioxide liquid
 SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION NEUTRAL 2-
 octinoxate and titanium dioxide liquid
 SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION NEUTRAL 3-
 octinoxate and titanium dioxide liquid
 SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION NEUTRAL 4-
 octinoxate and titanium dioxide liquid
 SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION NEUTRAL 5-
 octinoxate and titanium dioxide liquid
 SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION ROSE 2-
 octinoxate and titanium dioxide liquid
 SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION ROSE 3-
 octinoxate and titanium dioxide liquid
 SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION ROSE 4-
 octinoxate and titanium dioxide liquid
 SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION ROSE 5-
 octinoxate and titanium dioxide liquid
 SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION GOLDEN 2-
 octinoxate and titanium dioxide liquid
 SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION GOLDEN 3-
 octinoxate and titanium dioxide liquid
 SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION GOLDEN 4-
 octinoxate and titanium dioxide liquid
 SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION GOLDEN 5-
 octinoxate and titanium dioxide liquid
 SHISEIDO AMERICAS CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
OCTINOXATE 4.9%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable

Do not use near heat, flame or while smoking.

Directions

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER•CYCLOPENTASILOXANE•GLYCERIN•BUTYLENE
GLYCOL•CYCLOMETHICONE•DIPHENYLSILOXY PHENYL TRIMETHICONE•SYNTHETIC
FLUORPHLOGOPITE•SD ALCOHOL 40-B•DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER•SODIUM GLUTAMATE•LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL
DIMETHICONE•PEG-10 DIMETHICONE•SORBITAN SESQUIESTEARATE•ISOPROPYL
MYRISTATE•BARIUM SULFATE•BIS-BUTYLDIMETHICONE POLYGLYCERYL-3•ARGANIA
SPINOSA KERNEL OIL•POLYQUATERNIUM-51•NYLON-12•THYMUS SERPYLLUM
EXTRACT•SODIUM ACETYLATED HYALURONATE•VACCINIUM MACROCARPON
(CRANBERRY) SEED OIL•CITRUS JUNOS SEED EXTRACT•DISTEARDIMONIUM
HECTORITE•ALUMINUM HYDROXIDE•STEARIC
ACID•ALUMINA•TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL
DIMETHICONE•SODIUM CITRATE•TRIETHOXYCAPRYLYLSILANE•POLYSILICONE-
2•TRISODIUM EDTA•ALCOHOL•DIMETHICONE•TOCOPHEROL•CITRIC ACID•HYDROGEN
DIMETHICONE(ONLY IN:GOLDEN 5•NEUTRAL 4, 5•ROSE 4, 5)•BHT•SODIUM
METABISULFITE•HYDRATED SILICA•DIMETHICONE/PEG-10/15 CROSSPOLYMER•TIN
OXIDE•POLYMETHYLSILSESQUIOXANE•DIPROPYLENE GLYCOL•DIISOSTEARYL
MALATE•GLYCERYL DIISOSTEARATE•HELIANTHUS ANNUUS (SUNFLOWER) SEED
OIL•ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT•SODIUM
DEHYDROACETATE•METHYLPARABEN•ETHYLPARABEN•PHENOXYETHANOL•FRAGRANCE•TITANIUM
DIOXIDE•IRON OXIDES•MICA•RED 27•

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Neutral 1**SHI SEIDO****GINZA TOKYO****SYNCHRO SKIN****GLOW**

Luminizing

Fluid Foundation

BROAD SPECTRUM

SPF 20

Sunscreen

30mL 1 FL. OZ.

Luminizing Fluid Foundation



Neutral 1

SHISEIDO
GINZA TOKYO

**SYNCHRO SKIN
GLOW**

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

**Drug Facts
(continued)**

Inactive ingredients

WATER • CYCLOPENTASILOXANE • GLYCERIN • BUTYLENE GLYCOL • CYCLOMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • SYNTHETIC FLUORPHLOGOPITE • SD ALCOHOL 40-8 • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • SODIUM GLUTAMATE • LAURYL PEG-8 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • SORBITAN SESQUISOSEARATE • ISOPROPYL MYRISTATE • BARIUM SULFATE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 • ARGANIA SPINOSA KERNEL OIL • POLYQUATERNIUM-51 • NYLON-12 • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • VACCINIUM MACROCARPON (CRANBERRY) SEED OIL • CITRUS JUNOS SEED EXTRACT • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • ALUMINA • TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • SODIUM CITRATE • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • TRISODIUM EDTA • ALCOHOL • DIMETHICONE • TOCOPHEROL • CITRIC ACID • HYDROGEN DIMETHICONE (ONLY IN GOLDEN 5, NEUTRAL 4, 5, ROSE 4, 5) • BHT • SODIUM METABISULFATE • HYDRATED SILICA • DIMETHICONE/PEG-10/15 CROSSPOLYMER • TIN OXIDE • POLYMETHYLSILSESQUOXANE • DIPROPYLENE GLYCOL • DIISOSTEARYL MALATE • GLYCERYL DIISOSTEARATE • HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL • ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT • SODIUM DEHYDROACETATE • METHYL PARABEN • ETHYL PARABEN • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA • RED 27 •

30mL 1 FL. OZ.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

READ INSERTION.



ULTIMATE SKIN LUMINOSITY WITH RESPONSIVE SENSORY TECHNOLOGY.

An intelligent, luminizing foundation that infuses fresh hydration and synchronizes with skin for a healthy brilliant glow. Intuitively beautiful. Like it belongs to your skin.

Drug Facts

Active ingredients Purpose
OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.0% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun ▶

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

40x38x136

1 2 3 4

567890



Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com

縮小サイズ0.65倍 6mmバー
11mm×26mm

7 30852 13539 0

13539-41-4160



13539-40-5040

AAA

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Neutral 2

SHI SEIDO
GINZA TOKYO
SYNCHRO SKIN
GLOW

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

30mL 1 FL. OZ.

Luminizing Fluid Foundation



Neutral 2

SHISEIDO
GINZA TOKYO

**SYNCHRO SKIN
GLOW**

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

Drug Facts
(continued)

Inactive ingredients

WATER • CYCLOPENTASILOXANE • GLYCERIN • BUTYLENE GLYCOL • CYCLOMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • SYNTHETIC FLUORPHLOGOPITE • SD ALCOHOL 40-8 • DIMETHICONE/MINYL DIMETHICONE CROSSPOLYMER • SODIUM GLUTAMATE • LAURYL PEG-8 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • SORBITAN SESQUINOSTEARATE • ISOPROPYL MYRISTATE • BARIUM SULFATE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 • ARGANIA SPINOSA KERNEL OIL • POLYQUATERNIUM-51 • NYLON-12 • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • VACCINIUM MACROCARPON (CRANBERRY) SEED OIL • CITRUS JUNOS SEED EXTRACT • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • ALUMINA • TRIETHOXYSILOXYETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • SODIUM CITRATE • TRIETHOXYCAPRYLSILANE • POLYSILOXANE-2 • TRISODIUM EDTA • ALCOHOL • DIMETHICONE • TOCOPHEROL • CITRIC ACID • HYDROGEN DIMETHICONE/ONLY IN GOLDEN 5, NEUTRAL 4, 5, ROSE 4, 5 • BHT • SODIUM METABISULFATE • HYDRATED SILICA • DIMETHICONE/PEG-10/15 CROSSPOLYMER • TIN OXIDE • POLYMETHYLSILOXANES • DIPHENYLENE GLYCOL • DIISOSTEARYL MALATE • GLYCERYL DIISOSTEARATE • HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL • ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT • SODIUM DEHYDROACETATE • METHYLPARABEN • ETHYLPARABEN • PHENOXYETHANOL • FRAGRANCE •

TITANIUM DIOXIDE • IRON OXIDES • MICA • RED 27 •

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

READ INSERTION.



30mL 1 FL. OZ.

ULTIMATE SKIN LUMINOSITY WITH RESPONSIVE SENSORY TECHNOLOGY.

An intelligent, luminizing foundation that infuses fresh hydration and synchronizes with skin for a healthy brilliant glow. Intuitively beautiful. Like it belongs to your skin.

Drug Facts

Active ingredients Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.0% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun ▶

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

40x38x136

123

4 5 6 7 8 9 0



Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com

縮小サイズ0.65倍 6mmバー
11mm×26mm

7 30852 13540 6
13540-41-4160



13540-40-5040

AAA

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor 

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Neutral 3

SHI SEIDO
GINZA TOKYO

**SYNCHRO SKIN
GLOW**

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

30mL 1 FL. OZ.

Luminizing Fluid Foundation



Neutral 3

SHISEIDO
GINZA TOKYO

**SYNCHRO SKIN
GLOW**

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

Drug Facts
(continued)

Inactive ingredients

WATER • CYCLOPENTASILOXANE • GLYCERIN • BUTYLENE GLYCOL • CYCLOMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • SYNTHETIC FLUORPHLOGOPITE • SD ALCOHOL 40-B • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • SODIUM GLUTAMATE • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • SORBITAN SESQUISOSEARATE • ISOPROPYL MYRISTATE • BARIUM SULFATE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 • ARGANIA SPINOSA KERNEL OIL • POLYQUATERNIUM-51 • NYLON-12 • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • VACCINIUM MACROCARPON (CRANBERRY) SEED OIL • CITRUS JUNOS SEED EXTRACT • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • ALUMINA • TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • SODIUM CITRATE • TRIETHOXYCAPRYLYLSILANE • POLYSILICONE-2 • TRISODIUM EDTA • ALCOHOL • DIMETHICONE • TOCOPHEROL • CITRIC ACID • HYDROGEN DIMETHICONE/ONLY IN: GOLDEN 5, NEUTRAL 4, 5, ROSE 4, 5) • BHT • SODIUM METABISULFITE • HYDRATED SILICA • DIMETHICONE/PEG-10/15 CROSSPOLYMER • TIN OXIDE • POLYMETHYLSILSESQUOXANE • DIPPYLENE GLYCOL • DIISOSTEARYL MALATE • GLYCERYL DIISOSTEARATE • HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL • ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT • SODIUM DEHYDROACETATE • METHYL PARABEN • ETHYL PARABEN • PHENOXYETHANOL • FRAGRANCE •

TITANIUM DIOXIDE • IRON OXIDES • MICA • RED 27 •

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

READ INSERTION.



30mL 1 FL. OZ.

40x38x136

12

ULTIMATE SKIN LUMINOSITY WITH RESPONSIVE SENSORY TECHNOLOGY.

An intelligent, luminizing foundation that infuses fresh hydration and synchronizes with skin for a healthy brilliant glow. Intuitively beautiful. Like it belongs to your skin.

Drug Facts

Active ingredients Purpose

OCTINOXATE 4.9% Sunscreen
 TITANIUM DIOXIDE 2.0% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun ▶

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

3
4
5
6
7
8
9
0



Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com

縮小サイズ0.65倍 6mmハーフ
11mm×26mm

7 30852 13541 3
13541-41-4160



13541-40-5040

AAA

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor



GINZA TOKYO

SYNCHRO SKIN

GLOW

Luminizing

Fluid Foundation

BROAD SPECTRUM

SPF 20

Sunscreen

30mL 1 FL. OZ.

Luminizing Fluid Foundation



Neutral 4

SHISEIDO
GINZA TOKYO

**SYNCHRO SKIN
GLOW**

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

Drug Facts
(continued)

Inactive ingredients

WATER • CYCLOPENTASILOXANE • GLYCERIN • BUTYLENE GLYCOL • CYCLOMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • SYNTHETIC FLUOROPHLOGOPITE • SD ALCOHOL 40-B • DIMETHICONE/VINYL DIMETHICONE COPOLYMER • SODIUM GLUTAMATE • LAURYL PEG-8 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • SORBITAN SESQUINOSTEARATE • ISOPROPYL MYRISTATE • BARIUM SULFATE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 • ARGANIA SPINOSA KERNEL OIL • POLYQUATERNIUM-51 • NYLON-12 • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • VACCINIUM MACROCARPON (CRANBERRY) SEED OIL • CITRUS JUNOS SEED EXTRACT • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • ALUMINA • TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • SODIUM CITRATE • TRIETHOXYCAPRYLSILANE • POLYSILOXANE-2 • TRISODIUM EDTA • ALCOHOL • DIMETHICONE • TOCOPHEROL • CITRIC ACID • HYDROGEN DIMETHICONE/ONLY IN: GOLDEN 5, NEUTRAL 4, 5, ROSE 4, 5) • BHT • SODIUM METABISULFITE • HYDRATED SILICA • DIMETHICONE/PEG-10/15 COPOLYMER • TIN OXIDE • POLYMETHYLSILOXANES • DIPROPYLENE GLYCOL • DIMETHYLSEBACATE • GLYCERYL DIMETHYLSEBACATE • HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL • ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT • SODIUM DEHYDROACETATE • METHYL PARABEN • ETHYL PARABEN • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • POLYMER-1, MICA, PEG-27

TITANIUM DIOXIDE * IRON OXIDES * IRIGA * RED 27

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

READ INSERTION.



30mL 1 FL. OZ.

40X38X136

123

ULTIMATE SKIN LUMINOSITY WITH RESPONSIVE SENSORY TECHNOLOGY.

An intelligent, luminizing foundation that infuses fresh hydration and synchronizes with skin for a healthy brilliant glow. Intuitively beautiful. Like it belongs to your skin.

Drug Facts

Active ingredients Purpose

OCTINOXATE 4.9% Sunscreen
 TITANIUM DIOXIDE 2.0% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun ▶

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

4 5 6 7 8 9 0



Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com

縮小サイズ0.65倍 6mm/バー
11mm×26mm

7 30852 13542 0
13542-41-4160



13542-40-5040
AAA

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor 

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Neutral 5

SHI SEIDO
GINZA TOKYO
SYNCHRO SKIN

GLOW

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

30mL 1 FL. OZ.

Luminizing Fluid Foundation



Neutral 5

SHISEIDO
GINZA TOKYO

**SYNCHRO SKIN
GLOW**

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

Drug Facts
(continued)

Inactive ingredients

WATER • CYCLOPENTASILOXANE • GLYCERIN • BUTYLENE GLYCOL • CYCLOMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • SYNTHETIC FLUORPHLOBOPITE • SD-ALCOHOL-40-B • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • SODIUM GLUTAMATE • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • SORBITAN SESQUISOESTEATE • ISOPROPYL MYRISTATE • BARIUM SULFATE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 • ARGANIA SPINOSA KERNEL OIL • POLYQUATERNIUM-51 • NYLON-12 • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • VACCINIUM MACROCARPON (CRANBERRY) SEED OIL • CITRUS JUNOS SEED EXTRACT • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • ALUMINA • TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • SODIUM CITRATE • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • TRISODIUM EDTA • ALCOHOL • DIMETHICONE • TOCOPHEROL • CITRIC ACID • HYDROGEN DIMETHICONE(ONLY IN GOLDEN 5, NEUTRAL 4, 5, ROSE 4, 5) • BHT • SODIUM METABISULFATE • HYDRATED SILICA • DIMETHICONE/PEG-10/15 CROSSPOLYMER • TIN OXIDE • POLYMETHYLSILSESQUOXANE • DIPROPYLENE GLYCOL • DIISOSTEARYL MALATE • GLYCERYL DIISOSTEARATE • HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL • ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT • SODIUM DEHYDROACETATE • METHYL PARABEN • ETHYL PARABEN • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA • RED 27 •

30mL 1 FL. OZ.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

READ INSERTION.



ULTIMATE SKIN LUMINOSITY WITH RESPONSIVE SENSORY TECHNOLOGY.

An intelligent, luminizing foundation that infuses fresh hydration and synchronizes with skin for a healthy brilliant glow. Intuitively beautiful. Like it belongs to your skin.

Drug Facts

Active ingredients Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.0% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun ▶

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

40x38x136

NS 1 2 3 4

1 5 6 7 8 9 0



Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com

縮小サイズ0.65倍 6mmバー
11mm×26mm

7 30852 13543 7
13543-41-4160

13543-40-5040

AAA

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Rose 2

SHI SEIDO
GINZA TOKYO
SYNCHRO SKIN

GLOW

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

30mL 1 FL. OZ.

Luminizing Fluid Foundation



Rose 2

SHISEIDO
GINZA TOKYO

**SYNCHRO SKIN
GLOW**

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

Drug Facts
(continued)

Inactive ingredients

WATER • CYCLOPENTASILOXANE • GLYCERIN • BUTYLENE GLYCOL • CYCLOMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • SYNTHETIC FLUORPHLOGOPITE • SD ALCOHOL 40-8 • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • SODIUM GLUTAMATE • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • SORBITAN SESQUISOOSTEARATE • ISOPROPYL MYRISTATE • BARIUM SULFATE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 • ARGANIA SPINOSA KERNEL OIL • POLYQUATERNIUM-51 • NYLON-12 • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • VACCINIUM MACROCARPON (CRANBERRY) SEED OIL • CITRUS JUNOS SEED EXTRACT • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • ALUMINA • TRIETHOXYDIMETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • SODIUM CITRATE • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • TRISODIUM EDTA • ALCOHOL • DIMETHICONE • TOCOPHEROL • CITRIC ACID • HYDROGEN DIMETHICONE (ONLY IN GOLDEN 5, NEUTRAL 4, 5, ROSE 4, 5) • BHT • SODIUM METABISULFITE • HYDRATED SILICA • DIMETHICONE/PEG-10/15 CROSSPOLYMER • TIN OXIDE • POLYMETHYLSILOXANES • DIPROPYLENE GLYCOL • DIMETHOXYETHYL MALATE • GLYCERYL DIMETHOXYOOSTEARATE • HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL • ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT • SODIUM DEHYDROACETATE • METHYL PARABEN • ETHYL PARABEN • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA • RED 27 •

30mL 1 FL. OZ.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

READ INSERTION.



ULTIMATE SKIN LUMINOSITY WITH RESPONSIVE SENSORY TECHNOLOGY.

An intelligent, luminizing foundation that infuses fresh hydration and synchronizes with skin for a healthy brilliant glow. Intuitively beautiful. Like it belongs to your skin.

Drug Facts

Active ingredients Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.0% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun ▶

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

40x38x136

US 1 2 3 4

5 6 7 8 9 0



Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com

縮小サイズ0.65倍 6mmバー
11mm×26mm

7 30852 13545 1
13545-41-4160

13545-40-5040

AAA

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Rose 3

SHI SEIDO
GINZA TOKYO
SYNCHRO SKIN

GLOW

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

30mL 1 FL. OZ.

Luminizing Fluid Foundation



Rose 3

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
GLOW

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

Drug Facts
(continued)

Inactive ingredients

WATER • CYCLOPENTASILOXANE • GLYCERIN • BUTYLENE GLYCOL • CYCLOMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • SYNTHETIC FLUORPHLOGOPITE • SD ALCOHOL 40-8 • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • SODIUM GLUTAMATE • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • SORBITAN SESQUISOOSTEARATE • ISOPROPYL MYRISTATE • BARIUM SULFATE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 • ARGANIA SPINOSA KERNEL OIL • POLYQUATERNIUM-51 • NYLON-12 • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • VACCINIUM MACROCARPON (CRANBERRY) SEED OIL • CITRUS JUNOS SEED EXTRACT • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • ALUMINA • TRIETHOXYSIPLYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • SODIUM CITRATE • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • TRISODIUM EDTA • ALCOHOL • DIMETHICONE • TOCOPHEROL • CITRIC ACID • HYDROGEN DIMETHICONE (ONLY IN GOLDEN 5, NEUTRAL 4, 5, ROSE 4, 5) • BHT • SODIUM METABISULFITE • HYDRATED SILICA • DIMETHICONE/PEG-10/15 CROSSPOLYMER • TIN OXIDE • POLYMETHYLSILSESQUOXANE • DIPROPYLENE GLYCOL • DIOSTEARYL MALATE • GLYCERYL DIOSTEARATE • HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL • ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT • SODIUM DEHYDROACETATE • METHYLPARABEN • ETHYLPARABEN • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA • RED 27

30mL 1 FL. OZ.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

READ INSERTION.



ULTIMATE SKIN LUMINOSITY WITH RESPONSIVE SENSORY TECHNOLOGY.

An intelligent, luminizing foundation that infuses fresh hydration and synchronizes with skin for a healthy brilliant glow. Intuitively beautiful. Like it belongs to your skin.

Drug Facts

Active ingredients Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.0% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun ▶

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

40x38x136

123

4
5
6
7
8
9
0



Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com

縮小サイズ0.65倍 6mmバー
11mm×26mm

7 30852 13546 8
13546-41-4160

13546-40-5040

AAA

For sunscreen use.

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Rose 4

SHI SEIDO
GINZA TOKYO
SYNCHRO SKIN

GLOW

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

30mL 1 FL. OZ.

Luminizing Fluid Foundation



Rose 4

SHISEIDO
GINZA TOKYO

**SYNCHRO SKIN
GLOW**

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

Drug Facts
(continued)

Inactive ingredients

WATER • CYCLOPENTASILOXANE • GLYCERIN • BUTYLENE GLYCOL • CYCLOMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • SYNTHETIC FLUORPHLOGOPITE • SD ALCOHOL 40-B • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • SODIUM GLUTAMATE • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • SORBITAN SESQUISOSEARATE • ISOPROPYL MYRISTATE • BARIUM SULFATE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 • ARGANIA SPINOSA KERNEL OIL • POLYQUATERNIUM-51 • NYLON-12 • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • VACCINIUM MACROCARPON (CRANBERRY) SEED OIL • CITRUS JUNDS SEED EXTRACT • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • ALLUMINA • TRIETHOXYSIPLYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • SODIUM CITRATE • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • TRISODIUM EDTA • ALCOHOL • DIMETHICONE • TOCOPHEROL • CITRIC ACID • HYDROGEN DIMETHICONE(IONLY IN GOLDEN 5, NEUTRAL 4, 5, ROSE 4, 5) • BHT • SODIUM METABISULFITE • HYDRATED SILICA • DIMETHICONE/PEG-10/15 CROSSPOLYMER • TIN OXIDE • POLYMETHYLSILSESQUOXANE • DIPROPYLENE GLYCOL • DIMISOSTEARYL MALATE • GLYCERYL DIMISOSEARATE • HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL • ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT • SODIUM DEHYDROACETATE • METHYLPARABEN • ETHYLPARABEN • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA • RED 27 •

30mL 1 FL. OZ.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

READ INSERTION.



ULTIMATE SKIN LUMINOSITY WITH RESPONSIVE SENSORY TECHNOLOGY.

An intelligent, luminizing foundation that infuses fresh hydration and synchronizes with skin for a healthy brilliant glow. Intuitively beautiful. Like it belongs to your skin.

Drug Facts

Active ingredients Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.0% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun ▶

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:
■ apply liberally 15 minutes

40x38x136

1 2 3 4

5 6 7 8 9 0



Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com

縮小サイズ0.65倍 6mm×11mm
11mm×26mm

7 30852 13547 5
13547-41-4160



13547-40-5040

AAA

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Rose 5

SHI SEIDO
GINZA TOKYO
SYNCHRO SKIN
GLOW

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

30mL 1 FL. OZ.

Luminizing Fluid Foundation



Rose 5

SHISEIDO
GINZA TOKYO

**SYNCHRO SKIN
GLOW**

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

Drug Facts
(continued)

Inactive ingredients

WATER • CYCLOPENTASILOXANE • GLYCERIN • BUTYLENE GLYCOL • CYCLOMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • SYNTHETIC FLUORPHLOGOPITE • SD-ALCOHOL 40-8 • DIMETHICONE/VINYL DIMETHICONE COPOLYMER • SODIUM GLUTAMATE • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • SORBITAN SESQUISOOSTEARATE • ISOPROPYL MYRISTATE • BARIUM SULFATE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 • ARGANIA SPINOSA KERNEL OIL • POLYQUATERNIUM-51 • NYLON-12 • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • VACCINIUM MACROCARPON (CRANBERRY) SEED OIL • CITRUS JUNOS SEED EXTRACT • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • ALUMINA • TRIETHOXYDIMETHYLSILOXYETHYL DIMETHICONE • SODIUM CITRATE • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • TRISODIUM EDTA • ALCOHOL • DIMETHICONE • TOCOPHEROL • CITRIC ACID • HYDROGEN DIMETHICONE (ONLY IN GOLDEN 5, NEUTRAL 4, 5, ROSE 4, 5) • BHT • SODIUM METABISULFITE • HYDRATED SILICA • DIMETHICONE/PEG-10/15 COPOLYMER • TIN OXIDE • POLYMETHYLSILSESQUOXANE • DIPROPYLENE GLYCOL • DIISOSTEARYL MALATE • GLYCERYL DIISOSTEARATE • HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL • ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT • SODIUM DEHYDROACETATE • METHYLPARABEN • ETHYLPARABEN • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA • RED 27 •

30mL 1 FL. OZ.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

READ INSERTION.



ULTIMATE SKIN LUMINOSITY WITH RESPONSIVE SENSORY TECHNOLOGY.

An intelligent, luminizing foundation that infuses fresh hydration and synchronizes with skin for a healthy brilliant glow. Intuitively beautiful. Like it belongs to your skin.

Drug Facts

Active ingredients Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.0% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun ▶

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

40x38x136

NS 1 2 3 4

1 5 6 7 8 9 0



Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com

縮小サイズ0.65倍 6mmバー
11mm×26mm

7 30852 13548 2
13548-41-4160

13548-40-5040

AAA

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Golden 2

SHI SEIDO
GINZA TOKYO
SYNCHRO SKIN

GLOW

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

30mL 1 FL. OZ.

Luminizing Fluid Foundation



Golden 2

SHISEIDO
GINZA TOKYO

**SYNCHRO SKIN
GLOW**

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

Drug Facts
(continued)

Inactive ingredients

WATER • CYCLOPENTASILOXANE • GLYCERIN • BUTYLENE GLYCOL • CYCLOMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • SYNTHETIC FLUORPHLOGOPITE • SD ALCOHOL 40-8 • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • SODIUM GLUTAMATE • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • SORBITAN SESQUISOOSTEARATE • ISOPROPYL MYRISTATE • BARIUM SULFATE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 • ARGANIA SPINOSA KERNEL OIL • POLYQUATERNIUM-51 • NYLON-12 • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • VACCINIUM MACROCARPON (CRANBERRY) SEED OIL • CITRUS JUNOS SEED EXTRACT • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • ALUMINA • TRIETHOXYDIMETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • SODIUM CITRATE • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • TRISODIUM EDTA • ALCOHOL • DIMETHICONE • TOCOPHEROL • CITRIC ACID • HYDROGEN DIMETHICONE (ONLY IN GOLDEN 5, NEUTRAL 4, 5, ROSE 4, 5) • BHT • SODIUM METABISULFITE • HYDRATED SILICA • DIMETHICONE/PEG-10/15 CROSSPOLYMER • TIN OXIDE • POLYMETHYLSILOXANOL • DIPROPYLENE GLYCOL • DIMETHYLSEBACATE • GLYCERYL DIBESTEARATE • HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL • ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT • SODIUM DEHYDROACETATE • METHYLPARABEN • ETHYLPARABEN • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA • RED 27

30mL 1 FL. OZ.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

READ INSERTION.



ULTIMATE SKIN LUMINOSITY WITH RESPONSIVE SENSORY TECHNOLOGY.

An intelligent, luminizing foundation that infuses fresh hydration and synchronizes with skin for a healthy brilliant glow. Intuitively beautiful. Like it belongs to your skin.

Drug Facts

Active ingredients	Purpose
OCTINOXATE 4.9%	Sunscreen
TITANIUM DIOXIDE 2.0% ...	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun ▶

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

40x38x136

UG 1 2 3

4
5
6
7
8
9
0



Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

www.shiseido.com

縮小サイズ0.65倍 6mm×11mm
11mm×25mm

7 30852 13550 5
13550-41-4160



13550-40-5040

AAA

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Golden 3

SHI SEIDO
GINZA TOKYO
SYNCHRO SKIN

GLOW

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

30mL 1 FL. OZ.

Luminizing Fluid Foundation



Golden 3

SHISEIDO
GINZA TOKYO

**SYNCHRO SKIN
GLOW**

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

Drug Facts
(continued)

Inactive ingredients

WATER • CYCLOPENTASILOXANE • GLYCERIN • BUTYLENE GLYCOL • CYCLOMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • SYNTHETIC FLUORPHLOGOPITE • SD ALCOHOL 40-8 • DIMETHICONE/VINYL DIMETHICONE COPOLYMER • SODIUM GLUTAMATE • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • SORBITAN SESQUISOSEARATE • ISOPROPYL MYRISTATE • BARIUM SULFATE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 • ARGANIA SPINOSA KERNEL OIL • POLYQUATERNIUM-51 • NYLON-12 • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • VACCINIUM MACROCARPON (CRANBERRY) SEED OIL • CITRUS JUNOS SEED EXTRACT • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • ALUMINA • TRIETHOXYDIMETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • SODIUM CITRATE • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • TRISODIUM EDTA • ALCOHOL • DIMETHICONE • TOCOPHEROL • CITRIC ACID • HYDROGEN DIMETHICONE (ONLY IN GOLDEN 5, NEUTRAL 4, 5, ROSE 4, 5) • BHT • SODIUM METABISULFATE • HYDRATED SILICA • DIMETHICONE/PEG-10/15 COPOLYMER • TIN OXIDE • POLYMETHYLSILSESQUOXANE • DIPROPYLENE GLYCOL • DIISOSTEARYL MALATE • GLYCERYL DIISOSTEARATE • HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL • ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT • SODIUM DEHYDROACETATE • METHYLPARABEN • ETHYLPARABEN • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA • RED 27 •

30mL 1 FL. OZ.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

READ INSERTION.



ULTIMATE SKIN LUMINOSITY WITH RESPONSIVE SENSORY TECHNOLOGY.

An intelligent, luminizing foundation that infuses fresh hydration and synchronizes with skin for a healthy brilliant glow. Intuitively beautiful. Like it belongs to your skin.

Drug Facts

Active ingredients Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.0% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun ▶

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

40x38x136

75123

4
5
6
7
8
9
0



Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

www.shiseido.com

縮小サイズ0.65倍 6mm/11mm
11mm×26mm

7 30852 13551 2
13551-41-4160



13551-40-5040

AAA

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Golden 4

SHI SEIDO
GINZA TOKYO
SYNCHRO SKIN

GLOW

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

30mL 1 FL. OZ.

Luminizing Fluid Foundation



Golden 4

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
GLOW

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

Drug Facts
(continued)

Inactive ingredients

WATER • CYCLOPENTASILOXANE • GLYCERIN • BUTYLENE GLYCOL • CYCLOMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • SYNTHETIC FLUORPHLOGOPITE • SD ALCOHOL 40-8 • DIMETHICONE/VINYL DIMETHICONE COPOLYMER • SODIUM GLUTAMATE • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • SORBITAN SESQUINOSTEARATE • ISOPROPYL MYRISTATE • BARIUM SULFATE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 • ARGANIA SPINOSA KERNEL OIL • POLYQUATERNIUM-51 • NYLON-12 • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • VACCINIUM MACROCARPON (CRANBERRY) SEED OIL • CITRUS JUNOS SEED EXTRACT • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • ALUMINA • TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • SODIUM CITRATE • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • TRISODIUM EDTA • ALCOHOL • DIMETHICONE • TOCOPHEROL • CITRIC ACID • HYDROGEN DIMETHICONE/ONLY IN GOLDEN 5, NEUTRAL 4, 5, ROSE 4, 5) • BHT • SODIUM METABISULFITE • HYDRATED SILICA • DIMETHICONE/PEG-10/15 COPOLYMER • TIN OXIDE • POLYMETHYLSILSESQUOXANE • DIPROPYLENE GLYCOL • DIMETHYLSEBACATE • GLYCERYL DIBESTEARATE • HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL • ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT • SODIUM DEHYDROACETATE • METHYLPARABEN • ETHYLPARABEN • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA • PEG-27

TITANIUM DIOXIDE HIGH GRADES HIGH P.H.E.D. 27

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

READ INSERTION.



30mL 1 FL. OZ.

ULTIMATE SKIN LUMINOSITY WITH RESPONSIVE SENSORY TECHNOLOGY.

An intelligent, luminizing foundation that infuses fresh hydration and synchronizes with skin for a healthy brilliant glow. Intuitively beautiful. Like it belongs to your skin.

Drug Facts

Active ingredients Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.0% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun ▶

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

40x38x136

1 2 3

4 5 6 7 8 9 0



Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com

縮小サイズ0.65倍 6mmバー
11mm×25mm

7 30852 13552 9
13552-41-4160

13552-40-5040

AAA

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Golden 5

SHI SEIDO
GINZA TOKYO

**SYNCHRO SKIN
GLOW**

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

30mL 1 FL. OZ.

Luminizing Fluid Foundation



Golden 5

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
GLOW

Luminizing
Fluid Foundation

BROAD SPECTRUM
SPF 20

Sunscreen

Drug Facts
(continued)

Inactive ingredients

WATER • CYCLOPENTASILOXANE • GLYCERIN • BUTYLENE GLYCOL • CYCLOMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • SYNTHETIC FLUORPHLOGOPITE • SD ALCOHOL 40-8 • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • SODIUM GLUTAMATE • LAURYL PEG-8 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • SORBITAN SESQUISOOSTEARATE • ISOPROPYL MYRISTATE • BARIUM SULFATE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 • ARGANIA SPINOSA KERNEL OIL • POLYQUATERNIUM-51 • NYLON-12 • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • VACCINIUM MACROCARPON (CRANBERRY) SEED OIL • CITRUS JUNOS SEED EXTRACT • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • ALUMINA • TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • SODIUM CITRATE • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • TRISODIUM EDTA • ALCOHOL • DIMETHICONE • TOCOPHEROL • CITRIC ACID • HYDROGEN DIMETHICONE (ONLY IN GOLDEN 5, NEUTRAL 4, 5, ROSE 4, 5) • BHT • SODIUM METABISULFITE • HYDRATED SILICA • DIMETHICONE/PEG-10/15 CROSSPOLYMER • TIN OXIDE • POLYMETHYLSILOXANESILOXANE • DIPROPYLENE GLYCOL • DIISOSTEARYL MALATE • GLYCERYL DIISOSTEARATE • HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL • ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT • SODIUM DEHYDROACETATE • METHYLPARABEN • ETHYLPARABEN • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA • RED 27 •

30mL 1 FL. OZ.

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

READ INSERTION.



ULTIMATE SKIN LUMINOSITY WITH RESPONSIVE SENSORY TECHNOLOGY.

An intelligent, luminizing foundation that infuses fresh hydration and synchronizes with skin for a healthy brilliant glow. Intuitively beautiful. Like it belongs to your skin.

Drug Facts

Active ingredients Purpose

OCTINOXATE 4.9% Sunscreen
 TITANIUM DIOXIDE 2.0% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun ▶

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

40x38x136

79 1 2 3

4 5 6 7 8 9 0



Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

www.shiseido.com

縮小サイズ0.65倍 6mmバー
11mm×26mm

7 30852 13553 6
13553-41-4160

13553-40-5040

AAA

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

**SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION
NEUTRAL 1**

octinoxate and titanium dioxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-302
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		OCTINOXATE	1655 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE	676 mg in 30 mL
Inactive Ingredients			
Ingredient Name			Strength
WATER (UNII: 059QF0KO0R)			
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)			
GLYCERIN (UNII: PDC6A3C0OX)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
CYCLOMETHICONE (UNII: NMQ347994Z)			
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)			
MONOSODIUM GLUTAMATE (UNII: W81N5U6R6U)			
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)			
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)			
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)			
BARIUM SULFATE (UNII: 25BB7EKE2E)			
ARGAN OIL (UNII: 4V59G5UW9X)			
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)			
NYLON-12 (UNII: 446U8J075B)			
THYMUS SERPYLLUM (UNII: 86H4S6K51N)			
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)			
CRANBERRY SEED OIL (UNII: 73KDS3BW5E)			
CITRUS JUNOS SEED (UNII: UY43O1Q45N)			
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)			
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
ALUMINUM OXIDE (UNII: LM26O6933)			
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)			
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)			
EDETATE TRISODIUM (UNII: 420IP921MB)			
ALCOHOL (UNII: 3K9958V90M)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)			
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)			
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)			
SODIUM METABISULFITE (UNII: 4VON5FNS3C)			
HYDRATED SILICA (UNII: Y6O7T4G8P9)			
STANNIC OXIDE (UNII: KM7N50LOS6)			
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)			
DIPROPYLENE GLYCOL (UNII: E107L85C40)			
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)			
GLYCERYL DIISOSTEARATE (UNII: 68BAV42LRC)			
SUNFLOWER OIL (UNII: 3W1JG795YI)			
ROSEMARY (UNII: IJ67X351P9)			
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)			

METHYL PARABEN (UNII: A218C7H9T)				
ETHYL PARABEN (UNII: 14255EXE39)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
FERRIC OXIDE RED (UNII: 1K09F3G675)				
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)				
FERROSO FERRIC OXIDE (UNII: XM0M87F357)				
MICA (UNII: V8A1AW0880)				
D&C RED NO. 27 (UNII: 2LRS185U6K)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-302-10	1 in 1 CARTON	02/01/2017	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	02/01/2017		

SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION NEUTRAL 2			
octinoxate and titanium dioxide liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-303
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1655 mg in 30 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	676 mg in 30 mL	
Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0K00R)			
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)			
GLYCERIN (UNII: PDC6A3C0OX)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
CYCLOMETHICONE (UNII: NMQ347994Z)			
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)			
MONOSODIUM GLUTAMATE (UNII: W81N5U6R6U)			
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)			
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)			
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)			
BARIUM SULFATE (UNII: 25BB7EKE2E)			
ARGAN OIL (UNII: 4V59G5UW9X)			
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)			
NYLON-12 (UNII: 446U8J075B)			

THYMUS SERPYLLUM (UNII: 86H4S6K51N)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
CRANBERRY SEED OIL (UNII: 73KDS3BW5E)
CITRUS JUNO S SEED (UNII: UY43O1Q45N)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM OXIDE (UNII: LMI26O6933)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
EDETATE TRISODIUM (UNII: 420IP921MB)
ALCOHOL (UNII: 3K9958V90M)
DIMETHICONE (UNII: 92RU3N3Y1O)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
STANNIC OXIDE (UNII: KM7N50LOS6)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
GLYCERYL DIISOSTEARATE (UNII: 68BAV42LRC)
SUNFLOWER OIL (UNII: 3W1JG795YI)
ROSEMARY (UNII: IJ67X351P9)
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)
METHYL PARABEN (UNII: A2B8C7HI9T)
ETHYL PARABEN (UNII: 14255EXE39)
PHENOXYETHANOL (UNII: HE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)
D&C RED NO. 27 (UNII: 2LRS185U6K)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-303-10	1 in 1 CARTON	02/01/2017	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2017	

SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION NEUTRAL 3

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-304
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1655 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	676 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MONOSODIUM GLUTAMATE (UNII: W81N5U6R6U)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ARGAN OIL (UNII: 4V59G5UW9X)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
NYLON-12 (UNII: 446U8J075B)	
THYMUS SERPYLLUM (UNII: 86H4S6K51N)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
CRANBERRY SEED OIL (UNII: 73KDS3BW5E)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
ALCOHOL (UNII: 3K9958V90M)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
GLYCERYL DIISOSTEARATE (UNII: 68BAV42LRC)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ROSEMARY (UNII: IJ67X351P9)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
METHYLPARABEN (UNII: A218C7HI9T)	
ETHYLPARABEN (UNII: 14255EXE39)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

FERRIC OXIDE YELLOW (UNII: EX438O2MRT)				
FERROSO FERRIC OXIDE (UNII: XM0M87F357)				
MICA (UNII: V8A1AW0880)				
D&C RED NO. 27 (UNII: 2LRS185U6K)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-304-10	1 in 1 CARTON	02/01/2017	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	02/01/2017		

SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION NEUTRAL 4

octinoxate and titanium dioxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-305
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	676 mg in 30 mL	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1655 mg in 30 mL	
Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)			
GLYCERIN (UNII: PDC6A3C0OX)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
CYCLOMETHICONE (UNII: NMQ347994Z)			
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)			
MONOSODIUM GLUTAMATE (UNII: W81N5U6R6U)			
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)			
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)			
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)			
BARIUM SULFATE (UNII: 25BB7EKE2E)			
ARGAN OIL (UNII: 4V59G5UW9X)			
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)			
NYLON-12 (UNII: 446U8J075B)			
THYMUS SERPYLLUM (UNII: 86H4S6K51N)			
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)			
CRANBERRY SEED OIL (UNII: 73KDS3BW5E)			
CITRUS JUNOS SEED (UNII: UY4301Q45N)			

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM OXIDE (UNII: LMI26O6933)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
EDETATE TRISODIUM (UNII: 420IP921MB)
ALCOHOL (UNII: 3K9958V90M)
DIMETHICONE (UNII: 92RU3N3Y1O)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
STANNIC OXIDE (UNII: KM7N50LOS6)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
GLYCERYL DIISOSTEARATE (UNII: 68BAV42LRC)
SUNFLOWER OIL (UNII: 3W1JG795YI)
ROSEMARY (UNII: IJ67X351P9)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
METHYL PARABEN (UNII: A218C7HI9T)
ETHYL PARABEN (UNII: 14255EXE39)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)
D&C RED NO. 27 (UNII: 2LRS185U6K)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-305-10	1 in 1 CARTON	02/01/2017	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2017	

SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION NEUTRAL 5

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-306
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1655 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	676 mg in 30 mL
Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)		
GLYCERIN (UNII: PDC6A3C0OX)		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
CYCLOMETHICONE (UNII: NMQ347994Z)		
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)		
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)		
MONOSODIUM GLUTAMATE (UNII: W81N5U6R6U)		
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)		
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)		
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)		
BARIUM SULFATE (UNII: 25BB7EKE2E)		
ARGAN OIL (UNII: 4V59G5UW9X)		
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)		
NYLON-12 (UNII: 446U8J075B)		
THYMUS SERPYLLUM (UNII: 86H4S6K51N)		
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)		
CRANBERRY SEED OIL (UNII: 73KDS3BW5E)		
CITRUS JUNOS SEED (UNII: UY43O1Q45N)		
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)		
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
ALUMINUM OXIDE (UNII: LM26O6933)		
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)		
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)		
EDETATE TRISODIUM (UNII: 420IP921MB)		
ALCOHOL (UNII: 3K9958V90M)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)		
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)		
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YO1)		
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)		
SODIUM METABISULFITE (UNII: 4VON5FNS3C)		
HYDRATED SILICA (UNII: Y6O7T4G8P9)		
STANNIC OXIDE (UNII: KM7N50LOS6)		
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)		
DIPROPYLENE GLYCOL (UNII: E107L85C40)		
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)		
GLYCERYL DIISOSTEARATE (UNII: 68BAV42LRC)		
SUNFLOWER OIL (UNII: 3W1JG795YI)		
ROSEMARY (UNII: IJ67X351P9)		
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)		
METHYL PARABEN (UNII: A2B8C7HI9T)		
ETHYL PARABEN (UNII: 14255EXE39)		
PHENOXYETHANOL (UNII: HE492ZZ3T)		
FERRIC OXIDE RED (UNII: 1K09F3G675)		
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)		
FERROSFERRIC OXIDE (UNII: XM0M87F357)		

MICA (UNII: V8A1AW0880)				
D&C RED NO. 27 (UNII: 2LRS185U6K)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-306-10	1 in 1 CARTON	02/01/2017	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	02/01/2017		

SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION ROSE 2

octinoxate and titanium dioxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-307
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1655 mg in 30 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	676 mg in 30 mL	
Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)			
GLYCERIN (UNII: PDC6A3C0OX)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
CYCLOMETHICONE (UNII: NMQ347994Z)			
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)			
MONOSODIUM GLUTAMATE (UNII: W81N5U6R6U)			
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)			
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)			
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)			
BARIUM SULFATE (UNII: 25BB7EKE2E)			
ARGAN OIL (UNII: 4V59G5UW9X)			
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)			
NYLON-12 (UNII: 446U8J075B)			
THYMUS SERPYLLUM (UNII: 86H4S6K51N)			
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)			
CRANBERRY SEED OIL (UNII: 73KDS3BW5E)			
CITRUS JUNOS SEED (UNII: UY43O1Q45N)			
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)			

ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM OXIDE (UNII: LMI26O6933)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
TRIETHOXYCAPRYL YLSILANE (UNII: LDC331P08E)
EDETATE TRISODIUM (UNII: 420IP921MB)
ALCOHOL (UNII: 3K9958V90M)
DIMETHICONE (UNII: 92RU3N3Y1O)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
STANNIC OXIDE (UNII: KM7N50LOS6)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
GLYCERYL DIISOSTEARATE (UNII: 68BAV42LRC)
SUNFLOWER OIL (UNII: 3W1JG795YI)
ROSEMARY (UNII: IJ67X351P9)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
METHYL PARABEN (UNII: A218C7HI9T)
ETHYL PARABEN (UNII: 14255EXE39)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)
D&C RED NO. 27 (UNII: 2LRS185U6K)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-307-10	1 in 1 CARTON	02/01/2017	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2017	

SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION ROSE 3

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-308
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1655 mg in 30 mL

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	676 mg in 30 mL
Inactive Ingredients		
Ingredient Name		Strength
WATER (UNII: 059QF0KO0R)		
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)		
GLYCERIN (UNII: PDC6A3C0OX)		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
CYCLOMETHICONE (UNII: NMQ347994Z)		
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)		
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)		
MONO SODIUM GLUTAMATE (UNII: W81N5U6R6U)		
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)		
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)		
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)		
BARIUM SULFATE (UNII: 25BB7EKE2E)		
ARGAN OIL (UNII: 4V59G5UW9X)		
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)		
NYLON-12 (UNII: 446U8J075B)		
THYMUS SERPYLLUM (UNII: 86H4S6K51N)		
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)		
CRANBERRY SEED OIL (UNII: 73KDS3BW5E)		
CITRUS JUNOS SEED (UNII: UY43O1Q45N)		
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)		
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
ALUMINUM OXIDE (UNII: LM26O6933)		
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)		
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)		
EDETATE TRISODIUM (UNII: 420IP921MB)		
ALCOHOL (UNII: 3K9958V90M)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)		
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)		
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)		
SODIUM METABISULFITE (UNII: 4VON5FNS3C)		
HYDRATED SILICA (UNII: Y6O7T4G8P9)		
STANNIC OXIDE (UNII: KM7N50LOS6)		
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)		
DIPROPYLENE GLYCOL (UNII: E107L85C40)		
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)		
GLYCERYL DIISOSTEARATE (UNII: 68BAV42LRC)		
SUNFLOWER OIL (UNII: 3W1JG795YI)		
ROSEMARY (UNII: IJ67X351P9)		
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)		
METHYL PARABEN (UNII: A2B8C7HI9T)		
ETHYL PARABEN (UNII: 14255EXE39)		
PHENOXYETHANOL (UNII: HIE492ZZ3T)		
FERRIC OXIDE RED (UNII: 1K09F3G675)		
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)		
FERROSFERRIC OXIDE (UNII: XM0M87F357)		
MICA (UNII: V8A1AW0880)		
D&C RED NO. 27 (UNII: 2LRS185U6K)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-308-10	1 in 1 CARTON	02/01/2017	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2017	

SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION ROSE 4			
octinoxate and titanium dioxide liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-309
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1655 mg in 30 mL
	TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	676 mg in 30 mL
Inactive Ingredients			
	Ingredient Name	Strength	
	WATER (UNII: 059QF0KO0R)		
	CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)		
	GLYCERIN (UNII: PDC6A3C0OX)		
	BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
	CYCLOMETHICONE (UNII: NMQ347994Z)		
	DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)		
	DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)		
	MONOSODIUM GLUTAMATE (UNII: W81N5U6R6U)		
	LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)		
	PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)		
	ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)		
	BARIUM SULFATE (UNII: 25BB7EKE2E)		
	ARGAN OIL (UNII: 4V59G5UW9X)		
	POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)		
	NYLON-12 (UNII: 446U8J075B)		
	THYMUS SERPYLLUM (UNII: 86H4S6K51N)		
	SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)		
	CRANBERRY SEED OIL (UNII: 73KDS3BW5E)		
	CITRUS JUNOS SEED (UNII: UY43O1Q45N)		
	DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)		
	ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)		
	STEARIC ACID (UNII: 4ELV7Z65AP)		
	ALUMINUM OXIDE (UNII: LM26O6933)		
	SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)		

TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
EDETATE TRISODIUM (UNII: 420IP921MB)
ALCOHOL (UNII: 3K9958V90M)
DIMETHICONE (UNII: 92RU3N3Y1O)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2Y0I)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
STANNIC OXIDE (UNII: KM7N50LOS6)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
GLYCERYL DIISOSTEARATE (UNII: 68BAV42LRC)
SUNFLOWER OIL (UNII: 3W1JG795YI)
ROSEMARY (UNII: IJ67X351P9)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
METHYL PARABEN (UNII: A2B8C7HI9T)
ETHYL PARABEN (UNII: 14255EXE39)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)
D&C RED NO. 27 (UNII: 2LRS185U6K)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-309-10	1 in 1 CARTON	02/01/2017	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2017	

SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION ROSE 5

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-310
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1655 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	676 mg in 30 mL

Inactive Ingredients		
	Ingredient Name	Strength
	WATER (UNII: 059QF0KO0R)	
	CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
	GLYCERIN (UNII: PDC6A3C0OX)	
	BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
	CYCLOMETHICONE (UNII: NMQ347994Z)	
	DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
	DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
	MONOSODIUM GLUTAMATE (UNII: W81N5U6R6U)	
	LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
	PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
	ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
	BARIUM SULFATE (UNII: 25BB7EKE2E)	
	ARGAN OIL (UNII: 4V59G5UW9X)	
	POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
	NYLON-12 (UNII: 446U8J075B)	
	THYMUS SERPYLLUM (UNII: 86H4S6K51N)	
	SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
	CRANBERRY SEED OIL (UNII: 73KDS3BW5E)	
	CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
	DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
	ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
	STEARIC ACID (UNII: 4ELV7Z65AP)	
	ALUMINUM OXIDE (UNII: LM26O6933)	
	SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
	TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
	EDETATE TRISODIUM (UNII: 420IP921MB)	
	ALCOHOL (UNII: 3K9958V90M)	
	DIMETHICONE (UNII: 92RU3N3Y1O)	
	.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
	CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
	HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
	BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
	SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
	HYDRATED SILICA (UNII: Y6O7T4G8P9)	
	STANNIC OXIDE (UNII: KM7N50LOS6)	
	POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
	DIPROPYLENE GLYCOL (UNII: E107L85C40)	
	DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
	GLYCERYL DIISOSTEARATE (UNII: 68BAV42LRC)	
	SUNFLOWER OIL (UNII: 3W1JG795YI)	
	ROSEMARY (UNII: IJ67X351P9)	
	SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
	METHYL PARABEN (UNII: A2I8C7HI9T)	
	ETHYL PARABEN (UNII: 14255EXE39)	
	PHENOXYETHANOL (UNII: HIE492ZZ3T)	
	FERRIC OXIDE RED (UNII: 1K09F3G675)	
	FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
	FERROSFERRIC OXIDE (UNII: XM0M87F357)	
	MICA (UNII: V8A1AW0880)	
	D&C RED NO. 27 (UNII: 2LRS185U6K)	
Packaging		

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-310-10	1 in 1 CARTON	02/01/2017	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2017	

SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION GOLDEN 2

octinoxate and titanium dioxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-311
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1655 mg in 30 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	676 mg in 30 mL	
Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
CYCLOMETHICONE 5 (UNII: 0TH5PCI0R)			
GLYCERIN (UNII: PDC6A3C0OX)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
CYCLOMETHICONE (UNII: NMQ347994Z)			
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)			
MONOSODIUM GLUTAMATE (UNII: W81N5U6R6U)			
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)			
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)			
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)			
BARIUM SULFATE (UNII: 25BB7EKE2E)			
ARGAN OIL (UNII: 4V59G5UW9X)			
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)			
NYLON-12 (UNII: 446U8J075B)			
THYMUS SERPYLLUM (UNII: 86H4S6K51N)			
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)			
CRANBERRY SEED OIL (UNII: 73KDS3BW5E)			
CITRUS JUNOS SEED (UNII: UY43O1Q45N)			
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)			
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
ALUMINUM OXIDE (UNII: LM26O6933)			
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)			
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)			
EDETATE TRISODIUM (UNII: 420IP921MB)			

ALCOHOL (UNII: 3K9958V90M)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
GLYCERYL DIISOSTEARATE (UNII: 68BAV42LRC)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ROSEMARY (UNII: IJ67X351P9)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
METHYL PARABEN (UNII: A2BC7HI9T)	
ETHYL PARABEN (UNII: 14255EXE39)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-311-10	1 in 1 CARTON	02/01/2017	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2017	

SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION GOLDEN 3

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-312
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1655 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	676 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MONOSODIUM GLUTAMATE (UNII: W81N5U6R6U)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ARGAN OIL (UNII: 4V59G5UW9X)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
NYLON-12 (UNII: 446U8J075B)	
THYMUS SERPYLLUM (UNII: 86H4S6K51N)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
CRANBERRY SEED OIL (UNII: 73KDS3BW5E)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
ALCOHOL (UNII: 3K9958V90M)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
GLYCERYL DIISOSTEARATE (UNII: 68BAV42LRC)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ROSEMARY (UNII: IJ67X351P9)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
ETHYL PARABEN (UNII: 14255EXE39)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-312-10	1 in 1 CARTON	02/01/2017	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2017	

SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION GOLDEN 4

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-313
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1655 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	676 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MONOSODIUM GLUTAMATE (UNII: W81N5U6R6U)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
ARGAN OIL (UNII: 4V59G5UW9X)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
NYLON-12 (UNII: 446U8J075B)	
THYMUS SERPYLLUM (UNII: 86H4S6K51N)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
CRANBERRY SEED OIL (UNII: 73KDS3BW5E)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
ALCOHOL (UNII: 3K9958V90M)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
STANNIC OXIDE (UNII: KM7N50LOS6)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
GLYCERYL DIISOSTEARATE (UNII: 68BAV42LRC)
SUNFLOWER OIL (UNII: 3W1JG795YI)
ROSEMARY (UNII: IJ67X351P9)
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)
METHYL PARABEN (UNII: A2I8C7HI9T)
ETHYL PARABEN (UNII: 14255EXE39)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)
D&C RED NO. 27 (UNII: 2LRS185U6K)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-313-10	1 in 1 CARTON	02/01/2017	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2017	

SHISEIDO SYNCHRO SKIN GLOW LUMINIZING FLUID FOUNDATION GOLDEN 5

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-314
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1655 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	676 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	

CYCLOMETHICONE (UNII: NMQ347994Z)
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
MONOSODIUM GLUTAMATE (UNII: W81N5U6R6U)
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
BARIUM SULFATE (UNII: 25BB7EKE2E)
ARGAN OIL (UNII: 4V59G5UW9X)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
NYLON-12 (UNII: 446U8J075B)
THYMUS SERPYLLUM (UNII: 86H4S6K51N)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
CRANBERRY SEED OIL (UNII: 73KDS3BW5E)
CITRUS JUNOS SEED (UNII: UY43O1Q45N)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM OXIDE (UNII: LMI26O6933)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
EDETATE TRISODIUM (UNII: 420IP921MB)
ALCOHOL (UNII: 3K9958V90M)
DIMETHICONE (UNII: 92RU3N3Y1O)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOJ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
STANNIC OXIDE (UNII: KM7N50LOS6)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
GLYCERYL DIISOSTEARATE (UNII: 68BAV42LRC)
SUNFLOWER OIL (UNII: 3W1JG795YI)
ROSEMARY (UNII: IJ67X351P9)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
METHYL PARABEN (UNII: A2B8C7HI9T)
ETHYL PARABEN (UNII: I4255EXE39)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)
D&C RED NO. 27 (UNII: 2LRS185U6K)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-314-10	1 in 1 CARTON	02/01/2017	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2017	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Establishment

Name	Address	ID/FEI	Business Operations
SHISEIDO AMERICA INC.		782677132	manufacture(58411-302, 58411-303, 58411-304, 58411-305, 58411-306, 58411-307, 58411-308, 58411-309, 58411-310, 58411-311, 58411-312, 58411-313, 58411-314) , analysis(58411-302, 58411-303, 58411-304, 58411-305, 58411-306, 58411-307, 58411-308, 58411-309, 58411-310, 58411-311, 58411-312, 58411-313, 58411-314)

Revised: 12/2018

SHISEIDO AMERICAS CORPORATION