

**SILKEN PORE PERFECTING SUNSCREEN BROAD SPECTRUM SPF 35- octisalate,  
zinc oxide lotion  
TATCHA INC.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**SILKEN pore perfecting sunscreen broad spectrum SPF 35**

***Drug Facts***

***Active Ingredients***

Octisalate 5%

Zinc Oxide 15%

***Purpose***

Sunscreen

***Uses***

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

***Warnings***

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- **Sun Protection Measures**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.–2 p.m.
- Wear long-sleeve shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor.

### ***Inactive Ingredients***

WATER, ISODODECANE, CYCLOPENTASILOXANE, PROPANEDIOL, HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER, GLYCERIN, DIMETHICONE, OCTYLDODECYL NEOPENTANOATE, BEHENYL ALCOHOL, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, ROSA MULTIFLORA FRUIT EXTRACT, ERIOBOTRYA JAPONICA LEAF EXTRACT, STEARYL GLYCYRRHETINATE, GLYCYRRHIZA INFLATA ROOT EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, PISTACIA LENTISCUS (MASTIC) GUM, SERICIN, ALGAE EXTRACT, LECITHIN, INOSITOL, POLYHYDROXYSTEARIC ACID, SORBITAN TRISTEARATE, SODIUM DILAURAMIDOGLUTAMIDE LYSINE, SILICA, POTASSIUM SORBATE, BEHENETH-20, SODIUM ACRYLATE/ACRYLOYLDIMETHYLAURATE/DIMETHYLACRYLAMIDE CROSSPOLYMER, POLYMETHYLSILSESQUIOXANE, METHICONE, TRIMETHYLSILOXYSILICATE, DIMETHICONOL, DISODIUM EDTA, FRAGRANCE, ETHYLHEXYLGLYCERIN, ALCOHOL, PHENOXYETHANOL, IRON OXIDES (CI77491), TIN OXIDE (CI 77861), MICA (CI 77019), TITANIUM DIOXIDE (CI 77891)

### ***Questions?***

Call toll free (888) 739-2932 ext. 1

Call toll free (877) 322-8633

### ***PA +++***

A weightless sunscreen that protects against UVA/UVB rays with SPF 35 and reduces the look of pores for a smooth, matte finish.

Formulated without parabens, synthetic fragrances, mineral oil, sulfate detergents, phthalates, urea, DEA or TEA.

**Non-comedogenic.**

**Non-irritating.**

**Non-sensitizing.**

**Dermatologist tested.**

FORMULATED IN JAPAN

MADE IN USA

DIST. TATCHA LLC

SAN FRANCISCO, CA 94123 USA

UK: DELPHIC HSE GU14 7NA

NL: 104 SCHIPHOL, 1118CN

© 2023 TATCHA LLC

TATCHA.COM

BEAUTIFUL FACES, BEAUTIFUL FUTURES

Your purchase supports education equality

[www.tatcha.com/giving-back](http://www.tatcha.com/giving-back)

## Packaging

### 10 mL - OUTER CARTON



Your purchase supports  
girls' education  
[www.tatcha.com/giving](http://www.tatcha.com/giving)

## Drug Facts

(cont'd)

### Inactive Ingredients

(cont'd)

BEHENYL ALCOHOL, DIMETHICONE/VINYL  
DIMETHICONE COPOLYMER, ROSA  
MULTIFLORA FRUIT EXTRACT, EROBOTHRYVA  
JAPONICA LEAF EXTRACT, STEARYL  
GLYCYRRHETINATE, GLYCERYL RIZO  
INFLATA ROOT EXTRACT, CAMELLIA  
SINENSIS LEAF EXTRACT, PISTACIA  
LENTISCUUS (MASTIC) GUM, SERICIN,  
ALGAE EXTRACT, LECITHIN, INOSITOL,  
POLYHYDROXYSTEARIC ACID, SORBITAN  
TRISTEARATE, SODIUM  
DILAURAMIDOGGLUTAMIDE LYSINE, SILICA,  
POTASSIUM SORBATE, BEHENETH-20,  
SODIUM ACRYLATE/  
ACRYLOYLDIMETHYL AURATE/  
DIMETHYLACRYLAMIDE COPOLYMER,  
POLYMETHYLSILOXQUOKANE,  
METHICONE, TRIMETHYLSILOXYSILICATE,  
DIMETHICONOL, DISODIUM EDTA,  
FRAGRANCE, ETHYLHEXYLGLYCERIN,  
ALCOHOL, PHENOXYETHANOL,  
IRON OXIDES (CI 77491), TIN OXIDE  
(CI 77861), MICA (CI 77019), TITANIUM  
DIOXIDE (CI 77891)

### Questions?

Call toll-free (877) 322-8633

## 60 mL - OUTER CARTON

SILKEN



A weightless sunscreen  
that protects against  
UVA/UVB rays with SPF  
35 and reduces the look  
of pores for a smooth,  
matte finish.



T  
A  
T  
C  
H  
A®

SILKEN

DIST. TATCHA LLC  
SAN FRANCISCO, CA 94123 USA  
UK: DELPHIC HSE GU14 7NA  
NL: 104 SCHIPHOL 1118CN

## Drug Facts

Active Ingredients	Purpose
Octisalate 5%	Sunscreen
Zinc Oxide 15%	Sunscreen

### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

### Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- **Sun Protection Measures**  
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broadspectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.–2 p.m.
  - Wear long-sleeve shirts, pants, hats, and sunglasses.



**Drug Facts** (cont'd)

**Inactive Ingredients**

WATER, ISODODECANE, CYCLOPENTASILOXANE, PROPANEDIOL, HDI/TRIMETHYLOL HEXYL LACTONE CROSSPOLYMER, GLYCERIN, DIMETHICONE, OCTYLDODECYL NEOPENTANOATE, BEHENYL ALCOHOL, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, GLYCERIN, DIMETHICONE, OCTYLDODECYL NEOPENTANOATE, BEHENYL ALCOHOL, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, ROSA MULTIFLORA FRUIT EXTRACT, ERIOBOTRYA JAPONICA LEAF EXTRACT, STEARYL GLYCERYLRHETINATE, GLYCERYRHIZA INFLATA ROOT EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, PISTACIA LENTISCUS (MASTIC) GUM, SERICIN, ALGAE EXTRACT, LEGHEMIN, INOSITOL POLYHYDROXYSTEARIC ACID, SORBITAN TRISTEARATE, SODIUM DILAURAMIDOGlutAMIDE LYSINE, SILICA, POTASSIUM SORBATE, BEHENETH-20, SODIUM ACRYLATE/ACRYLOYLDIMETHYLTALURATE/DIMETHYLACRYLAMIDE CROSSPOLYMER, POLYMETHYLSILSESQUIOXANE, METHICONE, TRIMETHYLSILOXY SILICATE, DIMETHICONOL, DISODIUM EDTA, FRAGRANCE, ETHYLHEXYLGLYCERIN, ALCOHOL, PHENOXYETHANOL, IRON OXIDES (CI 77491), TIN OXIDE (CI 77861), MICA (CI 77019), TITANIUM DIOXIDE (CI 77891)

**Questions?**

Call toll free (888) 739-2932 ext. 1

**SILKEN PORE PERFECTING SUNSCREEN BROAD SPECTRUM SPF 35**

octisalate, zinc oxide lotion

**Product Information**

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:69417-150

**Route of Administration** TOPICAL

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	15 g in 100 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ROSA MULTIFLORA FRUIT</b> (UNII: EZ5DSL4T27)	
<b>RHAPHIOLEPIS BIBAS LEAF</b> (UNII: Z02066SV11)	
<b>STEARYL GLYCYRRHETINATE</b> (UNII: 3YYE6VJS0P)	
<b>GLYCYRRHIZA INFLATA ROOT</b> (UNII: 1MV1Z7MKVQ)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PISTACIA LENTISCUS RESIN</b> (UNII: 7446H202QW)	
<b>SILK SERICIN</b> (UNII: 0N1VMU8G9W)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>INOSITOL</b> (UNII: 4L6452S749)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SORBITAN TRISTEARATE</b> (UNII: 6LUM696811)	
<b>SODIUM DILAURAMIDOGLUTAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>BEHENETH-20</b> (UNII: BJ4GP2IFLN)	
<b>METHICONE (20 CST)</b> (UNII: 6777U11MKT)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69417-150-03	1 in 1 CARTON	04/26/2023	
1		10 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:69417-150-20	1 in 1 CARTON	04/26/2023	
2		60 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/26/2023	

**Labeler** - TATCHA INC. (006811461)

Revised: 6/2023

TATCHA INC.