


NITROUS OXIDE - nitrous oxide gas
Linde Gas & Equipment Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

NITROUS OXIDE


Linde



NITROUS OXIDE
UN1070
CAS 10024-97-2




NITROUS OXIDE USP

Distributed by:
Linde Gas North America LLC
200 Somerset Corporate Blvd., Suite 7000
Bridgewater, NJ 08807
866.543.3427



5.1





WARNING: This product can expose you to nitrous oxide, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

MEDICAL GAS
RX ONLY.
WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration and with the hazards, contraindications and side effects, and precautions to be taken.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY CAUSE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoid breathing gas. Do not get in eyes on skin or on clothing. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. **IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CONTENTS:		
CYLINDER TYPE		LITERS
K	<input type="checkbox"/>	13810
M	<input type="checkbox"/>	7386
E	<input type="checkbox"/>	1726
D	<input type="checkbox"/>	991

DO NOT REMOVE THIS LABEL.

LG040G 8/18

NITROUS OXIDE USP

UN1070

2

5.1

!

MEDICAL GAS

RX ONLY

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods and frequency and duration of administration, and with the hazards,

contraindications and side effects, and precautions to be taken.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY CAUSE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoid breathing gas. Do not get in eyes on skin or on clothing. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. **IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

WARNING: This product can expose you to nitrous oxide, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

DO NOT REMOVE THIS LABEL.

CONTENTS:

Cylinder Type	Liters	
K	13810	[_]
M	7386	[_]
E	1726	[_]
D	991	[_]

Distributed by:

Linde Gas North America LLC


200 Somerset Corporate Blvd., Suite 7000

Bridgewater, NJ 08807

866.543.3427

LG040G 8/18

Linde



NITROUS OXIDE USP

UN1070

CAS 10024-97-2

2

5.1

!

MEDICAL GAS

Rx only

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effect, and the precautions to be taken. **DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER, CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY CAUSE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoid breathing gas. Do not get in eyes, on skin or on clothing. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a black flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. **IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. **WARNING:** This product can expose you to nitrous oxide, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

2	NDC:25373-003-02	1726 L in 1 CYLINDER; Type 0: Not a Combination Product	11/27/1990	
3	NDC:25373-003-04	13810 L in 1 CYLINDER; Type 0: Not a Combination Product	11/27/1990	
4	NDC:25373-003-05	7386 L in 1 DEWAR; Type 0: Not a Combination Product	11/09/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		11/27/1990	

Labeler - Linde Gas & Equipment Inc. (805568339)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		010263301	manufacture(25373-003)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		142591424	manufacture(25373-003)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		833132561	manufacture(25373-003)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		016271697	manufacture(25373-003)

Revised: 12/2021

Linde Gas & Equipment Inc.