

**SUNMARK NASAL- oxymetazoline hcl spray**  
**Strategic Sourcing Services LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**McKesson Nasal Spray Drug Facts**

**Active ingredient**

Oxymetazoline hydrochloride 0.05%

**Purpose**

Nasal decongestant

**Uses**

- temporarily relieves nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

**Warnings**

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland

**When using this product**

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

**Stop use and ask a doctor if**

symptoms persist

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor

To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Replace cap tightly to maintain child resistance.

**Other information**

- store at 20-25°C (68-77°F)
- retain carton for future reference on full labeling

**Inactive ingredients**

benzalkonium chloride solution, benzyl alcohol, dibasic sodium phosphate, edetate disodium, glycerin, monobasic sodium phosphate, polyethylene glycol, povidone, propylene glycol, purified water

**Questions or comments?**

**1-800-719-9260**

**Principal Display Panel**

sunmark®

COMPARE TO AFRIN® NASAL SPRAY ACTIVE INGREDIENT

See New Directions

nasal spray

oxymetazoline HCl 0.05%

nasal decongestant

Extra Moisturizing

Fast, powerful congestion relief


For colds & allergies

Soothes and helps rehydrate dry noses

12 HOUR RELIEVE

GLUTEN FREE

1 FL OZ (30 mL)



**sunmark**<sup>®</sup>

COMPARE TO  
AFRIN<sup>®</sup> NASAL SPRAY  
ACTIVE INGREDIENT\*

NDC 49348-230-27

See New Directions

# nasal spray

oxymetazoline HCl 0.05% -  
nasal decongestant  
**Extra Moisturizing**



Fast, powerful  
congestion relief  
For colds & allergies  
Soothes and helps  
rehydrate dry noses

**12 HOUR RELIEF**

**sunmark**<sup>®</sup>


# nasal spray

oxymetazoline HCl 0.05% -  
nasal decongestant

**Extra Moisturizing**

**GLUTEN FREE**

**1 FL OZ (30 mL)**



oxy metazo line HCl 0.05% - nasal decongestant

# nasal spray

sunmark®

## Drug Facts

### Active ingredient

Oxymetazoline hydrochloride 0.05%...Nasal decongestant

### Purpose

### Uses

- temporarily relieves nasal congestion due to:
  - common cold
  - hay fever
  - upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

### Warnings

#### Ask a doctor before use if you have

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland

#### When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
  - children under 6 years of age: ask a doctor
- To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Replace cap tightly to maintain child resistance.

## Drug Facts (continued)

### Inactive ingredients

benzalkonium chloride solution, benzyl alcohol, dibasic sodium phosphate, edetate disodium, glycerin, monobasic sodium phosphate, polyethylene glycol, povidone, propylene glycol, purified water

### Questions or comments?


1-800-719-9260

\*This product is not manufactured or distributed by MSD Consumer Care, Inc., distributor of Afrin® Nasal Spray.

**DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING**

**McKESSON**

Another Quality Product  
Distributed By McKesson  
One Post Street,  
San Francisco, CA 94104  
Money Back Guarantee  
Please visit us at  
[www.sunmarkbrand.com](http://www.sunmarkbrand.com)



**Other information**

- store at 20-25°C (68-77°F)
- retain carton for future reference on full labeling

LOT NO.

EXP.

: 06510 S1 C4

**SUNMARK NASAL**

oxymetazoline hcl spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49348-230
<b>Route of Administration</b>	NASAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>OXYMETAZOLINE HYDROCHLORIDE</b> (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM</b> (UNII: GR686LBA74)	
<b>SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM</b> (UNII: 3980JIH2SW)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC 49348-230			

1	NDC:49548-230-27	1 in 1 CARTON	09/19/2003	
1		30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part341		09/19/2003	

**Labeler** - Strategic Sourcing Services LLC (116956644)

Revised: 11/2022

Strategic Sourcing Services LLC