

IVIZIA DRY EYE- povidone solution/ drops Similasan AG

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

iVizia Dry Eye Drops 5ml Sample

Active Ingredient

Povidone 0.5%

Purpose

Eye lubricant

Uses

(one or more of these)

- For the temporary relief of burning and irritation due to dryness of the eye
- For the temporary relief of discomfort due to minor irritations of the eye or to exposure to wind and sun
- For use as a protectant against further irritation or to relieve dryness of the eye
- For use as a lubricant to prevent further irritation or to relieve dryness of the eye.

Warnings:

- **For external use only (in the eye)**
- Wait at least 10 minutes between using two different eye products
- **Do not use** if you are allergic to any of the ingredients.
- If solution changes color or becomes cloudy, **do not use.**
- To avoid contamination, do not touch the tip of container to any surface. Replace cap after using.
- Use up to 90 days after opening. Store below 77°F. Do not use after the expiration date on the carton. Expiration date refers to the product in intact packaging, stored correctly.
- If you experience eye pain, changes in vision, continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours, discontinue use and consult a doctor.
- After first use, if exposed to low atmospheric pressure, the bottle can leak.

If pregnant, trying to get pregnant or breast feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

When using this product

- Rare possibility of mild eye irritation and ocular redness. In such cases, contact lens wearers should remove their contact lenses.
- You might experience bothersome symptoms such as a burning sensation, stinging sensation, foreign body sensation in the eye and blurred vision for a short time.

Directions:

- Wash hands well before use.
- Instill 1 or 2 drops in the affected eye(s) as needed. Can be used when wearing contact lenses.
- *To limit blurriness when using contact lenses: remove contacts, apply drops, then insert contacts.

Inactive Ingredients

Hydrochloric acid, purified water, sodium chloride, sodium hyaluronate, trehalose, tromethamine

Questions?

1-800-240-9780 or getinfo@similasanusa.com.

Principle Display Panel

iVizia

Sterile Lubricant Eye Drops

For Dry Eyes

0.16 FL OZ (5ml)

FOR DRY EYES
Sterile Lubricant Eye Drops
IVIZIA™

31mm x 19mm
reserved for
lot/exp

PD4US7005 / v1.0

Drug Facts

Active Ingredients .. Purpose
Povidone 0.5% .. eye lubricant

Uses (one or more of these)
• For the temporary relief of burning and irritation due to dryness of the eye • For the temporary relief of discomfort due to minor irritations of the eye or to exposure to wind and sun • For use as a protectant against further irritation or to relieve dryness of the eye • For use as a lubricant to prevent further irritation or to relieve dryness of the eye.

Warnings

- For external use only (in the eye)
- Wait at least 10 minutes between using two different eye products.
- Do not use if you are allergic to any of the ingredients.
- If solution changes color or becomes cloudy, do not use.
- To avoid contamination, do not touch the tip of container to any surface. Replace cap after using.
- Use up to 90 days after opening. Store below 77° F. Do not use after the expiration date on the carton. Expiration date refers to the product in intact packaging, stored correctly.
- If you experience eye pain, changes in vision, continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours, discontinue use and consult a doctor.
- After first use, if exposed to low atmospheric pressure, the bottle can leak.

Drug Facts (continued)

If pregnant, trying to get pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

When using this product:
• Rare possibility of mild eye irritation and ocular redness. In such cases, contact lens wearers should remove their contact lenses.
• You might experience bothersome symptoms such as a burning sensation, stinging sensation, foreign body sensation in the eye and blurred vision for a short time.

Directions

- Wash hands well before use.
- Instill 1 or 2 drops in the affected eye(s) as needed. Can be used when wearing contact lenses.
- To limit blurriness when using contact lenses: remove contacts, apply drops, then insert contacts.

Inactive Ingredients

Hydrochloric acid, purified water, sodium chloride, sodium hyaluronate, trehalose, benzethamine

Questions?

1-800-240-8780 or
getinfo@similasanusa.com

Do not use if the tamper evident ring is broken or bottle is damaged.

Similasan™
EVIDENCE-BASED EYE CARE

NEW



IVIZIA™

Sterile Lubricant Eye Drops
FOR DRY EYES

From the Makers of the
#1 DOCTOR PRESCRIBED
Dry Eye Brand in Europe

Preservative Free
Safe With Contacts*

0.16 FL OZ (5ml)

IVIZIA™
Sterile Lubricant Eye Drops
for Dry Eyes

A next generation drop for healthy, sparkling, comfortable eyes even with sensitive eyes or contacts.

- From the makers of the #1 doctor prescribed dry eye brand in Europe
- Formulated with scientifically studied ingredients including hydrating polymers and trehalose (synthetic ingredient also found in desert plants)
- Preservative-free, safe for use with contacts* or pre/post-surgery

ALSO TRY:

IVIZIA Micellar Eyelid
Cleanser & Eyelid
Cleansing Wipes

SAMPLE
NOT FOR RESALE

Similasan evidence-based eye care and **IVIZIA** are trademarks of IBS Eye Care Management AG, Switzerland. Manufactured exclusively for: Laboratoires Théa, 63017 Clermont-Ferrand Cedex 2 - France. Made in France. Imported and Distributed by: Similasan Corporation, Highlands Ranch, CO 80129. 1-800-240-8780.

EMB 77 152C

IVIZIA DRY EYE

povidone solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53799-700(NDC:81372-700)
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE (UNII: FZ989GH94E) (POVIDONE - UNII:FZ989GH94E)	POVIDONE	25 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
HYDROCHLORIC ACID (UNII: QTT17582CB)	
WATER (UNII: 059QF0KO0R)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
TREHALOSE (UNII: B8WCK70T7I)	
TROMETHAMINE (UNII: 023C2WHX2V)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53799-700-13	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	09/30/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	09/30/2021	

Labeler - Similasan AG (481545754)

Revised: 9/2021

Similasan AG