

ACETAMINOPHEN- acetaminophen solution
CVS PHARMACY

CVS 44-045-30 mL

Active ingredient (in each 30 mL)

Acetaminophen 1,000 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - muscular aches
 - toothache
 - backache
 - the common cold
 - minor pain of arthritis
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- fever gets worse or lasts more than 3 days
- pain gets worse or lasts more than 10 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- mL = milliliter
- only use the dose cup provided
- adults and children 12 years and over
 - take 30 mL every 6 hours while symptoms last
 - do not take more than 90 mL in 24 hours, unless directed by a doctor
 - do not take for more than 10 days unless directed by a doctor
- children under 12 years: do not use

Other information

- **each 30 mL contains:** sodium 11 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

anhydrous citric acid, flavor, glycerin, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sodium saccharin, sucralose

Questions or comments?

1-800-426-9391

Principal display panel

♥CVS

Health®

Liquid

NDC 69842-445-19

EXTRA STRENGTH

Acetaminophen

Liquid, 1,000 mg/30 mL

Pain reliever, Fever reducer

• Aspirin free • Alcohol free

DYE

FREE

Cherry Flavor

For Ages 12 & Over

8 FL OZ (237 mL)

F-045-19 REV D

**TAMPER EVIDENT: DO NOT USE IF PRINTED
NECK WRAP IS BROKEN OR MISSING**

F-045-19

REV D

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

© 2023 CVS/pharmacy

CVS.com® 1-800-SHOP CVS

100% money back

guaranteed.

CVS.com/returnpolicy

50844

REV0123D04519

CVS Health. Liquid

EXTRA STRENGTH NDC 69842-445-19

Acetaminophen

Liquid, 1,000 mg/30 mL **DYE FREE**

Pain reliever, Fever reducer
 • Aspirin free • Alcohol free

Cherry Flavor
For Ages 12 & Over

8 FL OZ (237 mL) F-045-19 REV D

B-045-19 REV D #221384

FPO 90%
UPC# 050428591369

X XXXXXX XXXXXX X

Drug Facts TAMPER EVIDENT: DO NOT USE IF PRINTED NECK WRAP IS BROKEN OR MISSING

Active ingredient (in each 30 mL)	Purpose
Acetaminophen 1,000 mg	Pain reliever/fever reducer

Uses ■ temporarily relieves minor aches and pains due to:
 ■ headache ■ muscular aches ■ toothache ■ backache ■ the common cold
 ■ minor pain of arthritis ■ premenstrual and menstrual cramps
 ■ temporarily reduces fever

Warnings
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours
 ■ with other drugs containing acetaminophen

No print/No varnish Lot & Exp date

PEEL HERE FOR COMPLETE DRUG FACTS

Drug Facts (continued)

■ 3 or more alcoholic drinks every day while using this product
 Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ blisters ■ rash ■ skin reddening
 If a skin reaction occurs, stop use and seek medical help right away.

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if ■ fever gets worse or lasts more than 3 days
 ■ pain gets worse or lasts more than 10 days
 ■ redness or swelling is present ■ new symptoms occur
 These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

HINGE

Drug Facts (continued)

Directions ■ do not take more than directed
 ■ mL = milliliter
 ■ only use the dose cup provided
 ■ adults and children 12 years and over
 ■ take 30 mL every 6 hours while symptoms last
 ■ do not take more than 90 mL in 24 hours, unless directed by a doctor
 ■ do not take for more than 10 days unless directed by a doctor
 ■ children under 12 years: do not use

Other information ■ each 30 mL contains: sodium 11 mg
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
 ■ use by expiration date on package

Inactive ingredients anhydrous citric acid, flavor, glycerin, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sodium saccharin, sucralose

Questions or comments? 1-800-426-9391

Distributed by: CVS Pharmacy, Inc.
 One CVS Drive, Woonsocket, RI 02895
 © 2023 CVS/pharmacy
 CVS.com® 1-800-SHOP CVS

100% money back guaranteed.
 CVS.com/returnpolicy

V-11112 50844 REV0123D04519

HINGE

CVS 44-045

ACETAMINOPHEN		
acetaminophen solution		
Product Information		
Product Type	HUMAN OTC DRUG	Item Code (Source) NDC:69842-445
Route of Administration	ORAL	
Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	1000 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-445-19	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/09/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/09/2021	

Labeler - CVS PHARMACY (062312574)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(69842-445) , pack(69842-445)

Revised: 6/2024

CVS PHARMACY