

**SODIUM IODIDE- sodium iodide injection, solution**  
**Nova-Tech, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).*

-----

**SODIUM IODIDE 20 %**

**INDICATIONS**

For use as an aid in the treatment of actinomycosis (lumpy jaw), actinobacillosis (wooden tongue) and necrotic stomatitis in cattle.

**CONTRAINDICATIONS**

The use of sodium iodide is contraindicated in pregnancy and hyperthyroidism.

**CAUTION**

Animals vary in their susceptibility of iodides. Administer with caution until the animal's tolerance is determined. Discontinue treatment if adverse reactions occur.

**DOSAGE AND ADMINISTRATION:**

Using aseptic procedures, administer slowly by intravenous injection. Inject carefully to avoid deposition outside of the vein. The usual dose is 30 mg per pound of body weight (15 mL/100 lb). May be repeated at weekly intervals, if necessary.

**WARNING**

Not for use in lactating dairy cows.

**For Animal Use Only**

**Keep Out of Reach Of Children**

**CAUTION:**

Federal law restricts this drug to use by or on the order of a licensed veterinarian.

**COMPOSITION**

Each 100 mL of sterile aqueous solution contains:  
Sodium Iodide.....20 grams  
Water For Injection.....q.s.

**Store between 15°C-30°C (59°F-86°F).**

**TAKE TIME OBSERVE LABEL DIRECTIONS**

Manufactured by:

Nova-Tech, Inc.  
 Grand Island, NE 68801 USA  
 18-819  
 RMS 92-366  
 NDC# 65207-819-25  
 Net Contents:  
 250 mL (8.45 fl oz)  
 Assembled in USA  
 Lot No.  
 Exp. Date

**Indications**

For use as an aid in the treatment of actinomycosis (lumpy jaw), antinobacillosis (wooden tongue) and necrotic stomatitis in cattle.

**Contraindications**


The use of sodium iodide is contraindicated in pregnancy and hyperthyroidism.

**Dosage & Administration**

Using aseptic procedures, administer slowly by intravenous injection. Inject carefully to avoid deposition outside of the vein. The usual dose is 30 mg per pound of body weight (15 mL/100 lb). May be repeated at weekly intervals, if necessary.

**Caution**

Animals vary in their susceptibility of iodides. Administer with caution until the animal's tolerance is determined. Discontinue treatment if adverse reactions occur.



**Composition**

Each 100 mL of sterile aqueous solution contains:  
 Sodium Iodide .....20 grams  
 Water for Injection.....q.s.  
 Store between 15°C-30°C (59°F-86°F).

**Warning**

Not for use in lactating dairy cows.



Lot No.

Exp. Date

Manufactured by:  
 Nova-Tech, Inc. 18-819  
 Grand Island, NE 68801 USA RMS 92-366

NET CONTENTS:  
 250 mL (8.45 fl oz)

**SODIUM IODIDE**

sodium iodide injection, solution

**Product Information**

<b>Product Type</b>	PRESCRIPTION ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:65207-819
<b>Route of Administration</b>	INTRAVENOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
SODIUM IODIDE (UNII: F5WR8N145C) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	20 g in 100 mL

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:65207-819-25	250 mL in 1 BOTTLE, PLASTIC		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
unapproved drug other		08/22/2019		

**Labeler** - Nova-Tech, Inc. (196078976)

**Registrant** - Nova-Tech, Inc. (196078976)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Nova-Tech, Inc.		196078976	manufacture, api manufacture

Revised: 8/2019

Nova-Tech, Inc.